

LEGEND					INBRE	D RICE		options recommended to appl	y 10-2	0 bag	gs/ha Organic Fertilizer HYBRI	D RICE		ARE	A
Mappping Unit	Description		lutrie		WET SEASON  Recommended Fertilizer Rate	Nutr	rient	DRY SEASON  Recommended Fertilizer Rate	Nutr		WET SEASON  Recommended Fertilizer Rate	Nutri	Recommended Fertilizer Rate		
	TEXTURE-N-P-K L-L-L-L	N	uiren P₂O₅ 60	K <sub>2</sub> (	(hags/hectare)	Require           N         P₂€           120         6	O₅ K₂O	(bags/hectare) Option 1:	Require           N         P₂€           120         7€	O₅ K₂O	(bags/hectare) Option 1:	Require           N         P₂O           140         70	(hags/hectare)	ha	%
					(1st Application): 8.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0);			(1st Application): 8.75 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0);			(1st Application): 10.00 (14-14-14-); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0);		(1st Application): 10.00 (14-14-14-); (2nd Application): 1.52 (46-0-0); (3rd Application): 1.52 (46-0-0);		
1					Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0);			Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 2.00 (46-0-0);			Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0);		Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0);	112	0.22
					(3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0);			(3rd Application): 1.25 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 6.75 (0-18-0);			(3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0);		(3rd Application): 1.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 3.00 (46-0-0); 8.00 (0-18-0);		
	L-L-L-MH	100	60	20	(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60); Option 1:	120 6	0 20	(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.00 (0-0-60); Option 1:	120 7	20	(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60); Option 1:	140 70	(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60); 30 Option 1:		
	L-L-L-IVIN	100	60	20	(1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0);	120 6	0   20	(1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.25 (46-0-0);		30	(1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0);	140 70	(1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.50 (46-0-0);		
3					(3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0);			(3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0);			(3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0);		(3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0);	27	0.05
3					(2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3:			(2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 3:			(2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3:		(2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3:	27	0.05
					(1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);			(1st Application): 2.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60);			(1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		(1st Application): 3.00 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		
	L-L-L-H	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0);		0 7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0);		7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0);	140 70	7 Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0);		
					(2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2:			(2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2:			(2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2:		(2nd Application): 3.00 (46-0-0); (3rd Application): 3.00 (46-0-0); Option 2:		
4					(1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);			(1st Application): 6.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);			(1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);		(1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60);	249	0.5
					Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0);			Option 3: (1st Application): 2.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.50 (46-0-0);			Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0);		Option 3: (1st Application): 3.00 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0);		
	L-L-ML-L	100	40	60	(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);  Option 1:	120 4	0 60	(3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 1:	120 5	70	(3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);  Option 1:	140 50	(3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);  70 Option 1:		
	L-L-IVIL-L	100	40		(1st Application): 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	120 4		(1st Application): 5.75 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60);		, ,	(1st Application): 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60);	140 30	(1st Application): 7.25 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60);		
5					Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0);			Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0);			Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0);		Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.50 (46-0-0);	88	0.18
J					(3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3:			(3rd Application): 2.00 (46-0-0); 2.00 (0-0-60); Option 3:			(3rd Application): 1.50 (46-0-0); 2.50 (0-0-60); Option 3:		(3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3:		0.10
					(1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60);			(1st Application): 2.75 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.00 (0-0-60);			(1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);		(1st Application): 3.00 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);		
	L-L-ML-ML	100	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0);	120 4	0 40	Option 1: (1st Application): 5.75 (14-14-14-); 1.00 (46-0-0);		50	Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0);	140 50	50 Option 1: (1st Application): 7.25 (14-14-14-); 1.00 (46-0-0);		
					(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2:			(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2:			(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2:		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2:		
6					(1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);			(1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.50 (0-0-60);			(1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);		(1st Application): 5.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60);	526	1.05
					Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0);			Option 3: (1st Application): 2.75 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0);			Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0);		Option 3: (1st Application): 3.00 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.50 (46-0-0);		
	L-L-ML-MH	100	40	20	(3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);  Option 1:	120 4	0 20	(3rd Application): 1.50 (46-0-0); 1.50 (0-0-60);  Option 1:		0 30	(3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);  Option 1:	140 50	(3rd Application): 1.50 (46-0-0); 1.67 (0-0-60);  30 Option 1:		
					(1st Application): 3.00 (14-14-14-); 1.30 (46-0-0); 2.22 (0-18-0); (2nd Application): 1.09 (46-0-0);			(1st Application): 3.00 (14-14-14-); 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0);			(1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0);		(1st Application): 4.50 (14-14-14-); 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0);		
7					(3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0);			(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0);			(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0);		(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0);	270	0.54
					(2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3:			(2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.75 (0-0-60); Option 3:			(2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 3:		(2nd Application): 2.50 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3:		
					(1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);			(1st Application): 2.75 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60);			(1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		(1st Application): 3.00 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		
	L-L-ML-H	100	40	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.87 (46-0-0); 3.67 (0-18-0);	120 4	0 7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 3.75 (0-18-0);	120 5	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 5.00 (0-18-0);	140 50			
					(2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2:			(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2:			(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2:		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2:		
8					(1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0);			(1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0);			(1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0);		(1st Application): 5.00 (16-20-0); (2nd Application): 2.50 (46-0-0);	2,177	4.35
					(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0);			(3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 4.50 (0-18-0);			(3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0);		(3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 3.00 (46-0-0); 5.75 (0-18-0);		
	L-L-MH-ML	100	20	40	(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 1:	120 2	0 40	(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 1:		50	(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 1:	140 30	(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); 50 Option 1:		
					(1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);			(1st Application): 3.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60);			(1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60);		(1st Application): 4.50 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0); 0.75 (0-0-60);		
10					Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0);			Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.50 (46-0-0);			Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0);		Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.50 (46-0-0);	247	0.49
					(3rd Application): 1.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0);			(3rd Application): 2.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 2.25 (0-18-0);			(3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0);		(3rd Application): 2.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 3.00 (46-0-0); 3.50 (0-18-0);		
					(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);			(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60);			(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);		
	L-L-MH-MH	100	20	30	Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0);	120 2	0 30	Option 1: (1st Application): 3.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0);		30	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0);	140 30	30 Option 1: (1st Application): 4.50 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.50 (46-0-0);		
					(3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0);			(3rd Application): 1.50 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0);			(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0);		(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0);		
11					(2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3:			(2nd Application): 2.50 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3:			(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3:		(2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); 1.00 (0-0-60); Option 3:	120	0.24
					(1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0);			(1st Application): 2.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0);			(1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0);		(1st Application): 3.00 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0);		
	L-L-MH-H	100	20	7	(3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);  Option 1:	120 2	0 7	(3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 1:	120 3	) 7	(3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);  Option 1:	140 30	1 1 '		
					(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.25 (46-0-0);			(1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.50 (46-0-0);			(1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.50 (46-0-0);		(1st Application): 1.00 (14-14-14-); 2.75 (46-0-0); 2.56 (0-18-0); (2nd Application): 1.50 (46-0-0);		
12					(3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0);			(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0);			(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0);		(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0);	2,231	4.46
					(2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3:			(2nd Application): 2.50 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3:			(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3:		(2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); 0.25 (0-0-60); Option 3:		
					(1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);			(1st Application): 2.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);			(1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);		(1st Application): 3.00 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);		
	L-L-H-L	100	7	60	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0);	120 7	7 60	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0);	120 7	70	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0);	140 7	70 Option 1: (1st Application): 1.00 (14-14-14-); 2.75 (46-0-0); (2nd Application): 1.50 (46-0-0);		
					(3rd Application): 1.25 (46-0-0); 2.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0);			(3rd Application): 1.50 (46-0-0); 2.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0);			(3rd Application): 1.50 (46-0-0); 2.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0);		(3rd Application): 1.50 (46-0-0); 2.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0);		
13					(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.00 (0-0-60); Option 3:			(2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.00 (0-0-60); Option 3:			(2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3:		(2nd Application): 3.00 (46-0-0); (3rd Application): 3.00 (46-0-0); 2.50 (0-0-60); Option 3:	30	0.06
					(1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60);			(1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.00 (0-0-60);			(1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);		(1st Application): 3.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);		
	L-L-H-MH	100	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0);	120 7	7 20	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0);		30	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0);	140 7	30 Option 1: (1st Application): 1.00 (14-14-14-); 2.75 (46-0-0);		
					(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2:			(2nd Application): 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); 0.50 (0-0-60); Option 2:			(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 2:		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 2:		
15					(1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.75 (0-0-60);			(1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.75 (0-0-60);			(1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60);		(1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 3.00 (46-0-0); 1.00 (0-0-60);	807	1.61
					Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0);			Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0);			Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0);		Option 3: (1st Application): 3.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0);		
	L-L-H-H	100	7	7	(2na Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 1:	120 7	7 7	(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60);  Option 1:	120 -	7	(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 1:	140 -	(2na Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); 7 Option 1:		
	e-e-n-H	100	,		(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0);	120 7	'	(1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0);		'	(1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0);	1-10 /	(1st Application): 1.00 (14-14-14-); 2.75 (46-0-0); (2nd Application): 1.50 (46-0-0);		
					(3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.35 (46-0-0);			(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0);			(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0);		(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0);	7.00	4.5
16					(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3:			(2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3:			(2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3:		(2nd Application): 3.00 (46-0-0); (3rd Application): 3.00 (46-0-0); 0.25 (0-0-60); Option 3:	7,309	14.62
					(1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);			(1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);			(1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);		(1st Application): 3.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);		
	L-ML-L-MH	80	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0);	100 6	0 20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0);		0 30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0);	120 70	30 Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0);		
					(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2:			(2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2:			(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2:		(2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2:		
19					(1st Application): 6.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60); Option 3:			(1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);			(1st Application): 7.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		(1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);	90	0.18
					(1st Application): 1.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);			Option 3: (1st Application): 2.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0);			Option 3: (1st Application): 2.25 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0);		Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0);		
	L-ML-L-H	80	60	7	Option 1:	100 6	0 7	(3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 1:	100 7	) 7	(3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 1:	120 70	(3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		
	6 11		,,,		(1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0);			(1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0);		,	(1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0);	70	(1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0);		
20					Option 2: (1st Application): 6.00 (16-20-0);			Option 2: (1st Application): 6.00 (16-20-0);			Option 2: (1st Application): 7.00 (16-20-0);		Option 2: (1st Application): 7.00 (16-20-0);	1,025	2.05
20					(3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 6.75 (0-18-0);			(2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:			(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0): 8.00 (0-18-0):	1,025	∠.∪5
					(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);			(1st Application): 2.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);			(1st Application): 2.25 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);		(1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);		
	L-ML-ML-L	80	40	60	Option 1: (1st Application): 5.75 (14-14-14-);	100 4	0 60	Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0);		0 70	Option 1: (1st Application): 7.25 (14-14-14-); (2st Application): 1.25 (16-0.0);	120 50	70 Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0);		
					(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2:			(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2:			(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2:		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60); Option 2:		
21					(1st Application): 4.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);			(1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);			(1st Application): 5.00 (16-20-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);		(1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);	34	0.07
					Option 3: (1st Application): 1.75 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0);			Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0);			Option 3: (1st Application): 2.25 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0);		Option 3: (1st Application): 2.75 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.50 (46-0-0);		
					(3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);			(3rd Application): 1.25 (46-0-0); 2.00 (0-0-60);			(3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);		(3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);		

LEGEND	1 DAI DAI DAI	00 40	40 Ontion 4	100 40	40 Option 4	100	50	F0	Oution 4	F0 F0	Oution 4.		
	L-MIL-MIL-MIL	80 40	40 Option 1: (1st Application): 5.75 (14-14-14-); (2nd Application): 1.00 (46-0-0);	100 40	40 Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0);	100	50		Option 1: 120 (1st Application): 7.25 (14-14-14-); (2nd Application): 1.25 (46-0-0);	50 50	Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0);		
			(3rd Application): 1.00 (46-0-0); Option 2:		(3rd Application): 1.25 (46-0-0); Option 2:				(3rd Application): 1.25 (46-0-0); Option 2:		(3rd Application): 1.50 (46-0-0); Option 2:		
22			(1st Application): 4.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		(1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);				(1st Application): 5.00 (16-20-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);		(1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);	383	0.77
			Option 3: (1st Application): 1.75 (46-0-0); 4.50 (0-18-0);		Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0);			-	Option 3: (1st Application): 2.25 (46-0-0); 5.75 (0-18-0);		Option 3: (1st Application): 2.75 (46-0-0); 5.75 (0-18-0);		
			(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);				(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);		
	L-ML-ML-MH	80 40	20 Option 1: (1st Application): 3.00 (14-14-14-); 1.00 (46-0-0);		20 Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0);	100	50		Option 1: 120 (1st Application): 4.50 (14-14-14-); 1.00 (46-0-0);	50 30	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0);		
			2.22 (0-18-0); (2nd Application): 1.00 (46-0-0);		2.25 (0-18-0); (2nd Application): 1.25 (46-0-0);				2.25 (0-18-0); (2nd Application): 1.25 (46-0-0);		2.25 (0-18-0); (2nd Application): 1.50 (46-0-0);		
23			(3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0);		(3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0);			-	(3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0);		(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0);	56	0.11
25			(2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		(2nd Application): 4.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);				(2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		(2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);	30	0.11
			Option 3: (1st Application): 1.75 (46-0-0); 4.50 (0-18-0);		Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0);				Option 3: (1st Application): 2.25 (46-0-0); 5.75 (0-18-0);		Option 3: (1st Application): 2.75 (46-0-0); 5.75 (0-18-0);		
	I NAI NAI LI	90 40	(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100 40	(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); 7 Option 1:	100	F0		(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	50 7	(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		
	L-ML-ML-H	80 40	7 Option 1: (1st Application): 1.00 (14-14-14-); 1.50 (46-0-0); 3.67 (0-18-0);		(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); 3.75 (0-18-0);	100	50		Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); 5.00 (0-18-0);	50 /	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 5.00 (0-18-0);		
			(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0);		(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0);				(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0);		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0);		
24			Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.25 (46.0.0);		Option 2: (1st Application): 4.00 (16-20-0);				Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.75 (46-0-0);		Option 2: (1st Application): 5.00 (16-20-0);	7,737	15.48
			(2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:		(2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:				(2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:		(2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 3:		
			(1st Application): 1.75 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0);		(1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0);				(1st Application): 2.25 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0);		(1st Application): 2.75 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.50 (46-0-0);		
	L-ML-MH-L	80 20	(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); 60 Option 1: (1st Application): 3.00 (14-14-14-); 1.00 (46-0-0);		(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); 60 Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0);	100	30	70	(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 1: 120 (1st Application): 4.50 (14-14-14-); 1.00 (46-0-0);	30 70	(3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0);		
			(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);				(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60);		
25			Option 2: (1st Application): 2.00 (16-20-0);		Option 2: (1st Application): 2.00 (16-20-0);				Option 2: (1st Application): 3.00 (16-20-0);		Option 2: (1st Application): 3.00 (16-20-0);	200	
25			(2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3:		(2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3:				(2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60); Option 3:		(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3:	236	0.47
			(1st Application): 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0);		(1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0);				(1st Application): 2.25 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0);		(1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0);		
			(3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);		(3rd Application): 1.25 (46-0-0); 2.00 (0-0-60);				(3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);		(3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);		
	L-ML-MH-ML	80   20	40 Option 1: (1st Application): 3.00 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.00 (46-0-0);		40 Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0);	100	30		Option 1: (1st Application): 4.50 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.25 (46-0-0);	30   50	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0);		
			(3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2:		(3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2:				(3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2:		(3rd Application): 1.50 (46-0-0); 0.75 (0-0-60); Option 2:		
26			(1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0);		(1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0);				(1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0);		(1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0);	79	0.16
			(3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.25 (0-18-0);		(3rd Application): 1.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0);			-	(3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 3.50 (0-18-0);		(3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0);		
			(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);				(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);		
	L-ML-MH-MH	80 20	20 Option 1:		20 Option 1:	100	30			30 30	Option 1:		
			(1st Application): 3.00 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0);	;	(1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0);				(1st Application): 4.50 (14-14-14-); 1.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0);		(1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0);		
			Option 2: (1st Application): 2.00 (16-20-0);		Option 2: (1st Application): 2.00 (16-20-0);			-	Option 2: (1st Application): 3.00 (16-20-0);		Option 2: (1st Application): 3.00 (16-20-0);		
27			(2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		(2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.75 (0-0-60);				(2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60);	492	0.98
			Option 3: (1st Application): 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0);		Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0);				Option 3: (1st Application): 2.25 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0);		Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0);		
			(3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		(3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);				(3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);		(3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		
	L-ML-MH-H	80 20	7 Option 1: (1st Application): 1.00 (14-14-14-); 1.50 (46-0-0);		7 Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0);	100	30		(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0);	30 7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0);		
			1.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0);		1.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0);				2.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0);		2.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0);		
28			Option 2: (1st Application): 2.00 (16-20-0);		Option 2: (1st Application): 2.00 (16-20-0);			-	Option 2: (1st Application): 3.00 (16-20-0);		Option 2: (1st Application): 3.00 (16-20-0);	7,667	15.34
			(2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);		(2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60);				(2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);		(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60);		
			Option 3: (1st Application): 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0);		Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0);				Option 3: (1st Application): 2.25 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0);		Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0);		
	L-ML-H-ML	80 7	(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); 40 Option 1:	100 7	(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); 40 Option 1:	100	7		(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	7 50	(3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 1:		
			(1st Application): 1.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.25 (0-0-60);	;	(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.25 (0-0-60);				(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);		(1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60);		
			Option 2: (1st Application): 0.75 (16-20-0);		Option 2: (1st Application): 0.75 (16-20-0);			-	Option 2: (1st Application): 0.75 (16-20-0);		Option 2: (1st Application): 0.75 (16-20-0);		
30			(2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);		(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.50 (0-0-60);			-	(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60);		(2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60);	34	0.07
			Option 3: (1st Application): 1.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0);		Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0);				Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0);		Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0);		
			(3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);		(3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);				(3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);		(3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);		
	L-ML-H-MH	80 7	20 Option 1: (1st Application): 1.00 (14-14-14-); 1.50 (46-0-0);	100 7	20 Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0);	100	7		Option 1: 120 (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0);	7 30	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0);		
			(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2:		(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2:				(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2:		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 2:		
31			(1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0);		(1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0);				(1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0);		(1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0);	125	0.25
			(3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 3:		(3rd Application): 2.00 (46-0-0); 0.75 (0-0-60); Option 3:				(3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3:		(3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3:		
			(1st Application): 1.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);		(1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);				(1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);		(1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);		
	L-ML-H-H	80 7	7 Option 1:	100 7	7 Option 1:	100	7			7 7	Option 1:		
			(1st Application): 1.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.00 (46-0-0);		(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0);				(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0);		(1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0);		
			(3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0);		(3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0);				(3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0);		(3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0);		
32			(2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);		(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60);				(2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60);		(2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60);	16,158	32.32
			Option 3: (1st Application): 1.75 (46-0-0); 1.00 (0-18-0);		Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0);				Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0);		Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0);		
			(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);		(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);				(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);		
	L-MH-L-H	60 60	7 Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0);		7 Option 1: (1st Application): 1.00 (14-14-14-); 3.00 (0-18-0);	80	70		Option 1: 100 (14-14-14-); 7.00 (0-18-0);	70 7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0);		
			(2nd Application): 1.25 (46-0-0); (3rd Application): 1.15 (46-0-0);		(2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0);				(2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0);		(2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0);		
36			Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60);		Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 0.75 (46-0-0);				Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);		Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.00 (46-0-0);	39	0.08
			Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0);		(3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 3:				Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0);		(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:		
			(2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);		(1st Application): 1.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);				(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);		(1st Application): 2.25 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);		
	L-MH-ML-H	60 40	7 Option 1:	1 1	7 Option 1:	80	50		·	50 7	Option 1:		-
			(1st Application): 1.00 (14-14-14-); 3.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0):		(1st Application): 1.00 (14-14-14-); 3.75 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0);				(1st Application): 1.00 (14-14-14-); 5.00 (0-18-0); (2nd Application): 1.59 (46-0-0); (3rd Application): 1.59 (46-0-0);		(1st Application): 1.00 (14-14-14-); 5.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0):		
			(3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0);		(3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0);			-	(3rd Application): 1.59 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0);		(3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0);		
40			(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 3:		(2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);				(2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);		(2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	511	1.02
			(1st Application): 1.50 (46-0-0); 4.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);		Option 3: (1st Application): 1.75 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0);				Option 3: (1st Application): 1.75 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.00 (46-0-0);		Option 3: (1st Application): 2.25 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0);		
					(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);				(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);		(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);		
	L-MH-MH-MH	60 20	20 Option 1: (1st Application): 3.00 (14-14-14-); (2nd Application): 0.75 (46-0-0):	80 20	20 Option 1: (1st Application): 3.00 (14-14-14-); (2nd Application): 1.50 (46-0-0):	80	30		(1st Application): 4.50 (14-14-14-);	30 30	Option 1: (1st Application): 4.25 (14-14-14-); (2nd Application): 1.50 (46-0-0):		
			(2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2:		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2:				(2nd Application): 1.09 (46-0-0); (3rd Application): 0.87 (46-0-0); Option 2:		(2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2:		
43			(1st Application): 2.00 (16-20-0); (2nd Application): 1.00 (46-0-0);		(1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0);				(1st Application): 3.00 (16-20-0); (2nd Application): 1.50 (46-0-0);		(1st Application): 3.00 (16-20-0); (2nd Application): 3.30 (46-0-0);	200	0.4
			(3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 2.25 (0-18-0);		(3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.25 (0-18-0);			-	(3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 3.50 (0-18-0);		(3rd Application): 1.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 3.50 (0-18-0);		
			(2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60);		(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);				(2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);		(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);		
	L-MH-MH-H	60 20	7 Option 1: (1st Application): 1.00 (14-14-14-); 1.50 (0-18-0);		7 Option 1: (1st Application): 1.00 (14-14-14-); 1.50 (0-18-0);	80	30	7	Option 1: 100 (14-14-14-); 2.75 (0-18-0);	30 7	Option 1: (1st Application): 1.00 (14-14-14-); 2.75 (0-18-0);		
			(2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2:		(2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2:				(2nd Application): 1.59 (46-0-0); (3rd Application): 1.59 (46-0-0); Option 2:		(2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2:		
44			(1st Application): 2.00 (16-20-0); (2nd Application): 1.00 (46-0-0);		(1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0);				(1st Application): 3.00 (16-20-0); (2nd Application): 1.50 (46-0-0);		(1st Application): 3.00 (16-20-0); (2nd Application): 3.30 (46-0-0);	190	0.38
			(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:		(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:				(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:		(3rd Application): 0.25 (0-0-60); Option 3:		
			(1st Application): 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0): 0.25 (0.0-60);		(1st Application): 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0): 0.25 (0-0-60);				(1st Application): 1.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0): 0.25 (0.0-60):		(1st Application): 2.25 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0): 0.25 (0-0-60);		
			(3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);  7 Option 1:	80 7	(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);  7 Option 1:	80	7		(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 1: 100	7 7	(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 1:		
	L-MH-H-H	60 7			(1st Application): 1.00 (14-14-14-); (2nd Application): 1.75 (46-0-0);				(1st Application): 1.00 (14-14-14-); (2nd Application): 1.75 (46-0-0);		(1st Application): 1.00 (14-14-14-); (2nd Application): 2.00 (46-0-0);		
	L-MH-H-H	60 7	(1st Application): 1.00 (14-14-14-); 0.00 (0-18-0); (2nd Application): 1.00 (46-0-0);				'			. 1			4
	L-MH-H-H	60 7	(2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2:		(3rd Application): 1.00 (46-0-0); Option 2:				(3rd Application): 1.00 (46-0-0); Option 2:		(3rd Application): 2.00 (46-0-0); Option 2:		
48	L-MH-H-H	60 7	(2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0);		(3rd Application): 1.00 (46-0-0);				(3rd Application): 1.00 (46-0-0);		(3rd Application): 2.00 (46-0-0);	746	1.49
48	L-MH-H-H	60 7	(2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0);		(3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 1.00 (0-18-0);				(3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 0.78 (0-18-0);		(3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0);	746	1.49
48	L-MH-H-H	60 7	(2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:		(3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 3:				(3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3:		(3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3:	746	1.49

DESCRIPTION TEXTURE N P K L - Light

ML - Moderately Low M - Medium MH - Moderately High

to Heavy H - High

Fertilizer Recommendation Guide for Rice 1st Application - After last harrowing - Basal 2nd Application - 10 - 14 DAT (days after transplanting) - Topdress (46-0-0) Urea 3rd Application - 20 - 25 DAT (days after transplanting) - Topdress (16-20-0) Ammophos

(14-14-14) Complete (0-18-0) Solophos (0-0-60) Muriate of Potash