



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Barangay	Farmer Representative	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																							
				INBRED RICE									HYBRID RICE														
		Number	Description	Nutrient Requirement			WET SEASON Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			DRY SEASON Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			WET SEASON Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			DRY SEASON Recommended Fertilizer Rate (bags/hectare)		
Municipality of MARIA AURORA																											
Alcala	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);								
Alcala	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);								
Bagtu	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);								
Bagtu	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);								

FOR THE LEGEND
Fertilizer Guide for Rice
For Transplanted
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: 10 - 15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																
			INBRED RICE									HYBRID RICE							
			WET SEASON						DRY SEASON			WET SEASON			DRY SEASON				
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)					
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O								N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅
Bangco	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);
Baubo	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);
Bazal	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);
Bazal	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);

FOR THE LEGEND
Fertilizer Guide for Rice
For Transplanted
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: 10 - 15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																	
			INBRED RICE									HYBRID RICE								
			WET SEASON					DRY SEASON				WET SEASON					DRY SEASON			
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O					
Cabituculan East	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);	
Cabituculan East	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);	
Cabituculan West	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);	
Cabituculan West	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);	

FOR THE LEGEND
Fertilizer Guide for Rice
For Transplanted
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: 10 - 15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																							
			INBRED RICE												HYBRID RICE											
			WET SEASON						DRY SEASON						WET SEASON						DRY SEASON					
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)										
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O										N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O				
Debucao	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
Debucao	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);							
Detailen	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
Detailen	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);							

FOR THE LEGEND
Fertilizer Guide for Rice
For Transplanted
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: 10 - 15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																							
			INBRED RICE												HYBRID RICE											
			WET SEASON						DRY SEASON						WET SEASON						DRY SEASON					
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)										
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O										N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O				
Diaat	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);							
Dialatman	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
Dianawan	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
Dikildit	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);							

FOR THE LEGEND
Fertilizer Guide for Rice
For Transplanted
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: 10 - 15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																							
			INBRED RICE												HYBRID RICE											
			WET SEASON						DRY SEASON						WET SEASON						DRY SEASON					
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)										
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O										N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O				
Dimanpudso	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
Diome	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
Estonilo	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
Florida	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							

FOR THE LEGEND
Fertilizer Guide for Rice
For Transplanted
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded
after second harrowing: 10-20 bags organic fertilizer (basal)
Inorganic Fertilizer:
1st Application: 10 - 15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Additional 10-20 bags/ha Organic Fertilizer is recommended for all options

Barangay	Farmer Representative	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																							
				INBRED RICE						HYBRID RICE																	
		Number	Description	Nutrient Requirement			WET SEASON			Nutrient Requirement			DRY SEASON			Nutrient Requirement			WET SEASON			Nutrient Requirement			DRY SEASON		
				N	P ₂ O ₅	K ₂ O	Recommended Fertilizer Rate (bags/hectare)			N	P ₂ O ₅	K ₂ O	Recommended Fertilizer Rate (bags/hectare)			N	P ₂ O ₅	K ₂ O	Recommended Fertilizer Rate (bags/hectare)			N	P ₂ O ₅	K ₂ O	Recommended Fertilizer Rate (bags/hectare)		
Galintuja	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);								
Malasin	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);								
Malasin	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);								
Quirino	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);								

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: 10 - 15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																							
			INBRED RICE												HYBRID RICE											
			WET SEASON						DRY SEASON						WET SEASON						DRY SEASON					
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)								
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O										
Quirino	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);							
Ramada	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
San Jose	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
San Leonardo	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: 10 - 15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																							
			INBRED RICE									HYBRID RICE														
			WET SEASON						DRY SEASON						WET SEASON						DRY SEASON					
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement	Recommended Fertilizer Rate (bags/hectare)										
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O										N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O				
San Leonardo	_no interview_	067	M-L-L-MH	90	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	60	20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70	30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);							
Santa Lucia	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
Santo Tomas	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							
Suguit	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);							

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: 10 -15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF AURORA

Barangay	Farmer Representative	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options															
				INBRED RICE								HYBRID RICE							
		WET SEASON				DRY SEASON				WET SEASON				DRY SEASON					
		Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)
Texture-N-P-K	N		P ₂ O ₅	K ₂ O	N	P ₂ O ₅		K ₂ O	N	P ₂ O ₅		K ₂ O	N	P ₂ O ₅		K ₂ O			
Wenceslao	_no interview_	068	M-L-L-H	90	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: after last harrowing
2nd Application: 10-14 DAT (days after transplanting)
3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: 10 -15 DAS (days after seeding)
2nd Application: 20-30 DAS (days after seeding)
3rd Application: 35-45 DAS (days after seeding)