



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF BASILAN

Additional 10-20 bags/ha Organic Fertilizer is recommended for all options

Barangay	Farmer Representative	Fertilizer-Guide Group		INBRED RICE									HYBRID RICE								
				WET SEASON						DRY SEASON			WET SEASON						DRY SEASON		
		Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		
				N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O
CITY OF LAMITAN																					
Balobo	_no interview_	100	M-MH-L-H	50	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60);	60	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.15 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	70	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	80	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);		
Balobo	_no interview_	116	M-H-L-H	30	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.50 (46-0-0); 5.89 (0-18-0); (2nd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	40	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.75 (46-0-0); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	50	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 7.00 (0-18-0); (2nd Application): 1.25 (46-0-0); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	60	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 7.78 (0-18-0); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.65 (46-0-0); 0.25 (0-0-60);		
Bulanting	_no interview_	100	M-MH-L-H	50	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60);	60	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.15 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	70	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	80	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);		
Bulanting	Amado M. Alcayra	100	M-MH-L-H	50	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60);	60	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.15 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	70	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	80	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);		

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

After second harrowing: 10-20 bags organic fertilizer (basal)
 Inorganic Fertilizer:
 1st Application: after last harrowing
 2nd Application: 10-14 DAT (days after transplanting)
 3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

After second harrowing: 10-20 bags organic fertilizer (basal)
 Inorganic Fertilizer:
 1st Application: 10 -15 DAS (days after seeding)
 2nd Application: 20-30 DAS (days after seeding)
 3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF BASILAN

Additional 10-20 bags/ha Organic Fertilizer is recommended for all options

Barangay	Farmer Representative	Fertilizer-Guide Group		INBRED RICE									HYBRID RICE														
				WET SEASON						DRY SEASON			WET SEASON						DRY SEASON								
		Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		
				N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O
Bulanting	_no interview_	116	M-H-L-H	30	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.50 (46-0-0); 5.89 (0-18-0); (2nd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	40	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.75 (46-0-0); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	50	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 7.00 (0-18-0); (2nd Application): 1.25 (46-0-0); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	60	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 7.78 (0-18-0); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.65 (46-0-0); 0.25 (0-0-60);								
Cabobo	_no interview_	116	M-H-L-H	30	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.50 (46-0-0); 5.89 (0-18-0); (2nd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	40	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.75 (46-0-0); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	50	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 7.00 (0-18-0); (2nd Application): 1.25 (46-0-0); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	60	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 7.78 (0-18-0); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.65 (46-0-0); 0.25 (0-0-60);								
Colonia	_no interview_	100	M-MH-L-H	50	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60);	60	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.15 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	70	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	80	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);								

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: after last harrowing
- 2nd Application: 10-14 DAT (days after transplanting)
- 3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

- 1st Application: 10 -15 DAS (days after seeding)
- 2nd Application: 20-30 DAS (days after seeding)
- 3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF BASILAN

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																
			INBRED RICE						HYBRID RICE										
			WET SEASON			DRY SEASON			WET SEASON			DRY SEASON							
			Number	Description Texture-N-P-K	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement		
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O			
Colonia	Antonio Berigundo	100	M-MH-L-H	50	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60);	60	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.15 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	70	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	80	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);
Limo-ok	Atik S. Pailin	116	M-H-L-H	30	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.50 (46-0-0); 5.89 (0-18-0); (2nd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	40	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.75 (46-0-0); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	50	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 7.00 (0-18-0); (2nd Application): 1.25 (46-0-0); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	60	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 7.78 (0-18-0); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.65 (46-0-0); 0.25 (0-0-60);
Maganda	_no interview_	116	M-H-L-H	30	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.50 (46-0-0); 5.89 (0-18-0); (2nd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	40	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.75 (46-0-0); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	50	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 7.00 (0-18-0); (2nd Application): 1.25 (46-0-0); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	60	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 7.78 (0-18-0); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.65 (46-0-0); 0.25 (0-0-60);
Parangbasak	Capt. Juddihal	116	M-H-L-H	30	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.50 (46-0-0); 5.89 (0-18-0); (2nd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60);	40	60	7	Option 1: (1st Application): 1.00 (14-14-14-); 0.75 (46-0-0); 6.00 (0-18-0); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	50	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 7.00 (0-18-0); (2nd Application): 1.25 (46-0-0); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	60	70	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 7.78 (0-18-0); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.65 (46-0-0); 0.25 (0-0-60);

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)