

LEGEND					All options recommended to	annly	10 2	0 haas/ha Organic Fortilizor						
		All options recommended to apply 10-20 bags/ha Organic Fertilizer INBRED RICE INBRED RICE												
	DESCRIPTION		WET SEASON		DRY SEASON			WET SEASON			DRY SEASON		AREA	
SYMBOL		Nutrient Requirement	Recommended Fertilizer Rate	Nutrient Requirement	Recommended Fertilizer Rate	Nutrient Requirement		Recommended Fertilizer Rate		Nutrient quirement	Recommended Fertilizer Rate	ha	%	
	TEXTURE-N-P-K	N P2O5 K2O	(bags/hectare)	N P2O5 K2O	(bags/hectare)	N P ₂ O ₅	K ₂ O	(bags/hectare)	Ν	P ₂ O ₅ K ₂ O	(bags/hectare)			
12	L-L-MH-H	100 20 7	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0);	120 20 7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0);	120 30	(1 2. (2 (3 0 7 (1 (2 (3 0 (1 (2	ption 1: Ist Application): 1.00 (14-14-14-); 2.50 (46-0-0); 75 (0-18-0); 2nd Application): 1.50 (46-0-0); Brd Application): 1.50 (46-0-0); ption 2: Ist Application): 3.00 (16-20-0); 2nd Application): 2.25 (46-0-0); Brd Application): 2.00 (46-0-0); 0.25 (0-0-60); ption 3: Ist Application): 2.75 (46-0-0); 3.50 (0-18-0); 2nd Application): 1.50 (46-0-0); Brd Application): 1.50 (46-0-0); Brd Application): 1.50 (46-0-0); 0.25 (0-0-60);	140	30 7	Option 1: (1st Application): 1.00 (14-14-14-); 2.75 (46-0-0); 2.56 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 3.00 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0);	44	47.	
67	M-L-L-MH	90 60 20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); 0.75 (0-0-60); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100 60 20	Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); 0.75 (0-0-60); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110 70	(1 (2 (3) (1 30 (1 (3) (1 (2) (1) (2)	ption 1: Ist Application): 4.50 (14-14-14-); 4.50 (0-18-0); Ind Application): 1.75 (46-0-0); Brd Application): 1.75 (46-0-0); Ist Application): 7.00 (16-20-0); Ind Application): 1.50 (46-0-0); Brd Application): 1.50 (46-0-0); 1.00 (0-0-60); ption 3: Ist Application): 2.50 (46-0-0); 8.00 (0-18-0); Ind Application): 1.25 (46-0-0); 1.00 (0-0-60); Brd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	70 30	Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); 1.00 (0-0-60); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);	27	29.0	
70	M-L-ML-ML	90 40 40	Option 1: (1st Application): 5.75 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0);	100 40 40	Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110 50	0 (1) (2 (3) 0 (1) (2 (3) 0 (1) (2) (1) (2)	ption 1: Ist Application): 7.25 (14-14-14-); 0.25 (46-0-0); 2nd Application): 1.20 (46-0-0); Brd Application): 1.20 (46-0-0); ption 2: Ist Application): 5.00 (16-20-0); 2nd Application): 2.00 (46-0-0); Brd Application): 1.25 (46-0-0); 1.75 (0-0-60); ption 3: Ist Application): 2.50 (46-0-0); 5.75 (0-18-0); 2nd Application): 1.25 (46-0-0); Brd Application): 1.25 (46-0-0);	120	50 50	Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0);	22	23	
			[370 Application]. 1.00 (40-0-0); 1.50 (0-0-00);		[510 Application]. 1.25 (40-0-0]; 1.50 (0-0-00);		(3	<i>πα</i> Αρρικατιστη. 1.25 (40 ⁻ 0 ⁻ 0), 1.75 (0-0-00);			(3rd Application): 1.50 (46-0-0); 1.75 (0-0-00); T O T A L	<i>93</i>	10	

Area estimated based on actual field survey, other information from DA-RFOs, MAs, NIA Service Area, NAMRIA Land Cover (2010) and BSWM Land Use System Map.

DESCRIPTION								
TEXTURE	Ν	Р	к					
I Light	L	-Low						
L - Light	ML	- Modera	tely Low					
M - Medium	MH	- Moderately High - High						
to Heavy	н							

FERTILIZER GUIDE FOR RICE

ORGANIC FERTILIZER

INORGANIC FERTILIZER 1st Application: After last harrowing - Basal

*5-10% Total NPK per PNS/ BAFS 183:2016

Basal Application: After 2nd harrowing - 10-20 bags *Organic Fertilizer

2nd Application: 10-14 DAT/P (days after transplanting/planting) - Topdress 3rd Application: 20-25 DAT/P (days after transplanting/planting) - Topdress

Area estimated based on actual field survey, other information from DA-RFO's, MA's NIA Service Area, NAMRIA Land Cover (2010) and BSWM Land Use System Map.

52