



Republic of the Philippines
 Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
 SRDC Building Elliptical Road corner Visayas Avenue,
 Diliman, Quezon City 1101
 customers.center@bswm.da.gov.ph
 Tel. no. (632) 8273-2474 local 3202


**BSWM- BIDS AND AWARDS COMMITTEE
 SUPPLEMENTAL BID BULLETIN NO. 1**

CONTRACT: Supply and Delivery of various ICT Equipment, Software, Peripherals and Supplies - Batch 2 for CY 2026 - IB NO: BSWM-2026-03-023

This Addendum is being issued in accordance with Section 51.1.5 of RA 12009, to clarify and modify some provisions of the Bidding Document. **THIS SHALL FORM AN INTEGRAL PART OF THE BID DOCUMENT. Likewise, the succeeding agreements and reminders were discussed during the Pre-Bid Conference held last April 07, 2026 at the BSWM Lecture Room 1 and via Videoconferencing-Zoom.**

I. AMENDMENTS OF THE BIDDING DOCUMENT:

| ORIGINAL | AMENDED |
|---|---|
| <p><u>Section III. During Post Qualification:</u></p> <p>The Bidder, within five (5) calendar days from receipt of notice from the BAC that it submitted the LCB, MEAB, or MAB shall submit all the eligibility documents supporting its PhilGEPS Certificate of Registration (Platinum Membership), its latest income and business tax returns filed for the preceding quarter which should not be earlier than two (2) quarters from the date of submission and receipt of bid, and other appropriate licenses and permits required by law.</p> | <p><u>Section III. During Post Qualification:</u></p> <p>The Bidder, within five (5) calendar days from receipt of notice from the BAC that it submitted the LCB, MEAB, or MAB shall submit all the eligibility documents supporting its PhilGEPS Certificate of Registration (Platinum Membership), its latest income and business tax returns filed for the preceding quarter which should not be earlier than two (2) quarters from the date of submission and receipt of bid, and other appropriate licenses and permits required by law.</p> <p>In addition, the following documents shall be validated during post-qualification process:</p> <ul style="list-style-type: none"> • <i>For Lots 1, 2, 3: Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)</i> • <i>For Lot 3: (Inks, Toners and Cartridges) Bidders must submit a copy of Certificate of Authorized Reseller and Manufacturing Authenticity Certificate (during post qualification stage) for various inks and toners</i> |
| | <p>Revised Section VII. Technical Specifications (please refer to Annex A of this Bid Bulletin)</p> |



II. CLARIFICATIONS RAISED DURING THE PREBID CONFERENCE:

| CONCERN | AGREEMENT |
|---|---|
| 1. On the requirements needed to be submitted during Post Qualification within 5 calendar days, may we request it to be 5 working days? | <i>No, we cannot change it to working days. The said requirement is in accordance with Section 63.2 of the IRR of RA No. 12009.</i> |
| 2. On the technical specifications: a. Prospective bidders requested the end-users to review the unit price for some items in Lot 1 to consider the current price market | <i>Please refer to the revised Section VII. Technical Specifications</i> |

REMINDERS DURING THE PRE-BID CONFERENCE:

- **RA 12009 Section 59.1:**

The BAC shall check the submitted documents of each bidder against a checklist of required documents to ascertain if they are all present, using a non-discretionary “pass or fail” criterion as specified in the Implementing Rules and Regulations (IRR) of Republic Act (RA) 12009, otherwise known as the “New Government Procurement Act.

“Any lacking document can cause the submitted bid to be automatically rated failed.”

- **GPPB Resolution No. 15-2021 dated October 14, 2021**

For the purpose of updating the Certificate of Registration and Membership, **all Class “A” eligibility documents** mentioned in Section 8.5, supporting the veracity, authenticity and validity of the Certificate **shall remain current and updated**. The **failure by the prospective bidder to update its Certificate with the current and updated Class “A” eligibility documents shall result in the automatic suspension of the validity of its Certificate** until such time that all of the expired Class “A” eligibility documents has been updated.

Section II. Instruction to Bidder Clause 12- Documents Comprising the Bid: Technical and Financial Components

- **Technical Component Envelope**

1. Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 52.4 of the IRR of RA 12009;
2. Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;
3. Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 52.4.1.3 and 52.4.2.4 of the IRR of RA No. 12009, within the relevant period as provided in the Bidding Documents;
4. Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration.
5. Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder; and
6. Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable.

Bidder shall state the offered Brand and Model per line item under the word “Comply” (if applicable), for evaluation purposes.

7. The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC) or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. at least equal to ten percent (10%) of the ABC to be bid
8. If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

- **Financial Component Envelope**

1. Original of duly signed and accomplished Financial Bid Form.
2. Original of duly signed and accomplished Price Schedule(s).

- **Bid Security**

Below are the **acceptable forms of bid security** that bidders may opt to use, **which shall include the Bid Securing Declaration**. The amount of which shall not be less than the required percentage of the ABC in accordance with the following schedule:

| Form of Bid Security | Amount of Bid Security (Not less than the required Percentage of the ABC) |
|--|---|
| a) Cash or cashier's/manager's check issued by a Bank. | Two percent (2%) |
| b) Bank draft or guarantee, or irrevocable Letter of Credit issued by a bank; Provided, however, That it shall be confirmed or authenticated by a bank, if issued by a foreign bank. | Five percent (5%) |
| c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. | Five percent (5%) |
| d) Bid Securing Declaration (Signed and Notarized) | - |

Please note that your Bids and Bid Securities should be valid and firm for a period that shall not exceed one hundred twenty (120) calendar days after the date of the opening of bids.

- **Net Financial Contracting Capacity (NFCC):**

The computation of a prospective bidder's NFCC must be **at least equal to the ABC to be bid** or, for procurement by lot, **at least equal to the sum of all the ABCs of lots to which it participated**.

NFCC= Current assets minus current liabilities multiplied by 15 (constant factor) minus the value of all outstanding or uncompleted portions of on-going contracts, including awarded contract/s yet to be started, coinciding with the contract to be bid.

- **Performance Security**

| FORM OF PERFORMANCE SECURITY | Amount of Performance Security (Not less than the required percentage of the Total Contract Price) |
|---|--|
| a) Cash or cashier's/manager's check issued by a Bank. | Goods and Consulting Services - |
| b) Bank draft or guarantee or irrevocable Letter of Credit issued by a bank. If issued by a foreign bank, it shall be confirmed or authenticated by a local bank. | Five percent (5%) Infrastructure Projects – Ten percent (10%) |
| c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. | Thirty percent (30%) |

Important Reminders:

Supplier **shall coordinate with the End-user and Property Management Unit for the final schedule of delivery.**

To schedule the delivery, please click this link or scan the QR code:



Sealing and Marking of Bid:

The bidders shall submit:

- ✓ One (1) ORIGINAL COPY.
- ✓ One (1) DUPLICATE COPY.
- ✓ One (1) PDF COPY in a USB – to be placed inside the Duplicate Copy of Technical Proposal and Duplicate Copy of Financial Proposal.

NOTE:

- All photocopied documents must be stamped and signed “Certified True Copy”.
- And all pages/documents must be duly signed by the authorized representative (both original and duplicate copies).
- For easy reference, all bidders are requested to provide dog-ear codes/ tabs in the presentation of their documents.
- For bidders who intend to participate in several lots, they shall submit the following:
 1. **1 Original and 1 Duplicate Copy of Technical Envelope** containing their technical and eligibility documents intended **for ALL the lots** they wish to participate in.
 2. **1 Original and 1 Duplicate Copy of Financial Envelope** containing their financial proposal **for EVERY lot being participated.**
 - One (1) Financial Proposal is equivalent to One (1) Lot. Total number of **FINANCIAL PROPOSALS ENVELOPE/S** shall be based on the total participated lot/s of bidder.
 - The Financial Envelope submitted shall be evaluated individually.

Note: For guidance, you may refer to the illustration on Sealing and Marking of bids

Reminders:

- Bidders responsibility to read, study, and review the Bidding Document and Bid Bulletin/s of the procurement project.
- Further clarification/s on the Bidding Document shall be in writing and must be submitted 10 days before the Opening of Bids.
- All bidders who wish to join the bidding shall download the attached document from the PhilGEPS website to be included in the Document Request List (DRL).
- Bidders may download the updated Bidding Forms at GPPB Website (<https://www.gppb.gov.ph/downloadables.php>).
- In case of withdrawal of a submitted bid, a letter stating their intention to withdraw from the project should be submitted by the bidder not later than the scheduled deadline of submission and opening of bids.
- Bidders declared to have the Lowest/ Single Calculated Bid will be subject for Post-qualification.
- Bidder shall submit the additional requirements listed on the NOTICE as LCB/ SCB within five (5) calendar days from receipt of Notice for Post qualification. Non-compliance can be grounds for post-disqualification.
- Winning Bidders declared to have the Lowest/Single Calculated and Responsive Bid shall submit its Performance Bond and Signed Contract Agreement within ten (10) calendar days from receipt of Notice of Award. Non-compliance can be grounds for forfeiture of award.
- Bidders shall comply **STRICTLY** with Section VI. Schedule of Requirement

Note:

NO EXTENSION shall be accepted/ entertained except on meritorious grounds. Late delivery without approved extension request shall be liable for liquidation damages in accordance with Section 71.1.4 of the IRR of RA12009.

Letter of extension shall be received by the BAC Secretariat before the lapse of the original delivery requirement.

Clause 3. Section II. Instruction to Bidders: Corrupt, Fraudulent, Collusive, and Coercive Practices




The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. The Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under applicable laws on individuals and organizations deemed to be involved in any of the practices

Interested Bidders **may acquire the bidding documents until April 20, 2026, 3:00 PM** at the BSWM Procurement Management Section, 2nd Floor, SRDC Bldg. Visayas Ave., Diliman, Quezon City.

DEADLINE/SCHEDULE OF SUBMISSION AND OPENING OF BIDS:

The deadline of **submission of bid proposals** is on **April 21, 2026 9:00 AM**. Late submission shall not be accepted. **Opening of Bids** is on **April 21, 2026, 9:30 AM** at BSWM Convention Hall and via videoconferencing.

For guidance and information of all concerned.


Digitally signed by Solano
Denise Araullo
DN: cn=Solano, Denise Araullo,
serialNumber=0011AN057045,
c=PH, o=Water
DENISE A. SOLANO
BAC Chairperson 


ANNEX A

Revised Technical Specifications

Bidders must state “Comply” or “Not Comply” for each specification and provide the corresponding performance parameters for offered equipment. Each response must be supported by a clear documentary support in the bid and properly cross-referenced. Acceptable evidence includes unaltered manufacturer sales brochures, official specification sheets, product samples, independent test results, and similar documents.

Note: Bidders shall state the Brand/Model of offered products for evaluation purposes

Lot 1: Personal Computers

| Line Item | PR #/Division/ Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---|---|----------|------|---|
| 1 | 2026-01-05 18 SWIIP (5) 2026-02-03 81-STALAR -MAP (16) | Desktop (Highend- Mapping/CAD/System Development) ICT-2940 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 7 7000/8000 series Graphics Card: at least dedicated, at least 6GB VRAM, GDDR6 Memory: at least 16GB (x2) DDR5 (expandable to 64GB); at least 4 DIMM Slots Motherboard: Compatible with the specified processor and memory; at least 2x M.2 Slot; 4x RAM Slot; 1x HDMI; Internal Storage: at least 500GB M.2 NVMe SSD + 1TB 2.5" SSD Form Factor: Tower type (atleast H:22in by W:9in) Pre-installed Fans Monitor size: at least 27" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75 Hz Display Response Time: up to 5 ms Power Supply: at least 650Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Standard (Perpetual) and compatible with the existing productivity suites (MS Office) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons | 21 | unit | |
| 2 | 2026-00-01 50 PMS- (18) 2026-02-03 81-STALAR | Desktop (DP-Office Productivity Advanced) ICT-2275 Processor: at least Intel Core i5 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series | 21 | unit | |

| Line Item | PR #/Division/ Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|--|---|----------|------|---|
| | -MAP (3) | <p>Graphics Card: dedicated, at least 4GB VRAM, GDDR6</p> <p>Memory: at least 8GB (x2) DDR5 (expandable to 32GB); at least 2 DIMM Slots</p> <p>Motherboard: Compatible with the specified processor and memory;</p> <p>at least 1 x M.2 Slot; 2x RAM Slot; 1x HDMI</p> <p>Internal Storage: at least 500GB M.2 NVMe SSD</p> <p>Form Factor: Tower type (atleast H:14.5in by W:6in)</p> <p>Pre-installed Fans</p> <p>Monitor size: at least 27"</p> <p>Panel Type: IPS</p> <p>Resolution: at least 1920 x 1080</p> <p>Display Refresh Rate: at least 75 Hz</p> <p>Display Response Time: up to 5 ms</p> <p>Power Supply: at least 500Watts 80+ Bronze</p> <p>Ecolabels & Compliances (Monitor): Energy star certified</p> <p>Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual)</p> <p>Productivity Suites: latest Microsoft Office Home (Perpetual)</p> <p>Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons</p> | | | |
| 3 | <p>2026-00-00 37-SWRRD LFP-NSHP- ABFS (1)</p> <p>2026-00-00 59-WRMD- ESET-Rice (2)</p> | <p>Desktop (Office Document - Basic) ICT-2273</p> <p>Processor: at least Ryzen 5 (5000 series) or its equivalent Intel i5 (12th Gen)</p> <p>Graphics Card: Integrated</p> <p>Memory: at least 8GB (x2) DDR4; at least 2 DIMM Slots</p> <p>Motherboard: Compatible with the specified processor and memory;</p> <p>at least 1 x M.2 Slot; 2x RAM Slot; 1x HDMI;</p> <p>Internal Storage: at least 500GB SSD</p> <p>Form Factor: Tower type (atleast H:14in by W:6in)</p> <p>Pre-installed Fans</p> <p>Monitor size: at least 23.8"</p> <p>Panel Type: IPS</p> <p>Resolution: at least 1920 x 1080</p> <p>Display Refresh Rate: at least 75Hz</p> <p>Display Response Time: up to 5 ms</p> <p>Power Supply: at least 500Watts 80+ Bronze</p> <p>Ecolabels & Compliances (Monitor): Energy star certified</p> <p>Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual)</p> <p>Productivity Suites: latest Microsoft Office Home (Perpetual)</p> <p>Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size;</p> | 3 | unit | |

| Line Item | PR #/Division/ Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---|--|----------|------|---|
| | | 3-zone layout; Mouse: at least 3 buttons | | | |
| 4 | 2026-00-01 17-GSITD AFACI-Soil Phase 2 | Laptop (Executive 13") ICT-3138 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series Storage: at least 2 TB NVMe or 1 TB + 1 TB NVMe Gen4 Memory: at least 32GB x1 or 16GB x 2 , DDR5 GPU: Integrated graphics Camera: at least 1080 FHD Screen size: at least 13.4" inch Display Type: at least 120Hz Battery Type: at least 55WHrs; at least 3-cell battery Battery Charger: Type-C, Must be same brand with the offered unit Weight: not more than 1.2 kg Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office – at least Word, Excel, Powerpoint, etc) | 2 | unit | |
| 5 | 2026-01-05 18 SWIIP (5) | Laptop (Mapping/CAD/System Development) ICT-3269 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series Graphics Card: dedicated, at least 8GB VRAM Memory: at least 16GBx1 or 8GBx2, DDR5 Storage: at least 1TB M.2 NVMe SSD Display Panel size: at least 14" inch Display Type: OLED Display Refresh Rate: at least 120 Hz Battery Type: at least 70WHrs, 4-cell Li-ion Weight: not more than 1.7 kg Ecolabels & Compliances: Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Standard (Perpetual) and compatible with the existing productivity suites (MS Office) | 5 | unit | |
| 6 | 2026-02-38 1-STALAR-MAP | Laptop (High end-Mapping/CAD/System Development) ICT-2946 Processor: Intel Core i9 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series Graphics Card: dedicated, at least 8GB VRAM Memory: at least 16GB x 1 or 8GB x 2, DDR5 Storage: at least 1TB M.2 NVMe SSD Display Panel size: at least 14" inch Display Type: OLED | 3 | unit | |

| Line Item | PR #/Division/ Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|---|--|---|----------|------|--|
| | | Display Resolution: at least 3K (2880 x 1800) Display Refresh Rate: at least 120 Hz Battery Type: at least 70WHrs, 4-cell Li-ion Weight: not more than 1.5 kg Ecolabels & Compliances: Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Standard (Perpetual) and compatible with the existing productivity suites (MS Office) | | | |
| 7 | 2026-02-04 45-SCMD- RD Corn-Conti nuing(3) | Laptop (Office Document - Basic) ICT-2282 Processor: at least Ryzen 5 (7000 series) or its equivalent Intel i5 (14th Gen) Graphics Card: Integrated Memory (RAM): at least 8GB DDR5 Storage: at least 512 M.2 NVMe SSD Display screen size: at least 15.6" inch Display Type: OLED or IPS Display Resolution: at least 1920 x 1080 Display Refresh Rate: at least 60 Hz Battery Type: at least 50 WHrs, 3-cell Li-ion Weight: not more than 2 kg Operating System: latest Microsoft Windows Home, 64-bit(Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) | 3 | unit | |
| Accessories for laptop- Laptop Sleeve/backpack | | | | | |
| Unit and it's component must be BRAND NEW, UNUSED & NOT CLONE | | | | | |
| Brand and model offered shall be indicated on the technical proposal per line item | | | | | |
| Warranty: all equipment must be at least 1 year warranty on parts and labor service | | | | | |
| Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual) | | | | | |

Lot 2: Supply and Delivery of Other Equipment and Peripherals

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---|--|----------|------|---|
| 1 | 2026-00-0060-S CMD-RD-Corn (1) 2026-02-278-INS VARIOUS (8) 2026-02-0440-L FP NSHP ALMED (20) | Multi-Purpose Geotagging Device (Tablet) ICT-2177 CPU: at least Octa-Core Display Type: TFT LCD Screen Size: at least 12 inches Screen Resolution: at least 1600 x 2560 pixels Screen Brightness: at least 500 nits Operating System: at least Android 11 Chipset: at least Qualcomm SM7225 Snapdragon 750G or it's equivalent RAM: at least 6GB Storage: at least 128GB Battery: at least LiPo 10,000 mAh Simcard Form Factor: Nano Camera: at least 5MP Front Camera at least 8MP Rear Camera Positioning: GPS, GLONASS, BDS, GALILEO with Stylus pen | 29 | unit | |
| 2 | 2026-00-0060-S CMD-RD-Corn (2) | Projector ICT-2177 Light Source Type: LCD Native Resolution: WXGA (1280 x 800) Brightness: at least 2000 Lumens Lamp Life: (Normal / Eco): 6,000 / 12,000 hours Contrast Ratio: 16,000:1 Analog Input Composite: 1 RCA Digital Input: at least HDMI x 1 Audio Input: 2RCA (White & Red): 1 USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Wireless Projection: IEEE 802.11b (2.4GHz): 11 Mbps*2 IEEE 802.11n (2.4GHz): 72.2 Mbps*2 IEEE 802.11a (5GHz): 54Mbps*2 IEEE 802.11n (5GHz): 150 Mbps*2 IEEE 802.11g (2.4GHz): 54 Mbps*2 | 2 | unit | |
| 3 | 2026-00-0110- GSITD-STO ICT 2026 | Desktop Speaker ICT-2859 Two satellite speakers Connectivity: 3.5 mm input: 1 USB Cable: 1 Bluetooth at least v5.0 Controls: at least Power and volume controls on right speaker | 17 | unit | |
| 4 | 2026-00-0110- GSITD-STO ICT 2026 | Multimedia Display (Smart TV 50 inch LED) ICT-2862 Type: Smart TV | 4 | unit | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|--|--|----------|------|---|
| | | Screen Size: at least 50 inch TV Resolution: at least 4K Refresh Rate: 60Hz Display Panel: LED Bluetooth: 5.2 Speaker: at least 20w Wi-Fi 5: 2.4G & 5G 3-Side Bezel-less I/O Ports: HDMI 2.1 x 3 USB-A x 1 Ethernet Lan x 1 | | | |
| 5 | 2026-00-0110-GSITD-STO ICT 2026 | Camera (DSLR) ICT-2508 Type: Digital Single Lens Reflex (Interchangeable Lens Camera) Image Sensor: 24.1MP APS-C CMOS sensor & DIGIC 4+ image processor Autofocus: 9-point AF with 1 centre cross-type AF point Standard ISO 100 – 6400 (expandable to 12800) Wireless Connection: Wi-Fi / NFC supported Up to 3 shots per second continuous shooting speed Screen: 3 inch LCD monitor with 18-55mm IS II Black lens | 2 | unit | |
| 6 | 2026-02-311-W RMD-SWIIP(30) | UPS ICT-2219 Type: Uninterruptible Power Supply (UPS) Input Capacity: 650w/1200 VA Universal Socket: 4 Sockets Nominal Output Voltage: 230V Nominal Input Voltage: 230V Battery Type: Lead-acid battery Typical Charge Time: 8 hour(s) | 30 | unit | |
| 7 | 2026-00-0120-GSITD-STO ICT 2026 (18) 2026-00-0121-GSITD-STALAR -MAP 2026 (10) | Internal Storage (SSD-1TB) ICT-1843 SSD Capacity: 1 TB Interface: SATA 6 GB/S Sequential Read: Up to 560 MB/s Sequential Write: Up to 530 MB/s | 18 | unit | |
| 8 | 2026-00-0121-GSITD-STALAR -MAP 2026(9) | Internal Storage (SSD M.2-1TB) ICT-2224 SSD M.2 Capacity: 1 TB Form Factor: M.2 2280 Interface: PCIe Gen4 x4 Sequential Read Performance: At least 5000MB/s Sequential Write Performance: At least 4000MB/s | 6 | unit | |
| 9 | 2026-00-0121-GSITD-STALAR | Internal Storage (NAS Drive 8TB) ICT-3115 | 10 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|--------------------------------------|--|----------|------|---|
| | -MAP 2026 | Network Attached Storage Hard Disk Drive Capacity: 8 TB Interface: SATA 6 GB/S Speed: 7200RPM Cache: 256MB | | | |
| 10 | 2026-00-0144 Info-Regular Fund | Floor Standing LCD Display - 55" Indoor Touch Totem ICT-3278 Screen Size: at least 55-inch LCD Resolution: at least 2k Touch: Multi-touch capacitive Orientation: Vertical / Floor-standing totem Connectivity: HDMI, USB ports, WiFi, LAN Media Playback: Built-in media player (supports images and videos) Enclosure: Metal body, indoor use, stable base Power: Standard AC input Package Includes: Display unit, power cable, basic accessories | 3 | unit | |
| 11 | 2026-00-0144 Info-Regular Fund | Overhead Scanner ICT-3280 Type: Overhead, contactless scanner Max Scan Size: 432 × 300 mm Scan Speed: Approx. 3 seconds per page Resolution: Up to 285 dpi (optical) Supported Media: Books, magazines, photos, documents up to 30 mm thick Features: Book curve correction Page-turn detection Auto-crop, auto-rotate, multi-document detection Connection: USB Compatibility: Windows and macOS Design: Non-contact scanning to protect bound and delicate materials Warranty: Must include supplier warranty and after-sales support | 1 | unit | |
| 12 | 2026-00-0144 Info-Regular Fund | Wireless Video Monitor System ICT-3283 Display: 7-inch touchscreen monitor Brightness: 1200 nits (daylight viewable) Wireless System: Includes Transmitter (TX) and Receiver (RX) Transmission Range: Up to 1300 ft Latency: As low as 60 ms Frequency: Dual-band 2.4 GHz & 5 GHz hopping Video Inputs/Outputs: SDI and HDMI monitoring switch Streaming Support: RTMP for direct live streaming Usage: Real-time monitoring for video production Package Includes: Monitor, TX, RX, accessories (as provided by manufacturer) | 1 | unit | |
| 13 | 2026-02-381-S | Drone with accessories ICT-3054 | 3 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---------------------------|--|----------|------|---|
| | TALAR-MAP (3) | Camera: 3-Axis Gimbal with Tri-Camera System 20MP 5.1K Wide-Angle 4/3 CMOS Hasselblad 166mm 12MP 7x Zoom Telephoto 70mm 48MP 3x Zoom Medium Telephoto Lens Flight Mode & Battery: 7 Intelligent Flight Modes Up to 43 Minutes of Flight Time Features: O3+ Transmission with a 9.3-Mile Range Omnidirectional Avoidance with APAS 5.0 D-LOG, D-LOG M & HLG Post Processing Fly More Combo & DJI RC Pro Remote | | | |
| 14 | 2026-02-0157-PMS-REGULAR | Smart TV 70 inch ICT-2554 Smart TV Screen Size: at least 70 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz Operating System: Tizen Wireless: Wi-Fi 802.11ac, Bluetooth 5.1 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF (Antenna/Cable) x 2 Included: With Mobile TV Cart Stand that can support the device | 1 | unit | |
| 15 | 2026-02-0157-PMS-REGULAR | Mirrorless Camera ICT-2510 Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: 24.1 megapixels; APS-C CMOS Processor Type: DIGIC 8 Autofocus: 143 Focus points Autofocus Modes: One-Shot AF, Servo AF / Movie Servo AF Image Resolution: up to 6000x4000 Video Shooting: 4K at 23.98 fps 1920 x 1080 at 59.94 fps [60 Mb/s] 1920 x 1080 at 23.98/29.97 fps [30 Mb/s] Memory Card Slot: Single Slot – SD/SDHC/SDXC Wireless : 2.4 GHz Wi-Fi (802.11b/g), Bluetooth 4.2 Display Type: Fixed Non-Touchscreen LCD Battery Type: 1x LP-E17 Rechargeable Lithium-Ion | 1 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|-------------------------------|--|----------|------|---|
| | | <p>Display Size: 3"</p> <p>Peripheral Connections: USB Type-C (Hi-Speed USB (USB 2.0) equivalent External microphone IN Terminal HDMI micro (Type D) Remote control Terminal(E3) Accessory shoe with RF-S18-45mm f/4.5-6.3 IS STM</p> | | | |
| 16 | 2026-00-0145-1 NFO-REGULAR | <p>Digital Mixer for Convention Hall ICT-3290</p> <p>Specification:</p> <p>Input Channels: Mono Mic/Line Inputs: 24 (XLR/TRS) with recallable AnalogiQ™ preamps Stereo Line Inputs: 3 (TRS)</p> <p>Output Channels: Mix Outputs: 20 (XLR) Stereo Groups: 2 (switchable to Mix mode) Monitor Mixes: Up to 9 (4 mono + 5 stereo) Matrix Outputs: 2 stereo AES Digital Output: 1</p> <p>Processing and Effects: FX Engines: 4 Dedicated FX Sends>Returns: 4</p> <p>Channel Processing: Trim, polarity, high-pass filter (HPF), gate, insert, 4-band parametric EQ (PEQ), compressor, and delay on all inputs</p> <p>Output Processing: Insert, 4-band PEQ, 1/3 octave graphic EQ (GEQ), compressor, and delay on all outputs</p> <p>Automatic Mic Mixing: Yes Spectrogram: For feedback detection and room acoustics analysis Built-in Signal Generator: Yes Real-Time Analyzer (RTA): With peak band indication</p> <p>Control and Interface: Motorized Faders: 25 Touchscreen: 800×480 resolution Soft Keys: 10 programmable USB Audio Interface: 32×30 channels Qu-Drive: Direct multitrack recording/playback via USB drives DAW MIDI Control: Yes</p> <p>Remote Control Apps: Qu-Pad for iPad Qu-You for iPhone/Android personal monitoring</p> <p>Expansion and Connectivity: dSNAKE Remote Audio Port: For remote I/O expansion</p> <p>Compatibility: Works with ME Personal</p> | 1 | unit | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---------------------------|---|----------|------|---|
| | | <p>Mixing System Physical and Design: Finish: High-contrast metallic controls (Chrome Edition). ital Mixer for Convention Hall</p> <p>Specification: Input Channels: Mono Mic/Line Inputs: 24 (XLR/TRS) with recallable AnalogiQ™ preamps Stereo Line Inputs: 3 (TRS) Output Channels: Mix Outputs: 20 (XLR) Stereo Groups: 2 (switchable to Mix mode) Monitor Mixes: Up to 9 (4 mono + 5 stereo) Matrix Outputs: 2 stereo AES Digital Output: 1 Processing and Effects: FX Engines: 4 Dedicated FX Sends>Returns: 4 Channel Processing: Trim, polarity, high-pass filter (HPF), gate, insert, 4-band parametric EQ (PEQ), compressor, and delay on all inputs Output Processing: Insert, 4-band PEQ, 1/3 octave graphic EQ (GEQ), compressor, and delay on all outputs Automatic Mic Mixing: Yes Spectrogram: For feedback detection and room acoustics analysis Built-in Signal Generator: Yes Real-Time Analyzer (RTA): With peak band indication Control and Interface: Motorized Faders: 25 Touchscreen: 800×480 resolution Soft Keys: 10 programmable USB Audio Interface: 32×30 channels Qu-Drive: Direct multitrack recording/playback via USB drives DAW MIDI Control: Yes Remote Control Apps: Qu-Pad for iPad Qu-You for iPhone/Android personal monitoring Expansion and Connectivity: dSNAKE Remote Audio Port: For remote I/O expansion Compatibility: Works with ME Personal Mixing System Physical and Design: Finish: High-contrast metallic controls (Chrome Edition).</p> | | | |
| 17 | 2026-00-0145-INFO-REGULA | Professional Wireless Intercom System ICT-3293 | 1 | unit | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|------------------------------|--|----------|------|---|
| | R | Specification: Communication Technology: DECT 6.0 (1.9 GHz) Audio Frequency Response: 150 Hz – 7 kHz Environmental Noise Cancellation (ENC): Dual-Mic ENC for reducing ambient noise Operating Range: Up to 1,100 feet (approximately 335 meters) line-of-sight Headset Design: True-wireless, single-ear with no bodypack required Mute Function: Push-to-Talk (PTT) button or rotating boom to mute Battery Life: Each headset comes with rechargeable batteries; exact duration varies by usage System Expandability: Supports multiple headsets; backward compatible with Solidcom C1 Additional Features: Supports A & B dual grouping and three-system cascaded connection; announce function | | | |
| 18 | 2026-00-0145-INFO-REGULAR | Conference Microphone System ICT-3295 Specification: Discussion Delegate Unit Specification: Mounting type Tabletop Frequency response At least 20Hz-20KHz Dynamic range > 85dB Sensitivity -46dB±4dB Power input 24V Microphone length Standard 410 mm Headphone jack Mono 3.5mm Internal loudspeaker 4Ω/3W Weight 0.75 kg Dimensions 190×162×60 mm (W×D×H) | 40 | unit | |
| 19 | 2026-00-0145-INFO-REGULAR | Central Discussion Controller ICT-3297 Power Supply: At least 100 ~ 220 V AC, 50/60Hz Screen: OLED Frequency Response: 20 Hz ~ 20 kHz Dynamic Range: > 94 dB Audio Output: 1 x RCA, 1 x XLR Audio Recording Output: USB Capacity: 60 - 70 units Operating Temperature: 0 ~ 45°C Dimensions (W x D x H): 485 mm × 350 mm × 90 mm Weight: 7.6 kg | 2 | unit | |
| 20 | 2026-01-213-SWRRD-NSHP AGRIN | Printer (Portable Printer) ICT-1751 Print Method: Micro Piezo Printer Function: Print Maximum Resolution: At least 5760 x 1440 dpi | 1 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---------------------------|---|----------|------|---|
| | | Paper Sizes: Legal, Letter, A4, B5, A5, A6, 8×10", 5×7", 4×6", Envelopes: #10, DL, C6 Number of Paper Trays: 1 Interface: USB 2.0 Network: Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct Built-in Battery | | | |
| 21 | 2026-02-311-W RMD-SWIIP | Multi-Purpose Geotagging ICT-1799 Chipset: At least Snapdragon 8 Gen 1 or it's equivalent Operating System: at least android 13 Screen Size: at least 6.5 inches Screen Resolution: at least 2400 x 1080p (FHD+)pixels Screen Brightness: at least 1000 nits Display Type: 90Hz RAM: at least 8GB Storage: at least 128GB Battery: at least 5000 mAh Network Technology: GSM / CDMA / HSPA / EVDO / LTE / 5G Camera: at least 12MP Front Camera at least 50MP Rear Camera | 25 | unit | |
| 22 | 2026-02-311-W RMD-SWIIP | Network Printer ICT-2233 Printer Type: Ink tank Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed) Maximum Resolution: 4800 x 1200 dpi Paper Sizes: A4, Letter, Legal and A3 Number of Paper Trays: 2 Automatic 2-Sided Printing (up to A4/Letter) Interface: USB 2.0 Network: Wireless, Mopria, AirPrint, Direct Wireless, Ethernet | 2 | unit | |
| 23 | 2026-02-311-W RMD-SWIIP | Document Scanner ICT-1802 Portable Scanner Technology: Dual CIS Resolution: up to 1200 x 1200 dpi Scanning Width: up to 215.9 mm Scanning Length: up to 1,828 mm Power Source: USB Type-B Battery: Lithium 1200 mAh Interface: USB 3.0 Micro SD: 2GB – 32GB Wireless LAN: IEEE 802.11b/g/n, IEEE 802.11g (Wi-Fi Direct) Features: Duplex scanning ID Card scanning (up to 1 mm) LED display | 4 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|----------------------------------|---|----------|------|---|
| 24 | 2026-02-311-W RMD-SWIIP | Portable Projector ICT-2784 Light Source Type: LED Native Resolution: at least 854×480 Brightness: at least 300 Lumens Built-in Battery: at least 12000mAh Lamp Life: up to 30000 hrs Contrast Ratio: at least 120000:1 Resolution Support: VGA(640 x 480) to FullHD(1920 x 1080) HDTV Compatibility: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p Input: HDMI: 1, (HDMI 1.4/ HDCP 1.4) USB Type C: 1 (5V/ 2A) Audio-in (Bluetooth): 1 (BT4.2) USB Type A: 1, (USB2.0 Reader) SD Card: Micro SD (32GB, SDHC) Wifi Input: 1 (5Gn) Output: Audio out (3.5mm): 1 Audio-out (Bluetooth): 1 (BT4.2) Speaker: 3W Cube x2 USB Type A (Power): 1 , (USB2.0 – 5V/1A,, share with USB A Input) With Carry Bag | 4 | unit | |
| 25 | 2026-02-380-G SITD-STALAR-MAP | Server (1 Physical Server & 2 License for Windows Server 2022) ICT-3299 Processor: Intel Xeon Silver 4208 2.1G, 8C/16T Additional Processor: Intel Xeon Silver 4208 2.1G, 8C/16T System Memory: 32GB (16Gb x 2) of 3200MT/s RDIMMs Hard Drive: 1TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive Chassis: with up to 8, 3.5" Hot Plug Hard Drives Power Supply: Dual, Hot-plug, Redundant Power Supply 495Watts Add ons: Windows Server Standard 2022 or latest Licensing Model: Core-Based | 1 | unit | |
| 26 | 2026-02-380-G SITD-STALAR-MAP | Smart Cabinet ICT-3301 No. of Racks: 1 Cooling Capacity: at least 3.5 kW Cooling Redundancy: Yes UPS Capacity: at least 2 * 3 kVA UPS Redundancy: Yes Backup Time: at least 5 mins to 60 mins Monitoring: Yes Fire Suppression and Access Control: Optional | 1 | unit | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|----------------------------------|--|----------|------|---|
| | | Usable U Space: at least 22U Display Panel: at least 7 inches Rack PDU type: All Types (Basic, Metered and Monitored) CE Certification: Yes | | | |
| 27 | 2026-02-380-G SITD-STALAR-MAP | File Storage (NAS) ICT-3303 Processor: Intel Core i9 latest generation or its equivalent Memory: at least 32GB, DDR5 (upgradable) Memory Slot: 2 X SODIMM DDR4 Drive Bay: 8 X 3.5-inch SATA 6Gb/s, 3Gb/s Drive Compatibility: 3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA solid state drives Hot Swappable: Yes M.2 Slot: 2 M.2 Compatibility: NVMe SSD PCIe Gen 3 and above SSD Cache Acceleration Support: Yes 2.5 Gigabit Ethernet Port (2.5G/1G): at least 2 (2.5G/1G) 10 Gigabit Ethernet Port (10G/5G/2.5G/1G): at least 2 Wake on Lan (WOL): Yes LED Indicators: HDD 1-8, Status, LAN, USB port, M.2 port Standard Warranty: 3 years Included: NAS Storage Hard Disk Quantity: 8 Capacity: 8 TB Speed: 7200 RPM Interface: 3.5-inch SATA 6 GB/s | 1 | unit | |
| 28 | 2026-02-382-G SITD-STALAR-MAP | Book Scanner ICT-3220 Maximum Scan Size up to: A3 Image Sensor: 24-megapixel CMOS color sensor Resolution: 5696 × 4272 pixels (≈320 DPI) Image Capture Speed: 1.5 seconds per page File Formats Supported: Image: JPG, PNG, BMP, TIF, PDF Document: WORD, Excel, TXT, Searchable PDF Video Format: Online: AVI, WMV, MP4 Offline: MOV Interface: USB 2.0, HDMI output Power Supply: AC 100–240V input, DC adapter output Lighting: Built-in LED lighting with auxiliary side lights (auto light optimization) Screen Size: 2.4 inches LCD preview screen with USB Cable, Black Scan Mat, Finger Cots, | 1 | unit | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|--|--|----------|------|---|
| | | Adapter, Foot Pedal, Hand Button, HDMI Cable Focus: Auto-Focus Effect: Color / Grayscale / Black and White | | | |
| 29 | 2026-02-382-G SITD-STALAR-MAP | Power Supply(UPS) ICT-3223 Input Voltage: 220VAC Frequency: 50hz – 60hz Output Voltage: 220VAC Capacity VA/Wattage: 650VA/455Watts Transfer Time: ≤10ms including direction time | 5 | unit | |
| 30 | 2026-02-0445-S CMD-RD-Corn-Continuing | Geotagging Device(Mobile) ICT-3225 • Chipset: MediaTek Dimensity 8400-Ultra • Operating System: at least Android 15 • Screen Size: at least 6.83 inches • Screen Resolution: at least 2772 × 1280 pixels • Screen Brightness: at least 3200 nits • Display Type: AMOLED, 120Hz • RAM: at least 12GB • Storage: at least 256GB • Battery: at least 5500 mAh • Network Technology: GSM / HSPA / LTE / 5G • Camera: o Front Camera: at least 16MP o Rear Camera: at least 50MP main | 5 | unit | |
| 31 | 2026-03-0590-S TALAR-MAP | Hand-held (Camera) ICT-3161 Camera type: Handheld/Action Camera Microphones: 3 Screen Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58° ; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63° ; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Low-Light Video: 50-16000 Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi | 4 | unit | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|---|-----------------------------|---|----------|------|---|
| 32 | 2026-03-0590-S TALAR-MAP | Earphones (In-ear) ICT-3217 Headphone Type: Closed, dynamic, in-ear Driver Unit: 12 mm dome type (CCAW voice coil) Magnet: Neodymium Impedance: 16 Ω (at 1 kHz) Frequency Response: 4 Hz – 24,000 Hz Sensitivity: 110 dB/mW Maximum Power Input: 100 mW Cord Type: Y-shape, Litz cable (tangle-free) Cord Length: at least 1m Plug: L-shaped, gold-plated 4-pole mini plug (3.5mm AUX) Wearing Style: In-ear canal Microphone/Remote: Inline mic with remote control for calls and music | 9 | unit | |
| Unit and it's component must be BRAND NEW, UNUSED & NOT CLONE | | | | | |
| Brand and model offered shall be indicated on the technical proposal per line item | | | | | |
| Warranty: all equipment must be at least 1 year warranty on parts and labor service | | | | | |
| Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual) | | | | | |

Lot 3: Supply and Delivery of ICT Supplies and Toners

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|--|---|----------|------|---|
| 1 | 2026-00-0057 WRMD-INS Various 2026 (18) | Micro SD 256 ICT-3178 Capacity: 256GB Type: Micro SDXC Read Speed: Up to 200 MB/s Write Speed: Up to 90MB/s | 18 | unit | |
| 2 | 2026-00-0058- WRMD-ESET S-Rice (2) 2026-00-0062- Planning-Regu lar Fund (6) 2026-00-0120- GSITD-STO ICT 2026 (60) 2026-00-0123- SWRRD-LFP- NSHP (4) | Wireless Keyboard & Mouse ICT-2797 Keyboard 3 Zone-Layout Adjustable height -tilt legs Special Keys: Music Controls Palm Rest 10-Key Number pad Key type: Deep profile On/Off power switch Mouse Sensor technology: High-precision Optical | 75 | set | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|--|---|----------|------|---|
| | 2026-02-394-L UPEZ-NSHP (3) | tracking Number of buttons: 3 (Left/Right-click, Middle click) Scrolling: line-by-line Scroll Wheel: Yes, 2D, mechanical Connect/Power: On/Off power button | | | |
| 3 | 2026-00-0062-Planning-Regular Fund (6) 2026-00-0120-GSITD-STO ICT 2026 (12) | USB Port Hub (10 Ports) Interface Type: USB 3.0 Ports: 10 Ports Standard: USB 3.0 Body Type: Aluminum Interface: USB3.0 Speed: 5Gbps Support Function: Current Protection/Hot Swap Plug: 12V Power Adapter Cable Length: 1M | 18 | unit | |
| 4 | 2026-00-0062-Planning-Regular Fund | USB Mutiport Adapter (7 – in – 1) Interface Type: Type-C Ports: 7 Ports Output: USB3.0,HDMI 4k@30Hz,SD/TF, PD 100W Speed: 5Gbps Charging: 100W max input | 2 | unit | |
| 5 | 2026-00-0120-GSITD-STO ICT 2026 (3) | OTG Type C/Flash Drive 128 GB Capacity: 128GB Speed: USB 3.1 Gen.1 up to 150MB/s read Interface: USB-A Type-C | 3 | unit | |
| 6 | 2026-00-0120-GSITD-STO ICT 2026 | Micro SD Card (128GB with card reader) Storage Capacity: 128GB Card Type: microSDXC | 5 | unit | |
| 7 | 2026-00-0120-GSITD-STO ICT 2026 | RJ45 Keystone Jack (CAT6) Category Standard: ANSI/TIA-568.2-D (CAT6) Data Transmission: Up to 10 Gbps (10GBASE-T) Connector Type: RJ45 (8P8C) female Termination Type: Punch-down (IDC) | 197 | pc | |
| 8 | 2026-00-0120-GSITD-STO ICT 2026 | RJ45 (Extender CAT6 (Female to Female)) Category Standard: ANSI/TIA-568.2-D (CAT6) Connector Type: RJ45 8P8C (female-to-female) | 20 | pc | |
| 9 | 2026-00-0120-GSITD-STO ICT 2026 (9) 2026-00-0121- | RAM (16 GB DDR4) DDR4 16GB (16×1) 3600 MHz | 19 | unit | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---|---|----------|------|---|
| | GSITD-STALARA-MAP 2026 (10) | LoDimm | | | |
| 10 | 2026-00-0120-GSITD-STO ICT 2026 (6) 2026-00-0121-GSITD-STALARA-MAP 2026 (6) | RAM (16GB DDR5) DDR5 8GB (8x2) 5200 MHz LoDimm | 12 | unit | |
| 11 | 2026-00-0120-GSITD-STO ICT 2026 (18) | Power Supply (650w) Watts: at least 650 Rating: 80+ Bronze Type: Non-Modular Fan Size: 120mm Form Factor: ATX | 18 | unit | |
| 12 | 2026-00-0120-GSITD-STO ICT 2026 (3) 2026-00-0121-GSITD-STALARA-MAP 2026 (15) | Cable (HDMI) HDMI (Male) to HDMI (Male) 5 meters Resolution: 1080P | 18 | unit | |
| 13 | 2026-00-0120-GSITD-STO ICT 2026 | HDMI Splitter (4-port) Input Ports: 1 x HDMI (Type A, 19-pin, female) Output Ports: 4 x HDMI (Type A, 19-pin, female) | 2 | unit | |
| 14 | 2026-00-0121-GSITD-STO ICT 2026 | Cable (HDMI 2Meters) HDMI (Male) to Display Port (Male) 2 meters Resolution: 4k@30Hz | 15 | unit | |
| 15 | 2026-00-0121-GSITD-STO ICT 2026 | Cable (Cat6 Slim Patch Cable) Cat6 Slim Patch Cable | 30 | unit | |
| 16 | 2026-00-0121-GSITD-STALARA-MAP 2026 | USB HUB (6 in 1) USB C ethernet hub 4K@60Hz HDMI data transfer atleast 10Gbps 1000mbps Gigabit ethernet, PD 100W charging, 2x USB-A 3.2 gen2 1x USB-C 3.2 gen2 | 8 | unit | |
| 17 | 2026-00-0061-RD Corn | Brother LC462 BK, Black | 10 | unit | |
| 18 | 2026-00-0061-RD Corn | Brother LC462 C, Cyan | 10 | unit | |
| 19 | 2026-00-0061-RD Corn | Brother LC462 M, Magenta | 10 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---|--------------------------|----------|------|---|
| 20 | 2026-00-0061-RD Corn | Brother LC462 Y, Yellow | 10 | unit | |
| 21 | 2026-00-0061-RD Corn(75) 2026-00-0104-ESETS-Rice(15) 2026-00-0119-STO-ICT 2026(3) | Epson 003 - Cyan 65ml | 93 | unit | |
| 22 | 2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Rice(15) 2026-00-0119-STO-ICT 2026(3) | Epson 003 - Magenta 65ml | 68 | unit | |
| 23 | 2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Rice(15) 2026-00-0119-STO-ICT 2026(3) | Epson 003 - Yellow 65ml | 68 | unit | |
| 24 | 2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Rice(45) 2026-00-0119-STO-ICT 2026(13) | Epson 003 - Black 65ml | 108 | unit | |
| 25 | 2026-00-0104-ESETS-Rice | HP GT53 - Black 90ml | 32 | unit | |
| 26 | 2026-00-0104-ESETS-Rice | HP GT52 - Cyan 70ml | 20 | unit | |
| 27 | 2026-00-0104-ESETS-Rice | HP GT52 - Magenta 70ml | 20 | unit | |
| 28 | 2026-00-0104-ESETS-Rice | HP GT52 - Yellow 70ml | 20 | unit | |
| 29 | 2026-00-0104-WRMD-ESET S-Rice | Epson L385 Inkpad | 5 | unit | |
| 30 | 2026-00-0104-WRMD-ESET S-Rice | Epson L405 Inkpad | 5 | unit | |
| 31 | 2026-00-0104- | Epson L3110 Inkpad | 10 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---|---|----------|------|---|
| | WRMD-ESET S-Rice | | | | |
| 32 | 2026-00-0104- WRMD-ESET S-Rice | Epson L3210 Inkpad | 10 | unit | |
| 33 | 2026-00-0104- WRMD-ESET S-Rice | HP M0H50AA (Tri-color) | 5 | unit | |
| 34 | 2026-00-0104- WRMD-ESET S-Rice | HP X4E75AA (Black) | 5 | unit | |
| 35 | 2026-00-0104- WRMD-ESET S-Rice | Epson 289 (Black) | 45 | unit | |
| 36 | 2026-00-0104- WRMD-ESET S-Rice | Epson 290 (Tri-color) | 45 | unit | |
| 37 | 2026-00-0119- STO-ICT 2026(10) 2026-00-0124- LFP-NSHP-S WRRD (BIOSMS)(5) | HP 680 Tri-color Original Ink Advantage Cartridge 4 mL | 15 | unit | |
| 38 | 2026-00-0119- STO-ICT 2026(10) 2026-00-0124- LFP-NSHP-S WRRD (BIOSMS)(12) | HP 680 Black Original Ink Advantage Cartridge 8.5 mL | 22 | unit | |
| 39 | 2026-00-0119- STO-ICT 2026 | Brother DCP - T710W - Black | 7 | unit | |
| 40 | 2026-00-0119- STO-ICT 2026 | Brother DCP - T710W -Magenta | 3 | unit | |
| 41 | 2026-00-0119- STO-ICT 2026 | Brother DCP - T710W -Cyan | 3 | unit | |
| 42 | 2026-00-0119- STO-ICT 2026 | Brother DCP - T710W - Yellow | 3 | unit | |
| 43 | 2026-00-0119- STO-ICT 2026 | Brother HL - T4000DW- Black | 4 | unit | |
| 44 | 2026-00-0119- STO-ICT 2026 | Brother HL - T4000DW- Magenta | 2 | unit | |
| 45 | 2026-00-0119- STO-ICT 2026 | Brother HL - T4000DW- Cyan | 2 | unit | |
| 46 | 2026-00-0119- STO-ICT 2026 | Brother HL - T4000DW- Yellow | 2 | unit | |
| 47 | 2026-00-0119- STO-ICT 2026 | Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF400X, Black | 2 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|--|--|----------|------|---|
| 48 | 2026-00-0119-STO-ICT 2026 | Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF401X, Cyan | 1 | unit | |
| 49 | 2026-00-0119-STO-ICT 2026 | Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF402X, Yellow | 1 | unit | |
| 50 | 2026-00-0119-STO-ICT 2026 | Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF403X, Magenta | 1 | unit | |
| 51 | 2026-00-0119-STO-ICT 2026 | HP DESKJET 2337 INKJET CARTRIDGES Ink Cartridge HP 682, Tri-color 4ml Ink Cartridge HP 682, Black 8.5ml | 4 | unit | |
| 52 | 2026-00-0124-LFP-NSHP-S WRRD (BIOSMS) | Canon CL-57 Ink Cartridge Colored 15 mL | 18 | unit | |
| 53 | 2026-00-0124-LFP-NSHP-S WRRD (BIOSMS) | Canon PG-47 Ink Cartridge Black 15 mL | 18 | unit | |
| 54 | 2026-00-0145-INFO-REGULAR | 8PS-15 Extension Cable Specification: Color: Black Connectors: One Male, One Female Length 15m | 2 | unit | |
| 55 | 2026-00-0145-INFO-REGULAR | 8P-T3 T-Cable Specification: Color: Black Connectors: Two Male, one Female Length 1.5m + 1.2m | 40 | unit | |
| 56 | 2026-01-213-NSHP AGRIN (5) 2026-03-0533-WRMD-LFP-S WIIP(47) | Powerbank ICT-2199 Battery Capacity: at least 20000 mAh Input ports: Lightning Micro-USB Output ports: USB Type-A (2) I/O: DC 5V – 2.1A | 52 | unit | |
| 57 | 2026-02-251-LFP-NSHP-SW RRD (ABFS COCONUT) | Epson T6641, Black | 4 | unit | |
| 58 | 2026-02-251-LFP-NSHP-SW RRD (ABFS COCONUT) | Epson T6642, Cyan | 3 | unit | |
| 59 | 2026-02-251-LFP-NSHP-SW RRD (ABFS COCONUT) | Epson T6643, Magenta | 3 | unit | |
| 60 | 2026-02-251-L | Epson T6644, Yellow | 3 | unit | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|--|---|----------|------|---|
| | FP-NSHP-SW RRD (ABFS COCONUT) | | | | |
| 61 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | HP GT 53 Black, 90 ml | 8 | unit | |
| 62 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | HP GT 52 Cyan, 70 ml | 7 | unit | |
| 63 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | HP GT 52 Magenta, 70 ml HP GT 52 Yellow, 70 ml | 7 | unit | |
| 64 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | HP GT 52 Yellow, 70 m | 7 | unit | |
| 65 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | HP 680, Black | 3 | unit | |
| 66 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | HP 680, Color | 3 | unit | |
| 67 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | Epson 003, Black | 3 | unit | |
| 68 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | Epson 003, Cyan | 3 | unit | |
| 69 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | Epson 003, Magenta | 3 | unit | |
| 70 | 2026-02-251-L FP-NSHP-SW RRD (ABFS COCONUT) | Epson 003, Yellow | 3 | unit | |
| 71 | 2026-02-252-L FP-NSHP-SW RRD (AGRI N) | Ink for HP GT-52 - Yellow | 5 | unit | |
| 72 | 2026-02-252-L FP-NSHP-SW RRD (AGRI N) | Ink for HP GT-52 - Cyan | 5 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---|--|----------|------|---|
| 73 | 2026-02-252-L FP-NSHP-SW RRD (AGRI N) | Ink for HP GT-52 - Magenta | 5 | unit | |
| 74 | 2026-02-252-L FP-NSHP-SW RRD (AGRI N) | Ink for HP GT-53 - Black | 6 | unit | |
| 75 | 2026-02-252-L FP-NSHP-SW RRD (AGRI N) | BTD60BK Ink Bottle- Black 100ml Compatible with Printer: Brother DCPT710W | 4 | unit | |
| 76 | 2026-02-252-L FP-NSHP-SW RRD (AGRI N) | BT-5000 Cyan 50ml, Compatible with Printer: Brother DCPT710W 50ml | 4 | unit | |
| 77 | 2026-02-252-L FP-NSHP-SW RRD (AGRI N) | BT-5000 Magenta 50ml, Compatible with Printer: Brother DCPT710W | 4 | unit | |
| 78 | 2026-02-252-L FP-NSHP-SW RRD (AGRI N) | BT-5000 Yellow 50ml, Compatible with Printer: Brother DCPT710W 50ml | 4 | unit | |
| 79 | 2026-02-360-S WIIP | Memory Card (Micro SD 128GB) ICT-1870 Capacity: 128GB Type: Micro SDXC Read Speed: Up to 200 MB/s Write Speed: Up to 90MB/s | 50 | unit | |
| 80 | 2026-02-360-S WIIP | Wireless Mouse Basic ICT-2810 SENSOR TECHNOLOGY Optical tracking DPI (Min/Max): 1000± BUTTONS Number of Buttons: 3 (Left/Right-click, Middle click) SCROLLING Line-by-line scrolling Scroll Wheel: Yes, 2D, optical Battery Details: 1 x AA (included) CONNECTIVITY Connection Type: 2.4 GHz wireless connection Wireless range: at least 10 m Connect / Power: Yes, on/off switch | 52 | unit | |
| 81 | 2026-02-361-S WIIP | Epson 008 Black Ink (127 mL) | 6 | unit | |
| 82 | 2026-02-361-S WIIP | Epson 008 Cyan Ink (70 mL) | 4 | unit | |
| 83 | 2026-02-361-S WIIP | Epson 008 Magenta Ink (70 mL) | 4 | unit | |
| 84 | 2026-02-361-S WIIP | Epson 008 Yellow Ink (70 mL) | 4 | unit | |

| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|----------------------------|---|----------|------|---|
| 85 | 2026-02-394-NSHP | Wireless Mouse ICT-2189 Type: Wireless Connection Type: Bluetooth® Smart and 2.4GHz wireless connection Wireless range: 10 m Battery Details: 1 x AA DPI (Min/Max): 1000± Sensor resolution: 1000 dpi Scroll Wheel: 3G Core Number of buttons: 8 | 2 | unit | |
| 86 | 2026-02-394-NSHP | Wireless HDMI Extender (Adaptor) ICT-2876 HDMI display up to 50m from the HDMI source HD 1080p video wireless transmission 5GHz transmission efficiency | 1 | unit | |
| 87 | 2026-02-394-NSHP | ICT-3200 Input Ports: 1 × HDMI (Type A, 19-pin, female) Output Ports: 4 × HDMI (Type A, 19-pin, female) | 1 | unit | |
| 88 | 2026-03-0533-LFP-SWIIP(12) | External storage (1TB, Gen3.2) ICT-2172 Type: SSD Capacity: 1 TB Interface: USB Gen 3.2 Sequential Read : Up to 1,050MB/sec Sequential Write : Up to 1,000 MB/sec Encryption: AES 256-bit hardware encryption | 12 | unit | |
| 89 | 2026-03-0533-LFP-SWIIP(25) | External Storage(SSD) ICT-2248 Type: SSD Capacity: 2 TB USB 3.2 Gen 2 x2 Sequential Read: Up to 2,000MB/sec Sequential Writ : Up to 2,000 MB/sec Encryption: AES 256-bit hardware encryption USB-C to USB-C Cable USB-C to USB-A Cable | 25 | unit | |
| 90 | 2026-03-584-S TALAR-MAP | HP 680 Cartridge Black - 8.5 ml | 25 | unit | |
| 91 | 2026-03-584-S TALAR-MAP | HP 680 Cartridge Tri-color - 4 ml | 25 | unit | |
| 92 | 2026-03-584-S TALAR-MAP | T40B UltraChrome XD2 Black Ink 80 ml | 3 | unit | |
| 93 | 2026-03-584-S TALAR-MAP | T40B UltraChrome XD2 Cyan Ink 50 ml | 3 | unit | |
| 94 | 2026-03-584-S | T40B UltraChrome XD2 Magenta Ink 50 ml | 3 | unit | |



| Line Item | PR #/Division/Fund Source | Technical Specifications | Quantity | Unit | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|--|----------------------------|---|----------|------|---|
| | TALAR-MAP | | | | |
| 95 | 2026-03-584-S TALAR-MAP | T40B UltraChrome XD2 Yellow Ink 50 ml | 3 | unit | |
| 96 | 2026-03-584-S TALAR-MAP | LaserJet Imaging Drum, HP 126A (CE314A) | 3 | unit | |
| 97 | 2026-03-584-S TALAR-MAP | HP 416A (W2040A), Black | 2 | unit | |
| 98 | 2026-03-584-S TALAR-MAP | HP 416A (W2043A), Magenta | 2 | unit | |
| 99 | 2026-03-584-S TALAR-MAP | HP 416A (W2042A), Yellow | 2 | unit | |
| 100 | 2026-03-584-S TALAR-MAP | HP 416A (W2041A), Cyan | 2 | unit | |
| Inks, toner and cartridge must be GENUINE | | | | | |
| Brand and model offered shall be indicated on the technical proposal per line item | | | | | |
| Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual) | | | | | |
| Bidders must submit a copy of Certificate of Authorized Reseller and Manufacturing Authenticity Certificate (during post qual) for various inks and toners | | | | | |

Lot 4: Supply and Delivery of ICT Software (Subscriptions)

| Line Item | PR #/Division/Fund Source | Item | Technical Specifications | Quantity | STATEMENT OF COMPLIANCE (STATE THE BRAND AND MODEL) |
|-----------|---|------|---|----------|---|
| 1 | GSITD-2026-00-0118-NSHP | | Azure Database (12 Months) | 1 | |
| 2 | GSITD-2026-00-0118-NSHP | | MS Office 365 Business Standard (12 Months) | 26 | |
| 3 | GSITD-2026-00-0118-NSHP (2) 2026-02-250-W RMD(4) | | Editing Software (Adobe Creative Cloud) (12 Months) ICT-3088 Features included: • 1 license per user • Can be activated on up to 2 devices (1 device at a time) • Access to 20+ editing applications • 100GB cloud storage • Creative Cloud Libraries • Version history: Keep past file versions for 30 days • 1 year Subscription | 6 | |
| 4 | 2026-02-250-W RMD | | Canva Editing Software | 4 | |

| | | | | | |
|---|----------------------|--|--------------------------|---|--|
| 5 | 2026-02-250-W RMD | | Autodesk Civil 3D | 6 | |
|---|----------------------|--|--------------------------|---|--|

I hereby certify to comply and deliver all the above requirements.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date

Lot 1: Supply and Delivery of Personal Computers

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|--|----------|---|----------|------|------------|--------------|
| 2026-01-0518 SWIIP (5) 2026-02-0381-STALAR-MAP (16) | 1 | <p>Desktop (Highend-Mapping/CAD/System Development) ICT-2940 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 7 7000/8000 series Graphics Card: at least dedicated, at least 6GB VRAM, GDDR6 Memory: at least 16GB (x2) DDR5 (expandable to 64GB); at least 4 DIMM Slots Motherboard: Compatible with the specified processor and memory; at least 2x M.2 Slot; 4x RAM Slot; 1x HDMI; Internal Storage: at least 500GB M.2 NVMe SSD + 1TB 2.5" SSD Form Factor: Tower type (atleast H:22in by W:9in) Pre-installed Fans Monitor size: at least 27" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75 Hz Display Response Time: up to 5 ms Power Supply: at least 650Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Standard (Perpetual) and compatible with the existing productivity suites (MS Office) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons</p> | 21 | unit | 145,000.00 | 3,045,000.00 |
| 2026-00-0150 PMS- (18) 2026-02-0381-STALAR-MAP (3) | 2 | <p>Desktop (DP-Office Productivity Advanced) ICT-2275 Processor: at least Intel Core i5 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series Graphics Card: dedicated, at least 4GB VRAM, GDDR6 Memory: at least 8GB (x2) DDR5 (expandable to 32GB); at least 2 DIMM Slots Motherboard: Compatible with the specified processor and memory;</p> | 21 | unit | 70,000.00 | 1,470,000.00 |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|--|----------|---|----------|------|-----------|------------|
| | | at least 1 x M.2 Slot; 2x RAM Slot;1x HDMI Internal Storage: at least 500GB M.2 NVMe SSD Form Factor: Tower type (atleast H:14.5in by W:6in) Pre-installed Fans Monitor size: at least 27" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75 Hz Display Response Time: up to 5 ms Power Supply: at least 500Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons | | | | |
| 2026-00-0037-SWRRD LFP-NSHP-ABFS (1) 2026-00-0059-WRMD-ESET-Rice (2) | 3 | Desktop (Office Document - Basic) ICT-2273 Processor: at least Ryzen 5 (5000 series) or its equivalent Intel i5 (12th Gen) Graphics Card: Integrated Memory: at least 8GB (x2) DDR4; at least 2 DIMM Slots Motherboard: Compatible with the specified processor and memory; at least 1 x M.2 Slot; 2x RAM Slot;1x HDMI; Internal Storage: at least 500GB SSD Form Factor: Tower type (atleast H:14in by W:6in) Pre-installed Fans Monitor size: at least 23.8" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75Hz Display Response Time: up to 5 ms Power Supply: at least 500Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz | 3 | unit | 49,900.00 | 149,700.00 |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---------------------------------------|----------|--|----------|------|------------|------------|
| | | wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons | | | | |
| 2026-00-0117-GSITD AFACI-Soil Phase 2 | 4 | Laptop (Executive 13") ICT-3138 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series Storage: at least 2 TB NVMe or 1 TB + 1 TB NVMe Gen4 Memory: at least 32GB x1 or 16GB x 2 , DDR5 GPU: Integrated graphics Camera: at least 1080 FHD Screen size: at least 13.4" inch Display Type: at least 120Hz Battery Type: at least 55WHrs; at least 3-cell battery Battery Charger: Type-C, Must be same brand with the offered unit Weight: not more than 1.2 kg Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office – at least Word, Excel, Powerpoint, etc) | 2 | unit | 180,000.00 | 360,000.00 |
| 2026-01-0518 SWIIP (5) | 5 | Laptop (Mapping/CAD/System Development) ICT-3269 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series Graphics Card: dedicated, at least 8GB VRAM Memory: at least 16GBx1 or 8GBx2, DDR5 Storage: at least 1TB M.2 NVMe SSD Display Panel size: at least 14" inch Display Type: OLED Display Refresh Rate: at least 120 Hz Battery Type: at least 70WHrs, 4-cell Li-ion Weight: not more than 1.7 kg Ecolabels & Compliances: Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Standard (Perpetual) and compatible with the existing productivity suites (MS Office) | 5 | unit | 150,000.00 | 750,000.00 |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|--|----------|--|----------|------|------------|------------|
| 2026-02-381-S TALAR-MAP | 6 | Laptop (High end-Mapping/CAD/System Development) ICT-2946 Processor: Intel Core i9 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series Graphics Card: dedicated, at least 8GB VRAM Memory: at least 16GB x 1 or 8GB x 2, DDR5 Storage: at least 1TB M.2 NVMe SSD Display Panel size: at least 14" inch Display Type: OLED Display Resolution: at least 3K (2880 x 1800) Display Refresh Rate: at least 120 Hz Battery Type: at least 70WHrs, 4-cell Li-ion Weight: not more than 1.5 kg Ecolabels & Compliances: Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Standard (Perpetual) and compatible with the existing productivity suites (MS Office) | 3 | unit | 200,000.00 | 600,000.00 |
| 2026-02-0445-SCMD-RD Corn-Continuing(3) | 7 | Laptop (Office Document - Basic) ICT-2282 Processor: at least Ryzen 5 (7000 series) or its equivalent Intel i5 (14th Gen) Graphics Card: Integrated Memory (RAM): at least 8GB DDR5 Storage: at least 512 M.2 NVMe SSD Display screen size: at least 15.6" inch Display Type: OLED or IPS Display Resolution: at least 1920 x 1080 Display Refresh Rate: at least 60 Hz Battery Type: at least 50 WHrs, 3-cell Li-ion Weight: not more than 2 kg Operating System: latest Microsoft Windows Home, 64-bit(Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) | 3 | unit | 49,900.00 | 149,700.00 |

Accessories for laptop- Laptop Sleeve/backpack

Unit and it's component must be **BRAND NEW, UNUSED & NOT CLONE**

Brand and model offered shall be indicated on the technical proposal per line item

Warranty: all equipment must be at least 1 year warranty on parts and labor service

Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)

Lot 2: Supply and Delivery of Other Equipment and Peripherals

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|--|----------|---|----------|------|-----------|--------------|
| 2026-00-0060-SCMD-RD-Corn (1) 2026-02-278-INS VARIOUS (8) 2026-02-0440-LFP NSHP ALMED (20) | 1 | Multi-Purpose Geotagging Device (Tablet) ICT-2177 CPU: at least Octa-Core Display Type: TFT LCD Screen Size: at least 12 inches Screen Resolution: at least 1600 x 2560 pixels Screen Brightness: at least 500 nits Operating System: at least Android 11 Chipset: at least Qualcomm SM7225 Snapdragon 750G or it's equivalent RAM: at least 6GB Storage: at least 128GB Battery: at least LiPo 10,000 mAh Simcard Form Factor: Nano Camera: at least 5MP Front Camera at least 8MP Rear Camera Positioning: GPS, GLONASS, BDS, GALILEO with Stylus pen | 29 | unit | 49,000.00 | 1,421,000.00 |
| 2026-00-0060-SCMD-RD-Corn (2) | 2 | Projector ICT-2177 Light Source Type: LCD Native Resolution: WXGA (1280 x 800) Brightness: at least 2000 Lumens Lamp Life: (Normal / Eco): 6,000 / 12,000 hours Contrast Ratio: 16,000:1 Analog Input Composite: 1 RCA Digital Input: at least HDMI x 1 Audio Input: 2RCA (White & Red): 1 USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Wireless Projection: IEEE 802.11b (2.4GHz): 11 Mbps*2 IEEE 802.11n (2.4GHz): 72.2 Mbps*2 IEEE 802.11a (5GHz): 54Mbps*2 IEEE 802.11n (5GHz): 150 Mbps*2 IEEE 802.11g (2.4GHz): 54 | 2 | unit | 40,000.00 | 80,000.00 |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|--|----------|--|----------|------|-----------|------------|
| | | Mbps*2 | | | | |
| 2026-00-0110-GSITD-STO ICT 2026 | 3 | Desktop Speaker ICT-2859 Two satellite speakers Connectivity: 3.5 mm input: 1 USB Cable: 1 Bluetooth at least v5.0 Controls: at least Power and volume controls on right speaker | 17 | pc | 3,600.00 | 61,200.00 |
| 2026-00-0110-GSITD-STO ICT 2026 | 4 | Multimedia Display (Smart TV 50 inch LED) ICT-2862 Type: Smart TV Screen Size: at least 50 inch TV Resolution: at least 4K Refresh Rate: 60Hz Display Panel: LED Bluetooth: 5.2 Speaker: at least 20w Wi-Fi 5: 2.4G & 5G 3-Side Bezel-less I/O Ports: HDMI 2.1 x 3 USB-A x 1 Ethernet Lan x 1 | 4 | unit | 35,000.00 | 140,000.00 |
| 2026-00-0110-GSITD-STO ICT 2026 | 5 | Camera (DSLR) ICT-2508 Type: Digital Single Lens Reflex (Interchangeable Lens Camera) Image Sensor: 24.1MP APS-C CMOS sensor & DIGIC 4+ image processor Autofocus: 9-point AF with 1 centre cross-type AF point Standard ISO 100 – 6400 (expandable to 12800) Wireless Connection: Wi-Fi / NFC supported Up to 3 shots per second continuous shooting speed Screen: 3 inch LCD monitor with 18-55mm IS II Black lens | 2 | unit | 42,000.00 | 84,000.00 |
| 2026-02-311-WRMD-SWII P(30) | 6 | UPS ICT-2219 Type: Uninterruptible Power Supply (UPS) Input Capacity: 650w/1200 VA Universal Socket: 4 Sockets Nominal Output Voltage: 230V Nominal Input Voltage: 230V Battery Type: Lead-acid battery Typical Charge Time: 8 hour(s) | 30 | unit | 8,500.00 | 255,000.00 |
| 2026-00-0120-GSITD-STO ICT 2026 (18) 2026-00-0121-GSITD-ST ALAR-MAP 2026 (10) | 7 | Internal Storage (SSD-1TB) ICT-1843 SSD Capacity: 1 TB Interface: SATA 6 GB/S | 18 | pc | | 224,000.00 |



| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|--|----------|---|----------|------|-----------|------------|
| | | Sequential Read: Up to 560 MB/s Sequential Write: Up to 530 MB/s | | | | |
| 2026-00-0121-GSITD-ST ALAR-MAP 2026(9) | 8 | Internal Storage (SSD M.2-1TB) ICT-2224 SSD M.2 Capacity: 1 TB Form Factor: M.2 2280 Interface: PCIe Gen4 x4 Sequential Read Performance: At least 5000MB/s Sequential Write Performance: At least 4000MB/s | 6 | pc | | 59,400.00 |
| 2026-00-0121-GSITD-ST ALAR-MAP 2026 | 9 | Internal Storage (NAS Drive 8TB) ICT-3115 Network Attached Storage Hard Disk Drive Capacity: 8 TB Interface: SATA 6 GB/S Speed: 7200RPM Cache: 256MB | 10 | pc | 18,000.00 | 180,000.00 |
| 2026-00-0144 Info-Regular Fund | 10 | Floor Standing LCD Display - 55" Indoor Touch Totem ICT-3278 Screen Size: at least 55-inch LCD Resolution: at least 2k Touch: Multi-touch capacitive Orientation: Vertical / Floor-standing totem Connectivity: HDMI, USB ports, WiFi, LAN Media Playback: Built-in media player (supports images and videos) Enclosure: Metal body, indoor use, stable base Power: Standard AC input Package Includes: Display unit, power cable, basic accessories | 3 | unit | 70,000.00 | 210,000.00 |
| 2026-00-0144 Info-Regular Fund | 11 | Overhead Scanner ICT-3280 Type: Overhead, contactless scanner Max Scan Size: 432 × 300 mm Scan Speed: Approx. 3 seconds per page Resolution: Up to 285 dpi (optical) Supported Media: Books, magazines, photos, documents up to 30 mm thick Features: Book curve correction Page-turn detection Auto-crop, auto-rotate, | 1 | unit | 66,000.00 | 66,000.00 |



| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|-----------------------------------|----------|--|----------|------|------------|------------|
| | | multi-document detection Connection: USB Compatibility: Windows and macOS Design: Non-contact scanning to protect bound and delicate materials Warranty: Must include supplier warranty and after-sales support | | | | |
| 2026-00-0144 Info-Regular Fund | 12 | Wireless Video Monitor System ICT-3283 Display: 7-inch touchscreen monitor Brightness: 1200 nits (daylight viewable) Wireless System: Includes Transmitter (TX) and Receiver (RX) Transmission Range: Up to 1300 ft Latency: As low as 60 ms Frequency: Dual-band 2.4 GHz & 5 GHz hopping Video Inputs/Outputs: SDI and HDMI monitoring switch Streaming Support: RTMP for direct live streaming Usage: Real-time monitoring for video production Package Includes: Monitor, TX, RX, accessories (as provided by manufacturer) | 1 | unit | 47,000.00 | 47,000.00 |
| 2026-02-381-STALAR-MAP (3) | 13 | Drone with accessories ICT-3054 Camera: 3-Axis Gimbal with Tri-Camera System 20MP 5.1K Wide-Angle 4/3 CMOS Hasselblad 166mm 12MP 7x Zoom Telephoto 70mm 48MP 3x Zoom Medium Telephoto Lens Flight Mode & Battery: 7 Intelligent Flight Modes Up to 43 Minutes of Flight Time Features: O3+ Transmission with a 9.3-Mile Range Omnidirectional Avoidance with APAS 5.0 D-LOG, D-LOG M & HLG Post Processing Fly More Combo & DJI RC Pro Remote | 3 | unit | 240,000.00 | 720,000.00 |
| 2026-02-0157-PMS-REGULAR | 14 | Smart TV 70 inch ICT-2554 | 1 | unit | 92,000.00 | 92,000.00 |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|----------------------------|----------|--|----------|------|-----------|-----------|
| | | Smart TV Screen Size: at least 70 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz Operating System: Tizen Wireless: Wi-Fi 802.11ac, Bluetooth 5.1 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF (Antenna/Cable) x 2 Included: With Mobile TV Cart Stand that can support the device | | | | |
| 2026-02-0157- PMS -REGULAR | 15 | Mirrorless Camera ICT-2510 Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: 24.1 megapixels; APS-C CMOS Processor Type: DIGIC 8 Autofocus: 143 Focus points Autofocus Modes: One-Shot AF, Servo AF / Movie Servo AF Image Resolution: up to 6000×4000 Video Shooting: 4K at 23.98 fps 1920 x 1080 at 59.94 fps [60 Mb/s] 1920 x 1080 at 23.98/29.97 fps [30 Mb/s] Memory Card Slot: Single Slot – SD/SDHC/SDXC Wireless : 2.4 GHz Wi-Fi (802.11b/g), Bluetooth 4.2 Display Type: Fixed Non-Touchscreen LCD Battery Type: 1x LP-E17 Rechargeable Lithium-Ion Display Size: 3” Peripheral Connections: USB Type-C (Hi-Speed USB (USB 2.0) equivalent External microphone IN Terminal HDMI micro (Type D) Remote control Terminal(E3) Accessory shoe with RF-S18-45mm f/4.5-6.3 IS | 1 | unit | 48,000.00 | 48,000.00 |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|-------------------------------|----------|---|----------|------|------------|------------|
| | | STM | | | | |
| 2026-00-0145-INFO-REG ULAR | 16 | Digital Mixer for Convention Hall ICT-3290 Specification: Input Channels: Mono Mic/Line Inputs: 24 (XLR/TRS) with recallable AnalogiQ™ preamps Stereo Line Inputs: 3 (TRS) Output Channels: Mix Outputs: 20 (XLR) Stereo Groups: 2 (switchable to Mix mode) Monitor Mixes: Up to 9 (4 mono + 5 stereo) Matrix Outputs: 2 stereo AES Digital Output: 1 Processing and Effects: FX Engines: 4 Dedicated FX Sends>Returns: 4 Channel Processing: Trim, polarity, high-pass filter (HPF), gate, insert, 4-band parametric EQ (PEQ), compressor, and delay on all inputs Output Processing: Insert, 4-band PEQ, 1/3 octave graphic EQ (GEQ), compressor, and delay on all outputs Automatic Mic Mixing: Yes Spectrogram: For feedback detection and room acoustics analysis Built-in Signal Generator: Yes Real-Time Analyzer (RTA): With peak band indication Control and Interface: Motorized Faders: 25 Touchscreen: 800×480 resolution Soft Keys: 10 programmable USB Audio Interface: 32×30 channels Qu-Drive: Direct multitrack recording/playback via USB drives DAW MIDI Control: Yes Remote Control Apps: Qu-Pad for iPad Qu-You for iPhone/Android personal monitoring Expansion and Connectivity: dSNAKE Remote Audio Port: For remote I/O expansion Compatibility: Works with ME | 1 | unit | 170,000.00 | 170,000.00 |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---------------------------|----------|--|----------|------|-----------|-------|
| | | <p>Personal Mixing System Physical and Design: Finish: High-contrast metallic controls (Chrome Edition). " ital Mixer for Convention Hall</p> <p>Specification: Input Channels: Mono Mic/Line Inputs: 24 (XLR/TRS) with recallable AnalogiQ™ preamps Stereo Line Inputs: 3 (TRS) Output Channels: Mix Outputs: 20 (XLR) Stereo Groups: 2 (switchable to Mix mode) Monitor Mixes: Up to 9 (4 mono + 5 stereo) Matrix Outputs: 2 stereo AES Digital Output: 1 Processing and Effects: FX Engines: 4 Dedicated FX Sends>Returns: 4 Channel Processing: Trim, polarity, high-pass filter (HPF), gate, insert, 4-band parametric EQ (PEQ), compressor, and delay on all inputs Output Processing: Insert, 4-band PEQ, 1/3 octave graphic EQ (GEQ), compressor, and delay on all outputs Automatic Mic Mixing: Yes Spectrogram: For feedback detection and room acoustics analysis Built-in Signal Generator: Yes Real-Time Analyzer (RTA): With peak band indication Control and Interface: Motorized Faders: 25 Touchscreen: 800×480 resolution Soft Keys: 10 programmable USB Audio Interface: 32×30 channels Qu-Drive: Direct multitrack recording/playback via USB drives DAW MIDI Control: Yes Remote Control Apps: Qu-Pad for iPad Qu-You for iPhone/Android personal monitoring Expansion and Connectivity:</p> | | | | |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---------------------------|----------|---|----------|------|------------|------------|
| | | dSNAKE Remote Audio Port: For remote I/O expansion Compatibility: Works with ME Personal Mixing System Physical and Design: Finish: High-contrast metallic controls (Chrome Edition). | | | | |
| 2026-00-0145-INFO-REGULAR | 17 | Professional Wireless Intercom System ICT-3293 Specification: Communication Technology: DECT 6.0 (1.9 GHz) Audio Frequency Response: 150 Hz – 7 kHz Environmental Noise Cancellation (ENC): Dual-Mic ENC for reducing ambient noise Operating Range: Up to 1,100 feet (approximately 335 meters) line-of-sight Headset Design: True-wireless, single-ear with no bodypack required Mute Function: Push-to-Talk (PTT) button or rotating boom to mute Battery Life: Each headset comes with rechargeable batteries; exact duration varies by usage System Expandability: Supports multiple headsets; backward compatible with Solidcom C1 Additional Features: Supports A & B dual grouping and three-system cascaded connection; announce function | 1 | unit | 172,000.00 | 172,000.00 |
| 2026-00-0145-INFO-REGULAR | 18 | Conference Microphone System ICT-3295 Specification: Discussion Delegate Unit Specification: Mounting type Tabletop Frequency response At least 20Hz-20KHz Dynamic range > 85dB Sensitivity -46dB±4dB Power input 24V Microphone length Standard 410 mm Headphone jack Mono 3.5mm Internal loudspeaker 4Ω/3W Weight 0.75 kg | 40 | unit | 15,200.00 | 608,000.00 |



| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|------------------------------|----------|---|----------|------|------------|--------------|
| | | Dimensions 190×162×60 mm (W×D×H) | | | | |
| 2026-00-0145-INFO-REGULAR | 19 | Central Discussion Controller ICT-3297 Power Supply: At least 100 ~ 220 V AC, 50/60Hz Screen: OLED Frequency Response: 20 Hz ~ 20 kHz Dynamic Range: > 94 dB Audio Output: 1 x RCA, 1 x XLR Audio Recording Output: USB Capacity: 60 - 70 units Operating Temperature: 0 ~ 45°C Dimensions (W x D x H): 485 mm x 350 mm x 90 mm Weight: 7.6 kg | 2 | unit | 118,000.00 | 236,000.00 |
| 2026-01-213-SWRRD-NSHP AGRIN | 20 | Printer (Portable Printer) ICT-1751 Print Method: Micro Piezo Printer Function: Print Maximum Resolution: At least 5760 x 1440 dpi Paper Sizes: Legal, Letter, A4, B5, A5, A6, 8×10", 5×7", 4×6", Envelopes: #10, DL, C6 Number of Paper Trays: 1 Interface: USB 2.0 Network: Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct Built-in Battery | 1 | unit | 20,000.00 | 20,000.00 |
| 2026-02-311-WRMD-SWII P | 21 | Multi-Purpose Geotagging ICT-1799 Chipset: At least Snapdragon 8 Gen 1 or it's equivalent Operating System: at least android 13 Screen Size: at least 6.5 inches Screen Resolution: at least 2400 x 1080p (FHD+)pixels Screen Brightness: at least 1000 nits Display Type: 90Hz RAM: at least 8GB Storage: at least 128GB Battery: at least 5000 mAh Network Technology: GSM / CDMA / HSPA / EVDO / LTE / 5G Camera: at least 12MP Front Camera at least 50MP Rear Camera | 25 | unit | 49,900.00 | 1,247,500.00 |
| 2026-02-311-WRMD-SWII P | 22 | Network Printer ICT-2233 Printer Type: Ink tank Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed) | 2 | unit | 33,000.00 | 66,000.00 |



| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---------------------------|----------|---|----------|------|-----------|------------|
| | | Maximum Resolution: 4800 x 1200 dpi Paper Sizes: A4, Letter, Legal and A3 Number of Paper Trays: 2 Automatic 2-Sided Printing (up to A4/Letter) Interface: USB 2.0 Network: Wireless, Mopria, AirPrint, Direct Wireless, Ethernet | | | | |
| 2026-02-311-WRMD-SWII P | 23 | Document Scanner ICT-1802 Portable Scanner Technology: Dual CIS Resolution: up to 1200 x 1200 dpi Scanning Width: up to 215.9 mm Scanning Length: up to 1,828 mm Power Source: USB Type-B Battery: Lithium 1200 mAh Interface: USB 3.0 Micro SD: 2GB – 32GB Wireless LAN: IEEE 802.11b/g/n, IEEE 802.11g (Wi-Fi Direct) Features: Duplex scanning ID Card scanning (up to 1 mm) LED display | 4 | unit | 16,500.00 | 66,000.00 |
| 2026-02-311-WRMD-SWII P | 24 | Portable Projector ICT-2784 Light Source Type: LED Native Resolution: at least 854x480 Brightness: at least 300 Lumens Built-in Battery: at least 12000mAh Lamp Life: up to 30000 hrs Contrast Ratio: at least 120000:1 Resolution Support: VGA(640 x 480) to FullHD(1920 x 1080) HDTV Compatibility: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p Input: HDMI: 1, (HDMI 1.4/ HDCP 1.4) USB Type C: 1 (5V/ 2A) Audio-in (Bluetooth): 1 (BT4.2) USB Type A: 1, (USB2.0 Reader) SD Card: Micro SD (32GB, SDHC) Wifi Input: 1 (5Gn) Output: | 4 | unit | 28,000.00 | 112,000.00 |



| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|------------------------------|----------|--|----------|------|--------------|--------------|
| | | Audio out (3.5mm): 1 Audio-out (Bluetooth): 1 (BT4.2) Speaker: 3W Cube x2 USB Type A (Power): 1 , (USB2.0 – 5V/1A,, share with USB A Input) With Carry Bag | | | | |
| 2026-02-380-GSITD-STALAR-MAP | 25 | Server (1 Physical Server & 2 License for Windows Server 2022) ICT-3299 Processor: Intel Xeon Silver 4208 2.1G, 8C/16T Additional Processor: Intel Xeon Silver 4208 2.1G, 8C/16T System Memory: 32GB (16Gb x 2) of 3200MT/s RDIMMs Hard Drive: 1TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive Chassis: with up to 8, 3.5" Hot Plug Hard Drives Power Supply: Dual, Hot-plug, Redundant Power Supply 495Watts Add ons: Windows Server Standard 2022 or latest Licensing Model: Core-Based | 1 | unit | 800,000.00 | 800,000.00 |
| 2026-02-380-GSITD-STALAR-MAP | 26 | Smart Cabinet ICT-3301 No. of Racks: 1 Cooling Capacity: at least 3.5 kW Cooling Redundancy: Yes UPS Capacity: at least 2 * 3 kVA UPS Redundancy: Yes Backup Time: at least 5 mins to 60 mins Monitoring: Yes Fire Suppression and Access Control: Optional Usable U Space: at least 22U Display Panel: at least 7 inches Rack PDU type: All Types (Basic, Metered and Monitored) CE Certification: Yes | 1 | unit | 1,500,000.00 | 1,500,000.00 |
| 2026-02-380-GSITD-STALAR-MAP | 27 | File Storage (NAS) ICT-3303 Processor: Intel Core i9 latest generation or its equivalent Memory: at least 32GB, DDR5 (upgradable) Memory Slot: 2 X SODIMM DDR4 Drive Bay: 8 X 3.5-inch SATA | 1 | unit | 800,000.00 | 800,000.00 |



| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|------------------------------|----------|--|----------|------|-----------|-----------|
| | | 6Gb/s, 3Gb/s Drive Compatibility: 3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA solid state drives Hot Swappable: Yes M.2 Slot: 2 M.2 Compatibility: NVMe SSD PCIe Gen 3 and above SSD Cache Acceleration Support: Yes 2.5 Gigabit Ethernet Port (2.5G/1G): at least 2 (2.5G/1G) 10 Gigabit Ethernet Port (10G/5G/2.5G/1G): at least 2 Wake on Lan (WOL): Yes LED Indicators: HDD 1-8, Status, LAN, USB port, M.2 port Standard Warranty: 3 years Included: NAS Storage Hard Disk Quantity: 8 Capacity: 8 TB Speed: 7200 RPM Interface: 3.5-inch SATA 6 GB/s | | | | |
| 2026-02-382-GSITD-STALAR-MAP | 28 | Book Scanner ICT-3220 Maximum Scan Size up to: A3 Image Sensor: 24-megapixel CMOS color sensor Resolution: 5696 × 4272 pixels (≈320 DPI) Image Capture Speed: 1.5 seconds per page File Formats Supported: Image: JPG, PNG, BMP, TIF, PDF Document: WORD, Excel, TXT, Searchable PDF Video Format: Online: AVI, WMV, MP4 Offline: MOV Interface: USB 2.0, HDMI output Power Supply: AC 100–240V input, DC adapter output Lighting: Built-in LED lighting with auxiliary side lights (auto light optimization) Screen Size: 2.4 inches LCD preview screen with USB Cable, Black Scan Mat, Finger Cots, Adapter, Foot Pedal, Hand Button, HDMI Cable Focus: Auto-Focus | 1 | unit | 49,900.00 | 49,900.00 |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|--------------------------------------|----------|---|----------|------|-----------|------------|
| | | Effect: Color / Grayscale / Black and White | | | | |
| 2026-02-382-GSITD-STALAR-MAP | 29 | Power Supply(UPS) ICT-3223 Input Voltage: 220VAC Frequency: 50hz – 60hz Output Voltage: 220VAC Capacity VA/Wattage: 650VA/455Watts Transfer Time: ≤10ms including direction time | 5 | unit | 3,000.00 | 15,000.00 |
| 2026-02-0445-SCMD-RD-Corn-Continuing | 30 | Geotagging Device(Mobile) ICT-3225 • Chipset: MediaTek Dimensity 8400-Ultra • Operating System: at least Android 15 • Screen Size: at least 6.83 inches • Screen Resolution: at least 2772 × 1280 pixels • Screen Brightness: at least 3200 nits • Display Type: AMOLED, 120Hz • RAM: at least 12GB • Storage: at least 256GB • Battery: at least 5500 mAh • Network Technology: GSM / HSPA / LTE / 5G • Camera: o Front Camera: at least 16MP o Rear Camera: at least 50MP main | 5 | unit | 34,000.00 | 170,000.00 |
| 2026-03-0590-STALAR-MAP | 31 | Hand-held (Camera) ICT-3161 Camera type: Handheld/Action Camera Microphones: 3 Screen Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58° ; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63° ; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Low-Light Video: 50-16000 Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 | 4 | unit | 40,000.00 | 160,000.00 |

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---|----------|---|----------|------|-----------|-----------|
| | | Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi | | | | |
| 2026-03-0590-STALAR-M AP | 32 | Earphones (In-ear) ICT-3217 Headphone Type: Closed, dynamic, in-ear Driver Unit: 12 mm dome type (CCAW voice coil) Magnet: Neodymium Impedance: 16 Ω (at 1 kHz) Frequency Response: 4 Hz – 24,000 Hz Sensitivity: 110 dB/mW Maximum Power Input: 100 mW Cord Type: Y-shape, Litz cable (tangle-free) Cord Length: at least 1m Plug: L-shaped, gold-plated 4-pole mini plug (3.5mm AUX) Wearing Style: In-ear canal Microphone/Remote: Inline mic with remote control for calls and music | 9 | pc | 2,160.00 | 19,440.00 |
| Unit and it's component must be BRAND NEW, UNUSED & NOT CLONE | | | | | | |
| Brand and model offered shall be indicated on the technical proposal per line item | | | | | | |
| Warranty: all equipment must be at least 1 year warranty on parts and labor service | | | | | | |
| Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual) | | | | | | |

Lot 3: Supply and Delivery of ICT Supplies and Toners

| PR #/Division/Fund Source | Item No. | Description | Quantity | Unit | Unit Cost | Total |
|--|----------|---|----------|------|-----------|------------|
| 2026-00-0057 WRMD-INS Various 2026 (18) | 1 | Micro SD 256 ICT-3178 Capacity: 256GB Type: Micro SDXC Read Speed: Up to 200 MB/s Write Speed: Up to 90MB/s | 18 | pc | | 92,500.00 |
| 2026-00-0058-WRMD-ES ETS-Rice (2) 2026-00-0062-Planning-Regular Fund (6) 2026-00-0120-GSITD-STO ICT 2026 (60) 2026-00-0123-SWRRD-LFP-NSHP (4) 2026-02-394-LUPEZ-NSHP (3) | 2 | Wireless Keyboard & Mouse ICT-2797 Keyboard 3 Zone-Layout Adjustable height -tilt legs Special Keys: Music Controls Palm Rest 10-Key Number pad Key type: Deep profile On/Off power switch Mouse Sensor technology: High-precision Optical tracking | 75 | set | | 157,500.00 |

| | | | | | | |
|--|----|--|-----|----|--|------------|
| | | Number of buttons: 3 (Left/Right-click, Middle click) Scrolling: line-by-line Scroll Wheel: Yes, 2D, mechanical Connect/Power: On/Off power button | | | | |
| 2026-00-0062-Planning-Regular Fund (6) 2026-00-0120-GSITD-STO ICT 2026 (12) | 3 | USB Port Hub (10 Ports) Interface Type: USB 3.0 Ports: 10 Ports Standard: USB 3.0 Body Type: Aluminum Interface: USB3.0 Speed: 5Gbps Support Function: Current Protection/Hot Swap Plug: 12V Power Adapter Cable Length: 1M | 18 | pc | | 54,000.00 |
| 2026-00-0062-Planning-Regular Fund | 4 | USB Muiport Adapter (7 – in – 1) Interface Type: Type-C Ports: 7 Ports Output: USB3.0,HDMI 4k@30Hz,SD/TF, PD 100W Speed: 5Gbps Charging: 100W max input | 2 | pc | | 4,400.00 |
| 2026-00-0120-GSITD-STO ICT 2026 (3) | 5 | OTG Type C/Flash Drive 128 GB Capacity: 128GB Speed: USB 3.1 Gen.1 up to 150MB/s read Interface: USB-A Type-C | 3 | pc | | 4,800.00 |
| 2026-00-0120-GSITD-STO ICT 2026 | 6 | Micro SD Card (128GB with card reader) Storage Capacity: 128GB Card Type: microSDXC | 5 | pc | | 15,000.00 |
| 2026-00-0120-GSITD-STO ICT 2026 | 7 | RJ45 Keystone Jack (CAT6) Category Standard: ANSI/TIA-568.2-D (CAT6) Data Transmission: Up to 10 Gbps (10GBASE-T) Connector Type: RJ45 (8P8C) female Termination Type: Punch-down (IDC) | 197 | pc | | 19,700.00 |
| 2026-00-0120-GSITD-STO ICT 2026 | 8 | RJ45 (Extender CAT6 (Female to Female)) Category Standard: ANSI/TIA-568.2-D (CAT6) Connector Type: RJ45 8P8C (female-to-female) | 20 | pc | | 2,000.00 |
| 2026-00-0120-GSITD-STO ICT 2026 (9) 2026-00-0121-GSITD-STALAR-MAP 2026 (10) | 9 | RAM (16 GB DDR4) DDR4 16GB (16×1) 3600 MHz LoDimm | 19 | pc | | 152,000.00 |
| 2026-00-0120-GSITD-STO ICT 2026 (6) 2026-00-0121-GSITD-ST | 10 | RAM (16GB DDR5) DDR5 8GB (8×2) | 12 | pc | | 182,400.00 |



| | | | | | | |
|--|----|--|-----|----|--|-----------|
| ALAR-MAP 2026 (6) | | 5200 MHz LoDimm | | | | |
| 2026-00-0120-GSITD-ST O ICT 2026 (18) | 11 | Power Supply (650w) Watts: at least 650 Rating: 80+ Bronze Type: Non-Modular Fan Size: 120mm Form Factor: ATX | 18 | pc | | 91,200.00 |
| 2026-00-0120-GSITD-ST O ICT 2026 (3) 2026-00-0121-GSITD-ST ALAR-MAP 2026 (15) | 12 | Cable (HDMI) HDMI (Male) to HDMI (Male) 5 meters Resolution: 1080P | 18 | pc | | 16,200.00 |
| 2026-00-0120-GSITD-ST O ICT 2026 | 13 | HDMI Splitter (4-port) Input Ports: 1 × HDMI (Type A, 19-pin, female) Output Ports: 4 × HDMI (Type A, 19-pin, female) | 2 | pc | | 4,200.00 |
| 2026-00-0121-GSITD-ST O ICT 2026 | 14 | Cable (HDMI 2Meters) HDMI (Male) to Display Port (Male) 2 meters Resolution: 4k@30Hz | 15 | pc | | 10,500.00 |
| 2026-00-0121-GSITD-ST O ICT 2026 | 15 | Cable (Cat6 Slim Patch Cable) Cat6 Slim Patch Cable | 30 | pc | | 15,000.00 |
| 2026-00-0121-GSITD-ST ALAR-MAP 2026 | 16 | USB HUB (6 in 1) USB C ethernet hub 4K@60Hz HDMI data transfer atleast 10Gbps 1000mbps Gigabit ethernet, PD 100W charging, 2x USB-A 3.2 gen2 1x USB-C 3.2 gen2 | 8 | pc | | 14,400.00 |
| 2026-00-0061-RD Corn | 17 | Brother LC462 BK, Black | 10 | pc | | 8,000.00 |
| 2026-00-0061-RD Corn | 18 | Brother LC462 C, Cyan | 10 | pc | | 8,000.00 |
| 2026-00-0061-RD Corn | 19 | Brother LC462 M, Magenta | 10 | pc | | 8,000.00 |
| 2026-00-0061-RD Corn | 20 | Brother LC462 Y, Yellow | 10 | pc | | 8,000.00 |
| 2026-00-0061-RD Corn(75) 2026-00-0104-ESETS-Ric e(15) 2026-00-0119-STO-ICT 2026(3) | 21 | Epson 003 - Cyan 65ml | 93 | pc | | 46,500.00 |
| 2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Ric e(15) 2026-00-0119-STO-ICT 2026(3) | 22 | Epson 003 - Magenta 65ml | 68 | pc | | 34,000.00 |
| 2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Ric e(15) 2026-00-0119-STO-ICT 2026(3) | 23 | Epson 003 - Yellow 65ml | 68 | pc | | 34,000.00 |
| 2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Ric e(45) 2026-00-0119-STO-ICT 2026(13) | 24 | Epson 003 - Black 65ml | 108 | pc | | 54,000.00 |



| | | | | | | |
|--|----|---|----|----|--|-----------|
| 2026-00-0104-ESETS-Rice | 25 | HP GT53 - Black 90ml | 32 | pc | | 16,000.00 |
| 2026-00-0104-ESETS-Rice | 26 | HP GT52 - Cyan 70ml | 20 | pc | | 10,000.00 |
| 2026-00-0104-ESETS-Rice | 27 | HP GT52 - Magenta 70ml | 20 | pc | | 10,000.00 |
| 2026-00-0104-ESETS-Rice | 28 | HP GT52 - Yellow 70ml | 20 | pc | | 10,000.00 |
| 2026-00-0104-WRMD-ES ETS-Rice | 29 | Epson L385 Inkpad | 5 | pc | | 500.00 |
| 2026-00-0104-WRMD-ES ETS-Rice | 30 | Epson L405 Inkpad | 5 | pc | | 500.00 |
| 2026-00-0104-WRMD-ES ETS-Rice | 31 | Epson L3110 Inkpad | 10 | pc | | 1,000.00 |
| 2026-00-0104-WRMD-ES ETS-Rice | 32 | Epson L3210 Inkpad | 10 | pc | | 1,000.00 |
| 2026-00-0104-WRMD-ES ETS-Rice | 33 | HP M0H50AA (Tri-color) | 5 | pc | | 6,000.00 |
| 2026-00-0104-WRMD-ES ETS-Rice | 34 | HP X4E75AA (Black) | 5 | pc | | 6,000.00 |
| 2026-00-0104-WRMD-ES ETS-Rice | 35 | Epson 289 (Black) | 45 | pc | | 54,000.00 |
| 2026-00-0104-WRMD-ES ETS-Rice | 36 | Epson 290 (Tri-color) | 45 | pc | | 49,500.00 |
| 2026-00-0119-STO-ICT 2026(10) 2026-00-0124-LFP-NSHP -SWRRD (BIOSMS)(5) | 37 | HP 680 Tri-color Original Ink Advantage Cartridge 4 mL | 15 | pc | | 10,500.00 |
| 2026-00-0119-STO-ICT 2026(10) 2026-00-0124-LFP-NSHP -SWRRD (BIOSMS)(12) | 38 | HP 680 Black Original Ink Advantage Cartridge 8.5 mL | 22 | pc | | 15,400.00 |
| 2026-00-0119-STO-ICT 2026 | 39 | Brother DCP - T710W - Black | 7 | pc | | 3,920.00 |
| 2026-00-0119-STO-ICT 2026 | 40 | Brother DCP - T710W -Magenta | 3 | pc | | 1,680.00 |
| 2026-00-0119-STO-ICT 2026 | 41 | Brother DCP - T710W -Cyan | 3 | pc | | 1,680.00 |
| 2026-00-0119-STO-ICT 2026 | 42 | Brother DCP - T710W - Yellow | 3 | pc | | 1,680.00 |
| 2026-00-0119-STO-ICT 2026 | 43 | Brother HL - T4000DW- Black | 4 | pc | | 2,240.00 |
| 2026-00-0119-STO-ICT 2026 | 44 | Brother HL - T4000DW- Magenta | 2 | pc | | 1,120.00 |
| 2026-00-0119-STO-ICT 2026 | 45 | Brother HL - T4000DW- Cyan | 2 | pc | | 1,120.00 |
| 2026-00-0119-STO-ICT 2026 | 46 | Brother HL - T4000DW- Yellow | 2 | pc | | 1,120.00 |
| 2026-00-0119-STO-ICT 2026 | 47 | Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF400X, Black | 2 | pc | | 15,400.00 |
| 2026-00-0119-STO-ICT 2026 | 48 | Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF401X, Cyan | 1 | pc | | 8,360.00 |
| 2026-00-0119-STO-ICT 2026 | 49 | Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF402X, Yellow | 1 | pc | | 8,360.00 |
| 2026-00-0119-STO-ICT 2026 | 50 | Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF403X, Magenta | 1 | pc | | 8,360.00 |



| | | | | | |
|--|----|---|----|----|------------|
| 2026-00-0119-STO-ICT 2026 | 51 | HP DESKJET 2337 INKJET CARTRIDGES Ink Cartridge HP 682, Tri-color 4ml Ink Cartridge HP 682, Black 8.5ml | 4 | pc | 8,000.00 |
| 2026-00-0124-LFP-NSHP -SWRRD (BIOSMS) | 52 | Canon CL-57 Ink Cartridge Colored 15 mL | 18 | pc | 17,640.00 |
| 2026-00-0124-LFP-NSHP -SWRRD (BIOSMS) | 53 | Canon PG-47 Ink Cartridge Black 15 mL | 18 | pc | 11,700.00 |
| 2026-00-0145-INFO-REG ULAR | 54 | 8PS-15 Extension Cable Specification: Color: Black Connectors: One Male, One Female Length 15m | 2 | pc | 16,000.00 |
| 2026-00-0145-INFO-REG ULAR | 55 | 8P-T3 T-Cable Specification: Color: Black Connectors: Two Male, one Female Length 1.5m + 1.2m | 40 | pc | 92,000.00 |
| 2026-01-213-NSHP AGRIN (5) 2026-03-0533-WRMD-LFP- SWIIP(47) | 56 | Powerbank ICT-2199 Battery Capacity: at least 20000 mAh Input ports: Lightning Micro-USB Output ports: USB Type-A (2) I/O: DC 5V – 2.1A | 52 | pc | 104,000.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS COCONUT) | 57 | Epson T6641, Black | 4 | pc | 1,680.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS COCONUT) | 58 | Epson T6642, Cyan | 3 | pc | 1,260.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS COCONUT) | 59 | Epson T6643, Magenta | 3 | pc | 1,260.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS COCONUT) | 60 | Epson T6644, Yellow | 3 | pc | 1,260.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS COCONUT) | 61 | HP GT 53 Black, 90 ml | 8 | pc | 3,680.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS COCONUT) | 62 | HP GT 52 Cyan, 70 ml | 7 | pc | 3,500.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS COCONUT) | 63 | HP GT 52 Magenta, 70 ml HP GT 52 Yellow, 70 ml | 7 | pc | 3,500.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS COCONUT) | 64 | HP GT 52 Yellow, 70 m | 7 | pc | 3,500.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS COCONUT) | 65 | HP 680, Black | 3 | pc | 2,100.00 |
| 2026-02-251-LFP-NSHP- SWRRD (ABFS | 66 | HP 680, Color | 3 | pc | 2,100.00 |



| | | | | | | |
|---|----|---|----|----|--|------------|
| COCONUT) | | | | | | |
| 2026-02-251-LFP-NSHP-SWRRD (ABFS COCONUT) | 67 | Epson 003, Black | 3 | pc | | 1,500.00 |
| 2026-02-251-LFP-NSHP-SWRRD (ABFS COCONUT) | 68 | Epson 003, Cyan | 3 | pc | | 1,500.00 |
| 2026-02-251-LFP-NSHP-SWRRD (ABFS COCONUT) | 69 | Epson 003, Magenta | 3 | pc | | 1,500.00 |
| 2026-02-251-LFP-NSHP-SWRRD (ABFS COCONUT) | 70 | Epson 003, Yellow | 3 | pc | | 1,500.00 |
| 2026-02-252-LFP-NSHP-SWRRD (AGRI N) | 71 | Ink for HP GT-52 - Yellow | 5 | pc | | 2,500.00 |
| 2026-02-252-LFP-NSHP-SWRRD (AGRI N) | 72 | Ink for HP GT-52 - Cyan | 5 | pc | | 2,500.00 |
| 2026-02-252-LFP-NSHP-SWRRD (AGRI N) | 73 | Ink for HP GT-52 - Magenta | 5 | pc | | 2,500.00 |
| 2026-02-252-LFP-NSHP-SWRRD (AGRI N) | 74 | Ink for HP GT-53 - Black | 6 | pc | | 3,000.00 |
| 2026-02-252-LFP-NSHP-SWRRD (AGRI N) | 75 | BTD60BK Ink Bottle- Black 100ml Compatible with Printer: Brother DCPT710W | 4 | pc | | 2,240.00 |
| 2026-02-252-LFP-NSHP-SWRRD (AGRI N) | 76 | BT-5000 Cyan 50ml, Compatible with Printer: Brother DCPT710W 50ml | 4 | pc | | 2,240.00 |
| 2026-02-252-LFP-NSHP-SWRRD (AGRI N) | 77 | BT-5000 Magenta 50ml, Compatible with Printer: Brother DCPT710W | 4 | pc | | 2,240.00 |
| 2026-02-252-LFP-NSHP-SWRRD (AGRI N) | 78 | BT-5000 Yellow 50ml, Compatible with Printer: Brother DCPT710W 50ml | 4 | pc | | 2,240.00 |
| 2026-02-360-SWIIP | 79 | Memory Card (Micro SD 128GB) ICT-1870 Capacity: 128GB Type: Micro SDXC Read Speed: Up to 200 MB/s Write Speed: Up to 90MB/s | 50 | pc | | 120,000.00 |
| 2026-02-360-SWIIP | 80 | Wireless Mouse Basic ICT-2810 SENSOR TECHNOLOGY Optical tracking DPI (Min/Max): 1000± BUTTONS Number of Buttons: 3 (Left/Right-click, Middle click) SCROLLING Line-by-line scrolling Scroll Wheel: Yes, 2D, optical Battery Details: 1 x AA (included) CONNECTIVITY Connection Type: 2.4 GHz wireless connection Wireless range: at least 10 m Connect / Power: Yes, on/off switch | 52 | pc | | 36,400.00 |
| 2026-02-361-SWIIP | 81 | Epson 008 Black Ink (127 mL) | 6 | pc | | 6,600.00 |



| | | | | | | |
|--------------------------------|----|---|----|----|--|------------|
| 2026-02-361-SWIIP | 82 | Epson 008 Cyan Ink (70 mL) | 4 | pc | | 3,600.00 |
| 2026-02-361-SWIIP | 83 | Epson 008 Magenta Ink (70 mL) | 4 | pc | | 3,600.00 |
| 2026-02-361-SWIIP | 84 | Epson 008 Yellow Ink (70 mL) | 4 | pc | | 3,600.00 |
| 2026-02-394-NSHP | 85 | Wireless Mouse ICT-2189 Type: Wireless Connection Type: Bluetooth® Smart and 2.4GHz wireless connection Wireless range: 10 m Battery Details: 1 x AA DPI (Min/Max): 1000± Sensor resolution: 1000 dpi Scroll Wheel: 3G Core Number of buttons: 8 | 2 | pc | | 6,000.00 |
| 2026-02-394-NSHP | 86 | Wireless HDMI Extender (Adaptor) ICT-2876 HDMI display up to 50m from the HDMI source HD 1080p video wireless transmission 5GHz transmission efficiency | 1 | pc | | 7,500.00 |
| 2026-02-394-NSHP | 87 | ICT-3200 Input Ports: 1 × HDMI (Type A, 19-pin, female) Output Ports: 4 × HDMI (Type A, 19-pin, female) | 1 | pc | | 2,100.00 |
| 2026-03-0533-LFP-SWIIP (12) | 88 | External storage (1TB, Gen3.2) ICT-2172 Type: SSD Capacity: 1 TB Interface: USB Gen 3.2 Sequential Read : Up to 1,050MB/sec Sequential Write : Up to 1,000 MB/sec Encryption: AES 256-bit hardware encryption | 12 | pc | | 135,000.00 |
| 2026-03-0533-LFP-SWIIP (25) | 89 | External Storage(SSD) ICT-2248 Type: SSD Capacity: 2 TB USB 3.2 Gen 2 x2 Sequential Read: Up to 2,000MB/sec Sequential Writ : Up to 2,000 MB/sec Encryption: AES 256-bit hardware encryption USB-C to USB-C Cable USB-C to USB-A Cable | 25 | pc | | 455,000.00 |
| 2026-03-584-STALAR-MA P | 90 | HP 680 Cartridge Black - 8.5 ml | 25 | pc | | 17,500.00 |
| 2026-03-584-STALAR-MA P | 91 | HP 680 Cartridge Tri-color - 4 ml | 25 | pc | | 17,500.00 |
| 2026-03-584-STALAR-MA P | 92 | T40B UltraChrome XD2 Black Ink 80 ml | 3 | pc | | 18,000.00 |
| 2026-03-584-STALAR-MA P | 93 | T40B UltraChrome XD2 Cyan Ink 50 ml | 3 | pc | | 13,500.00 |



| | | | | | | |
|----------------------------|-----|--|---|----|--|-----------|
| 2026-03-584-STALAR-MA P | 94 | T40B UltraChrome XD2 Magenta Ink 50 ml | 3 | pc | | 13,500.00 |
| 2026-03-584-STALAR-MA P | 95 | T40B UltraChrome XD2 Yellow Ink 50 ml | 3 | pc | | 13,500.00 |
| 2026-03-584-STALAR-MA P | 96 | LaserJet Imaging Drum, HP 126A (CE314A) | 3 | pc | | 36,000.00 |
| 2026-03-584-STALAR-MA P | 97 | HP 416A (W2040A), Black | 2 | pc | | 16,000.00 |
| 2026-03-584-STALAR-MA P | 98 | HP 416A (W2043A), Magenta | 2 | pc | | 18,000.00 |
| 2026-03-584-STALAR-MA P | 99 | HP 416A (W2042A), Yellow | 2 | pc | | 18,000.00 |
| 2026-03-584-STALAR-MA P | 100 | HP 416A (W2041A), Cyan | 2 | pc | | 18,000.00 |

Inks, toner and cartridge must be **GENUINE**

Brand and model offered shall be indicated on the technical proposal per line item

Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)

Bidders must submit a copy of Certificate of Authorized Reseller and Manufacturing Authenticity Certificate (during post qual) for various inks and toners

Lot 4: Supply and Delivery of ICT Software (Subscriptions)

| PR #/Division/Fund Source | Item No. | Description | Quantit y | Unit | Unit Cost | Total |
|--|-------------|---|--------------|-------------|------------------|--------------|
| GSITD-2026-00-0118-NS HP | 1 | Azure Database (12 Months) | 1 | licen se | 1,045,000. 00 | 1,045,000.00 |
| GSITD-2026-00-0118-NS HP | 2 | MS Office 365 Business Standard (12 Months) | 26 | licen se | 8,000.00 | 208,000.00 |
| GSITD-2026-00-0118-NS HP (2) 2026-02-250-WRMD(4) | 3 | Editing Software (Adobe Creative Cloud) (12 Months) ICT-3088 Features included: • 1 license per user • Can be activated on up to 2 devices (1 device at a time) • Access to 20+ editing applications • 100GB cloud storage • Creative Cloud Libraries • Version history: Keep past file versions for 30 days • 1 year Subscription | 6 | licen se | 45,000.00 | 270,000.00 |
| 2026-02-250-WRMD | 4 | Canva Editing Software | 4 | licen se | 3,600.00 | 14,400.00 |
| 2026-02-250-WRMD | 5 | Autodesk Civil 3D | 6 | licen se | 150,000.00 | 900,000.00 |



Bid Securing Declaration Form
*[The duly accomplished form shall be submitted with the Bid
if bidder opts to provide this type of bid security]*

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

BID SECURING DECLARATION
Project Identification No.: *[Number]*

To: *[Insert name of the Procuring Entity]*

I/We, the undersigned, declare that:

- 1) I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration;

[Insert paragraph for Unsolicited Offer with Bid Matching]

I/We understand that upon conferment of the original offeror status under Section 30.6 of the Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 12009, the offeror shall submit a Bid Securing Declaration within ten (10) days from the receipt of the certificate of conferment;

- 2) Select one, delete the other:

I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any Procuring Entity upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the Procuring Entity for the commission of acts resulting to the enforcement of the Bid Securing Declaration under Sections 52.2 (a), 63.2, 69.1 and 100, except 100.3 (c), of the IRR of Republic Act No. 12009; without prejudice to other legal action the government may undertake; and

(For Unsolicited Offer with Bid Matching)

I/We accept that: I/we will be automatically disqualified from any procurement opportunity of the Procuring Entity for a period of one (1) year on the first offense, two (2) years on the second offense, and perpetually on the third offense without prejudice to other legal action the government may undertake.

- 3) I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:

a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;

b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;

[Insert this paragraph for Unsolicited Offer with Bid Matching]

b) Upon contract award and the LCCRB is not the original offeror; or

c) I am/we are declared the bidder with the *[Insert Award Criterion¹]* and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.



Duly authorized to sign the Bid for and behalf of:

[Insert Bidder's Name]

[Signature over Printed Name]

[Position/Designation]

[Date]

JURAT

SUBSCRIBED AND SWORN to before me this ____ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. _____.

WITNESS MY HAND AND SEAL this ____ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Notarial Commission No. _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. __, *[date issued]*, *[place issued]*

IBP No. __, *[date issued]*, *[place issued]*

Doc. No. _____

Page No. _____

Book No. _____

Series of _____



ANNEX B

Omnibus Sworn Statement Form

[Note: The duly accomplished form shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

OMNIBUS SWORN STATEMENT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and with residence at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. **Select one, delete the others:**

- If sole proprietorship: I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [Address of Bidder];
- If partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [Address of Bidder];
- If individual consultant not registered under a sole proprietorship, in case of Consulting Services: I am the individual consultant or authorized representative of [Name of Bidder] with office address at [Address of Bidder];

2. **Select one, delete the others:**

- If sole proprietorship: As the owner and sole proprietor or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Project Title] of the [Name of the Procuring Entity][insert "as supported by the attached duly notarized Special Power of Attorney" for authorized representative];
- If partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Project Title] of the [Name of the Procuring Entity], as supported by the attached duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable;
- If individual consultant not registered under a sole proprietorship, in case of Consulting Services: As the individual consultant or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Project Title] of the [Name of the Procuring Entity], as supported by the attached duly notarized Special Power of Attorney for authorized representative;

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board; by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. **Select one, delete the others:**

- If sole proprietorship : The [Name of Bidder] and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
- If partnership : The partnership itself and the partners of [Name of Bidder] are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
- If cooperative: The cooperative itself and members of the board of directors, general manager, or chief executive officer of [Name of Bidder] are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
- If corporation, or joint venture: The corporation or joint venture itself, and officers, directors, and controlling stockholders of [Name of Bidder] are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;



- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services: The individual consultant and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;*
- 7. *It is understood that failure to faithfully disclose its relationship with the Head of the Procuring Entity, members of the BAC, the TWG, and the BAC Secretariat, the head of the PMO or the end-user unit or implementing unit, and the project consultants of the Procuring Entity, or of the procurement agent by consanguinity or affinity up to the third civil degree, as well as its submission of beneficial ownership information containing false entries shall be subject to blacklisting under Section 100 of the Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 12009, without prejudice to criminal and civil liabilities under applicable laws, including their accessory penalties, if any.*

Select one, delete the rest:

- *In case of corporations: [Name of Bidder] declares its beneficial ownership information consistent with its updated General Information Sheet or Beneficial Ownership Declaration Form or any other document duly submitted to the SEC and has maintained a valid and updated file therein in compliance with Sections 20.2.9.1, 81, and 82 of the IRR of RA No. 12009.*
- *In case of Foreign Bidders: [Name of Bidder] submitted an appropriate equivalent document in English issued by the country of the bidder concerned in accordance with Section 20.2.9.2 of the IRR of RA No. 12009.*
- 8. *[Name of Bidder] complies with existing labor laws and standards; and*
- 9. *[Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:*
 - a) *Carefully examine all of the Bidding Documents;*
 - b) *Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;*
 - c) *Made an estimate of the facilities available and needed for the contract to be bid, if any; and*
 - d) *Inquire or secure Supplemental Bid Bulletin(s) issued for the [Project Title].*
- 10. *[Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.*
- 11. *In case advance payment was made or given to [Name of Bidder], failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability under existing laws.*

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of __, 20__ at _____, Philippines.

Duly authorized to sign the Bid for and behalf of:

[Insert Bidder's Name]

[Affiant's Signature over Printed Name]
[Position/Designation]
[Date]

JURAT

SUBSCRIBED AND SWORN to before me this ____ day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. _____.


WITNESS MY HAND AND SEAL this __ day of [month] [year].

NAME OF NOTARY PUBLIC
Notarial Commission No. _____
Notary Public for _____ until _____
Roll of Attorneys No. _____
PTR No. __, [date issued], [place issued]
IBP No. __, [date issued], [place issued]

Doc. No. _____
Page No. _____
Book No. _____
Series of _____.

ANNEX C

SEALING AND MARKING OF BIDS



For bidders who intend to participate in several lots, they shall submit the following:

1. **1 Original and 1 Duplicate Copy of Technical Envelope** containing their technical and eligibility documents intended **for ALL the lots** they wish to participate in.
2. **1 Original and 1 Duplicate Copy of Financial Envelope** containing their financial proposal **for EVERY lot being participated.**
 - One (1) Financial Proposal is equivalent to One (1) Lot. Total number of **FINANCIAL PROPOSALS ENVELOPE/S** shall be based on the total participated lot/s of bidder.
 - The Financial Envelope submitted shall be evaluated individually.