



Republic of the Philippines
 Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
 SRDC Building Elliptical Road corner Visayas Avenue,
 Diliman, Quezon City 1101
 customers.center@bswm.da.gov.ph
 Tel. no. (632) 8273-2474 local 3202

**BSWM- BIDS AND AWARDS COMMITTEE
 SUPPLEMENTAL BID BULLETIN NO. 1**

**CONTRACT: Re-Bid of Supply and Delivery of various ICT Equipment and
 Peripherals for CY 2024 - IB NO: 2024-04-037**

This Addendum is being issued in accordance with Section 22.5.2 of the IRR of RA 9184, to clarify and modify some provisions of the Bidding Document. **THIS SHALL FORM AN INTEGRAL PART OF THE BID DOCUMENT. Likewise, the succeeding agreements and reminders were discussed during the Pre-Bid Conference held last April 18, 2024 at the BSWM Conference Hall and via Videoconferencing-Zoom.**

AMENDMENTS OF THE BIDDING DOCUMENT:


CONCERNS	AGREEMENT
Updating of Class A Eligibility Document of PhilGEPS Certification Audited Financial Statement (AFS)	Per Revenue Memorandum Circular No. 51-2024 dated April 8, 2024: <i>“Deadline of Filing of Annual Income Tax Return (AITR) for CY 2023 is until April 15, 2024”</i> Audited Financial Statement (AFS) shall be submitted as attachment of your AITR, thus you are hereby required to file on or before the deadline stated above. With this, per GPPB Resolution No. 15-2021, the BSWM BAC will require all the prospective bidder to update its PhilGEPS Certificate with updated eligibility documents including your AFS . Failure to update such, shall be ground for disqualification.
Section II. Instruction to Bidders 19.4. The Project shall be awarded as follows: “One Project having several items, which shall be awarded as one contract.”	19.4. The Project shall be awarded as follows: <i>“One Project having several items, which shall be awarded per line item basis.”</i>
Section III. Bid Data Sheet	Bidders shall submit (during Post Qualification) a Supplier’s Performance Evaluation with <u>at least Satisfactory Rating</u> from your declared SLCC
Section VII. Technical Specifications	Please see attached Revised Section VII. Technical Specification as Annex C.

REMINDERS DURING THE PRE-BID CONFERENCE:

RA 9184 Section 30.1:

Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the “Government Procurement Reform Act”.

“Any lacking document can cause the submitted bid be automatically rated failed.”



GPPB Resolution No. 15-2021 dated October 14, 2021

For the purpose of updating the Certificate of Registration and Membership, **all Class “A” eligibility documents** mentioned in Section 8.5, supporting the veracity, authenticity and validity of the Certificate **shall remain current and updated**. The **failure by the prospective bidder to update its Certificate with the current and updated Class “A” eligibility documents shall result in the automatic suspension of the validity of its Certificate** until such time that all of the expired Class “A” eligibility documents has been updated.

- Below are the **acceptable forms of bid security** that bidders may opt to use, **which shall include the Bid Securing Declaration**. The amount of which shall not be less than the required percentage of the ABC in accordance with the following schedule:

Form of Bid Security	Amount of Bid Security Not less than the required Percentage of the ABC
Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Two percent (2%)
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Two percent (2%)
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Five percent (5%)
Bid Securing Declaration (Signed and Notarized)	

NOTE: Bidders SHALL use ATTACHED template of Bid Securing Declaration.

Other forms of Bid Securing Declaration will NOT BE ACCEPTED and SHALL BE RATED “FAILED”.

Please note that your Bids and Bid Securities should be valid and firm for a period that shall not exceed one hundred twenty (120) calendar days after the date of the opening of bids.

- Net Financial Contracting Capacity (NFCC):

The computation of a prospective bidder's NFCC must be **at least equal to the ABC to be bid** or, for procurement by lot, **at least equal to the sum of all the ABCs of lots to which it participated**.

NFCC= Current assets minus current liabilities multiplied by 15 (constant factor) minus the value of all outstanding or uncompleted portions of on-going contracts, including awarded contract/s yet to be started, coinciding with the contract to be bid.

Important Reminders:

Supplier **shall coordinate with the End-user and Property Management Unit for final schedule of delivery**.

To schedule the delivery, please click this link or scan the QR code:

<https://sites.google.com/view/pmu-scheduleofdelivery/home>



Sealing and Marking of Bid:

The bidders shall submit:

- ✓ One (1) ORIGINAL COPY.
- ✓ One (1) DUPLICATE COPY.
- ✓ One (1) PDF COPY in a USB – to be placed inside the Duplicate Copy of Technical Proposal and Duplicate Copy of Financial Proposal.

NOTE:

- All photocopied documents must be stamped and signed “Certified True Copy”.
- And all pages/documents must be duly signed by the authorized representative (both original and duplicate copies).
- For easy reference, all bidders are requested to provide dog-ear codes/ tabs in the presentation of their documents.

Reminders:

- Bidders responsibility to read, study, and review the Bidding Document and Bid Bulletin/s of the procurement project.
- Further clarification/s on the Bidding Document shall be in writing and must be submitted 10 days before the Opening of Bids.
- All bidders who wish to join the bidding shall download the attached document from PhilGEPS website to be included in the Document Request List (DRL).
- Bidders may download the updated Bidding Forms at GPPB Website (<https://www.gppb.gov.ph/downloadables.php>).
- In case of withdrawal of submitted bid, a letter stating their intention to withdraw from the project should be submitted by the bidder not later than the scheduled deadline of submission and opening of bids.
- Bidders declared to have the Lowest/ Single Calculated Bid will be subject for Post-qualification.
- Bidder shall submit the additional requirements listed on the NOTICE as LCB/ SCB within five (5) calendar days from receipt of Notice for Post qualification. Non-compliance can be grounds for post-disqualification.
- Winning Bidders declared to have the Lowest/Single Calculated and Responsive Bid shall submit its Performance Bond and Signed Contract Agreement within ten (10) calendar days from receipt of Notice of Award. Non-compliance can be grounds for forfeiture of award.
- Bidders shall comply **STRICTLY** with Section VI. Schedule of Requirement

Note:

NO EXTENSION shall be accepted/ entertained except on meritorious grounds. Late delivery without approved extension request shall be liable for liquidation damages in accordance with Section 3.1 Annex D of RA 9184.

Letter of extension shall receive by the BAC Secretariat before the lapse of the original delivery requirement.

Clause 4. Section II. Instruction to Bidders: Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

A complete set of Bidding Document may be acquired by interested Bidders until **April 30, 2024 3:00PM** from the address and website.

DEADLINE/SCHEDULE OF SUBMISSION AND OPENING OF BIDS:

Deadline of submission of bid proposals is on **May 02, 2024, 9:00AM**. Late submission shall not be accepted.

Opening of Bids is on **May 02, 2024, 9:30AM** at BSWM Convention Hall and via videoconferencing

For guidance and information of all concerned.

(Sgd)DENISE A. SOLANO
BAC Chairperson

ANNEX A

BSWM Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of Bid Security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We shall furnish the required performance security within ten (10) calendar days in/ Case of receipt of Notice of Award (pursuant to GPPB Circular No. 04-2020 and GPPB Resolution No. 16-2020).
3. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
4. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]



ANNEX B

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

0. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

0. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

0. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

0. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

0. *[Select one, delete the rest:]*



[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

0. *[Name of Bidder]* complies with existing labor laws and standards; and
0. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - a. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - a. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - a. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
0. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

0. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20___ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]



ANNEX C

Revised Section VII. Technical Specifications

Division	Item No.	Description	Quantity	Unit	Statement of Compliance
ICT EQUIPMENT					
2024-01-0072-GSITD-ICT-STO-Current	1	<p>Desktop (Office Document-Advance) Processor: Core: at least 6; Threads: at least 12; Cache: at least 32; Max/Boost Frequency (GHz): at least 4.4 GPU: at least 6GB VRAM, GDDR6 GPU Output: at least DisplayPort 1.4a x 2 & HDMI 2.1a x 2 RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Form Factor: Form Factor: Tower (atleast H:13in by W:6in) Motherboard: at least 2 x M.2 Slot, 4 x RAM Slot; Interface: 1xHDMI, 1xVGA Internal Storage: 500 GB m.2 NVMe Internal Storage: 1TB HDD Power Supply: Rating at least 500 watts 80+ Bronze Display: at least 27-inch Monitor Display Refresh Rate: at least 75hz Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons (can offer 3rd party brand) Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)</p>	19	units	



Division	Item No.	Description	Quantity	Unit	Statement of Compliance
2024-01-0057-S CMD-Regular (1) 2024-01-0065- GSITD-ICT-STO Current (4) 2024-01-0066-S WRRD-LFP-NSH P-SWRRD (2)	2	Desktop (Office Document-Basic) Processor: Core: at least 10; Threads: at least 16; Cache: at least 20; Max/Boost Frequency (GHz): at least 4.9 GPU: on-board/shared RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Form Factor: Tower (atleast H:13in by W:6in) Motherboard: at least 1 x M.2 Slot, 2 x RAM Slot; Interface: 1xHDMI, 1xVGA Internal Storage: 256 GB m.2 NVMe Internal Storage: 1TB HDD Power Supply: Rating at least 300 watts 80+ Bronze Display: at least 24-inch Monitor Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)	7	units	
2024-01-0130- WRMD-INS Various (3) 2024-01-0213-S SD-LFP-NSHP (4) 2024-02-0274- GSITD-Trust-AF ACI-PAN (2)	3	GPS Device Display Size: at least 2.6" diag (6.6 cm) Display Resolution: at least 160 x 240 pixels Display Type: 2.2" transfective, 65K color TFT Battery Type: 2AA batteries (not included); NiMH / Lithinum Battery Life: at least 16 hours Memory/History: at least 8 GB External Memory Storage: Up to 32gb microSD card Water Rating: IPX7 Interface: Mini-USB & NMEA 0183 compatible Waypoints and Routes: up to 5000 waypoints Track Log: up to 10000 points 200 saved tracks Map Segments: up to 3000 Wireless Connectivity: Bluetooth & ANT+ Features: Preloaded Maps (TopoActive; routable) Automatic Routing Area Calculation Glonass Sensor Galileo Sensor QZSS Sensor Barometric altimeter Compass	9	units	



Division	Item No.	Description	Quantity	Unit	Statement of Compliance
2024-02-0223-L SD-NSHP	4	<p>Laptop (Mapping-Advance) Processor: Core: at least 14; Threads: at least 20; Cache: at least 24MB; Max Turbo Frequency (GHz): at least 5.0 Storage: at least 1TB NVMe Gen4 Memory: at least 16GB, DDR5 (upgradable using two soDIMM modules) GPU: at least 8GB dedicated Camera: at least 720p Screen size: at least 15.6-inch Display Type: IPS, at least 144Hz Battery Type: at least 90WH; at least 4 cell battery Battey Charger: Must be same brand with the offered unit Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)</p>	5	unit	
2024-01-0072-GSITD-ICT-STO Current (5) 2024-02-0223-L SD-NSHP (5)	5	<p>Laptop (Office Document-Advance) Processor: Core: at least 10; Threads: at least 12; Cache: at least 12MB; Max Turbo Frequency (GHz): at least 4.7 Storage: at least 512GB SSD M.2 2242 PCIe 4.0x4 NVMe Memory: at least 16GB, DDR4 3200MHz (upgradable) Camera: at least 720p Screen size: at least 15.6-inch Display Type: IPS Battery Type: at least 41WH; at least 3 cell battery Battey Charger: Must be same brand with the offered unit Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)</p>	10	units	



Division	Item No.	Description	Quantity	Unit	Statement of Compliance
2024-01-0063-S WRRD-RD-CFB W(1) 2024-01-0063-S WRRD-STO ASP(1) 2024-01-0067- NSWRRDC-HILP EZ-RD-VermiHill PEZ (1) 2024-01-0068-L SD-NSHP(11)	6	Laptop (Office Document-Basic) Processor: Core: at least 8; Threads: at least 12; Cache: at least 12MB; Max Turbo Frequency (GHz): at least 4.6 Storage: at least 512GB M.2 NVMe SSD Memory: at least 8GB, DDR4 Camera: at least 720p Screen size: at least 15.6-inch Display Type: FHD Battery Type: at least 41WH; at least 3 cell battery Battery Charger: Must be same brand with the offered unit Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)	14	units	
2024-01-0154- GSITD-GSITD-N SHP	7	Mult-Purpose Geotagging Device (Tablet) CPU: at least Octa-Core Display Type: TFT LCD Screen Size: at least 12.4 inches Screen Resolution: at least 1600 x 2560 pixels Screen Brightness: at least 522 nits Operating System: at least Android 11 Chipset: Qualcomm SM7225 Snapdragon 750G 5G (8 nm) - 5G RAM: at least 6GB Storage: at least 128GB Battery: at least LiPo 10090 mAh Camera: at least 5MP Front Camera at least 8MP Rear Camera Positioning: GPS, GLONASS, BDS, GALILEO with Precision pen and keyboard pack	8	units	
2024-01-0066-S WRRD-LFP-NSH P-SWRRD	8	Portable Printer (Basic) Print Method: Micro Piezo Printer Function: Print Maximum Resolution: At least 5760 x 1440 dpi Paper Sizes: Legal, Letter, A4, B5, A5, A6, 8x10", 5x7", 4x6", Envelopes: #10, DL, C6 Number of Paper Tray: 1 Interface: USB 2.0 Network: Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct Built-in Battery	3	units	



Division	Item No.	Description	Quantity	Unit	Statement of Compliance
2024-01-0059-L SD-PD 1435	9	<p>Portable Projector Light Source Type: LED Native Resolution: at least 1280x720 Maximum Input Resolution: at least 1920x1080 Brightness: at least 500 Lumens Built-in Battery: at least 6000 mAh Lamp Life: up to 30000 hrs Contrast Ratio: 400:1 With Wireless Projection Input: HDMI x 1 USB Type-A x 1 3.5mm Jack x 1 USB Type-C x 1</p>	2	units	
2024-02-0227-L SD-NHSP	10	<p>Video Conferencing Camera Camera Full HD at least 1080p @30fps Pan: +/- 90°; Tilt: +35° / -45° Zoom: 10x lossless HD zoom Field of View: Diagonal: 90°; Horizontal: 82.1° ; Vertical: 52.2° 5 camera presets Video mute/unmute LED indicator Standard tripod thread Remote Control Camera, speakerphone, and call control 5 camera presets; Docks on speakerphone; IR 8.5 m range Microphones Pickup Range: at least 6 m Pickup range with expansion mics: at least 8.5 m Four omnidirectional, beamforming microphones Frequency Response: at least 100Hz – 11KHz Sensitivity: -28 dB +/-3dB Distortion: <5% from 200Hz Hub/ Cables / Power Central Hub connects and powers all components Under-table mounting adhesive included One cable to camera: at least 5 m One cable to speakerphone: at least 5 m Extended cables available: 10 and 15 m One USB cable for connection to PC/Mac: at least 2 m AC Power adapter with regional plugs; Power cable: at least 3 m</p>	1	unit	



Division	Item No.	Description	Quantity	Unit	Statement of Compliance
ICT PERIPHERALS					
2024-01-0059-L SD-NSHP	11	Power Supply (UPS) Type: Uninterruptible Power Supply (UPS) Input Capacity: 650w/1200 VA Universal Socket: 4 Sockets Nominal Output Voltage: 230V Nominal Input Voltage: 230V Battery Type: Lead-acid battery Typical Charge Time: maximum 8 hour(s)	10	units	
2024-01-0054- GSITD-NSHP (6) 2024-01-0069-S WRRD-STO ASP (1) 2024-02-0231- WRM-RICE ESSET (2)	12	Webcam Max Resolution: 1080p/30 fps – 720p/ 60 fps Camera mega pixel: at least 3mp Focus type: Autofocus Built-in mic: Stereo Lens type: Glass Connection: USB-A plug-and-play Tripod-ready universal mounting clip fits laptops, LCD or monitors Tripod included	9	units	
Accessories for laptop- Laptop Bag					
Unit and it's component must not be a clone					
For desktops: unit must be pre-built					
Brand and model offered should be indicated on the technical proposal per line item including brochure					
Warranty: all equipment must be at least 1 year warranty on parts and labor service					
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (SLCC) (submit during post qual)					



Division	Item No.	Description	Quantity	Unit	Unit Cost	Total
ICT EQUIPMENT						4,561,900.00
2024-01-0072-GSITD-ICT-STO-Current	1	Desktop (Office Document-Advance) Processor: Core: at least 6; Threads: at least 12; Cache: at least 32; Max/Boost Frequency (GHz): at least 4.4 GPU: at least 6GB VRAM, GDDR6 GPU Output: at least DisplayPort 1.4a x 2 & HDMI 2.1a x 2 RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Form Factor: Form Factor: Tower (atleast H:13in by W:6in) Motherboard: at least 2 x M.2 Slot, 4 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 500 GB m.2 NVMe Internal Storage: 1TB HDD Power Supply: Rating at least 500 watts 80+ Bronze Display: at least 27-inch Monitor Display Refresh Rate: at least 75hz Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons (can offer 3rd party brand) Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)	19	units	70,000.00	1,330,000.00
2024-01-0057-SCMD-Regular (1) 2024-01-0065-GSITD-ICT-STO Current (4) 2024-01-0066-SWRRD-LFP-NSHP-SWRRD (2)	2	Desktop (Office Document-Basic) Processor: Core: at least 10; Threads: at least 16; Cache: at least 20; Max/Boost Frequency (GHz): at least 4.9 GPU: on-board/shared RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Form Factor: Tower (atleast H:13in by W:6in) Motherboard: at least 1 x M.2 Slot, 2 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 256 GB m.2 NVMe Internal Storage: 1TB HDD Power Supply: Rating at least 300 watts 80+ Bronze Display: at least 24-inch Monitor Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)	7	units	49,900.00	349,300.00



Division	Item No.	Description	Quantity	Unit	Unit Cost	Total
2024-01-0130-WRMD-INS Various (3) 2024-01-0213-SSD-LF-P-NSHP (4) 2024-02-0274-GSITD-Trust-AFACI-PAN (2)	3	GPS Device Display Size: at least 2.6" diag (6.6 cm) Display Resolution: at least 160 x 240 pixels Display Type: 2.2" transfective, 65K color TFT Battery Type: 2AA batteries (not included); NiMH / Lithinum Battery Life: at least 16 hours Memory/History: at least 8 GB External Memory Storage: Up to 32gb microSD card Water Rating: IPX7 Interface: Mini-USB & NMEA 0183 compatible Waypoints and Routes: up to 5000 waypoints Track Log: up to 10000 points 200 saved tracks Map Segments: up to 3000 Wireless Connectivity: Bluetooth & ANT+ Features: Preloaded Maps (TopoActive; routable) Automatic Routing Area Calculation Glonass Sensor Galileo Sensor QZSS Sensor Barometric altimeter Compass	9	units	30,000.00	270,000.00
2024-02-0223-LSD-NSHP	4	Laptop (Mapping-Advance) Processor: Core: at least 14; Threads: at least 20; Cache: at least 24MB; Max Turbo Frequency (GHz): at least 5.0 Storage: at least 1TB NVMe Gen4 Memory: at least 16GB, DDR5 (upgradable using two soDIMM modules) GPU: at least 8GB dedicated Camera: at least 720p Screen size: at least 15.6-inch Display Type: IPS, at least 144Hz Battery Type: at least 90WH; at least 4 cell battery Battery Charger: Must be same brand with the offered unit Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)	5	unit	120,000.00	600,000.00



Division	Item No.	Description	Quantity	Unit	Unit Cost	Total
2024-01-0072-GSITD-ICT-STO Current (5) 2024-02-0223-LSD-NSHP (5)	5	Laptop (Office Document-Advance) Processor: Core: at least 10; Threads: at least 12; Cache: at least 12MB; Max Turbo Frequency (GHz): at least 4.7 Storage: at least 512GB SSD M.2 2242 PCIe 4.0x4 NVMe Memory: at least 16GB, DDR4 3200MHz (upgradable) Camera: at least 720p Screen size: at least 15.6-inch Display Type: IPS Battery Type: at least 41WH; at least 3 cell battery Battery Charger: Must be same brand with the offered unit Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)	10	units	70,000.00	700,000.00
2024-01-0063-SWRRD-RD-CFBW(1) 2024-01-0063-SWRRD-STO ASP(1) 2024-01-0067-NSWRRDC-HILPEZ-RD-VermiHillPEZ (1) 2024-01-0068-LSD-NSHP(11)	6	Laptop (Office Document-Basic) Processor: Core: at least 8; Threads: at least 12; Cache: at least 12MB; Max Turbo Frequency (GHz): at least 4.6 Storage: at least 512GB M.2 NVMe SSD Memory: at least 8GB, DDR4 Camera: at least 720p Screen size: at least 15.6-inch Display Type: FHD Battery Type: at least 41WH; at least 3 cell battery Battery Charger: Must be same brand with the offered unit Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)	14	units	49,900.00	698,600.00
2024-01-0154-GSITD-GSITD-NSHP	7	Mult-Purpose Geotagging Device (Tablet) CPU: at least Octa-Core Display Type: TFT LCD Screen Size: at least 12.4 inches Screen Resolution: at least 1600 x 2560 pixels Screen Brightness: at least 522 nits Operating System: at least Android 11 Chipset: Qualcomm SM7225 Snapdragon 750G 5G (8 nm) - 5G RAM: at least 6GB Storage: at least 128GB Battery: at least LiPo 10090 mAh Camera: at least 5MP Front Camera at least 8MP Rear Camera Positioning: GPS, GLONASS, BDS, GALILEO with Precision pen and keyboard pack	8	units	49,000.00	392,000.00



Division	Item No.	Description	Quantity	Unit	Unit Cost	Total
2024-01-0066-SWRRD-LFP-NSHP-SWRRD	8	Portable Printer (Basic) Print Method: Micro Piezo Printer Function: Print Maximum Resolution: At least 5760 x 1440 dpi Paper Sizes: Legal, Letter, A4, B5, A5, A6, 8x10", 5x7", 4x6", Envelopes: #10, DL, C6 Number of Paper Tray: 1 Interface: USB 2.0 Network: Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct Built-in Battery	3	units	19,000.00	57,000.00
2024-01-0059-LSD-PD 1435	9	Portable Projector Light Source Type: LED Native Resolution: at least 1280x720 Maximum Input Resolution: at least 1920x1080 Brightness: at least 500 Lumens Built-in Battery: at least 6000 mAh Lamp Life: up to 30000 hrs Contrast Ratio: 400:1 With Wireless Projection Input: HDMI x 1 USB Type-A x 1 3.5mm Jack x 1 USB Type-C x 1	2	units	35,000.00	70,000.00
2024-02-0227-LSD-NH SP	10	Video Conferencing Camera Camera Full HD at least 1080p @30fps Pan: +/- 90°; Tilt: +35° / -45° Zoom: 10x lossless HD zoom Field of View: Diagonal: 90°; Horizontal: 82.1° ; Vertical: 52.2° 5 camera presets Video mute/unmute LED indicator Standard tripod thread Remote Control Camera, speakerphone, and call control 5 camera presets; Docks on speakerphone; IR 8.5 m range Microphones Pickup Range: at least 6 m Pickup range with expansion mics: at least 8.5 m Four omnidirectional, beamforming microphones Frequency Response: at least 100Hz - 11KHz Sensitivity: -28 dB +/-3dB Distortion: <5% from 200Hz Hub/ Cables / Power Central Hub connects and powers all components Under-table mounting adhesive included One cable to camera: at least 5 m One cable to speakerphone: at least 5 m Extended cables available: 10 and 15 m One USB cable for connection to PC/Mac: at least 2 m AC Power adapter with regional plugs; Power cable: at least 3 m	1	unit	95,000.00	95,000.00
ICT PERIPHERALS						139,000.00



Division	Item No.	Description	Quantity	Unit	Unit Cost	Total
2024-01-0059-LSD-NSHP	11	Power Supply (UPS) Type: Uninterruptible Power Supply (UPS) Input Capacity: 650w/1200 VA Universal Socket: 4 Sockets Nominal Output Voltage: 230V Nominal Input Voltage: 230V Battery Type: Lead-acid battery Typical Charge Time: maximum 8 hour(s)	10	units	8,500.00	85,000.00
2024-01-0054-GSITD-NSHP (6) 2024-01-0069-SWRRD-STO ASP (1) 2024-02-0231-WRM-RICE ESSET (2)	12	Webcam Max Resolution:1080p/30 fps – 720p/ 60 fps Camera mega pixel: at least 3mp Focus type: Autofocus Built-in mic: Stereo Lens type: Glass Connection: USB-A plug-and-play Tripod-ready universal mounting clip fits laptops, LCD or monitors Tripod included	9	units	6,000.00	54,000.00
Accessories for laptop- Laptop Bag						
Unit and it's component must not be a clone						
For desktops: unit must be pre-built						
Brand and model offered should be indicated on the technical proposal per line item including brochure						
Warranty: all equipment must be at least 1 year warranty on parts and labor service						
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (SLCC) (submit during post qual)						
						4,700,900.00

