



Republic of the Philippines
 Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
 SRDC Building Elliptical Road corner Visayas Avenue,
 Diliman, Quezon City 1101
 customers.center@bswm.da.gov.ph
 Tel. no. (632) 8273-2474 local 3202

**BSWM- BIDS AND AWARDS COMMITTEE
 SUPPLEMENTAL BID BULLETIN NO. 2**

CONTRACT: Supply and Delivery of various ICT Equipment, Software, Peripherals and Supplies - Batch 2 for CY 2026 - IB NO: BSWM-2026-03-023


This Addendum is being issued in accordance with Section 51.1.5 of RA 12009, to clarify and modify some provisions of the Bidding Document. **THIS SHALL FORM AN INTEGRAL PART OF THE BID DOCUMENT.**

I. AMENDMENTS OF THE BIDDING DOCUMENT:

ORIGINAL	AMENDED
<p><u>Section I. Invitation to Bid</u></p> <p>A complete set of Bidding Documents may be acquired by interested Bidders until April 20, 2026, 3:00PM from the address given below payment of the applicable fee...</p>	<p><u>Section I. Invitation to Bid</u></p> <p>A complete set of Bidding Documents may be acquired by interested Bidders until April 29, 2026, 3:00PM from the address given below payment of the applicable fee...</p>
<p>Bids must be duly received by the Bids and Awards Committee (BAC) Secretariat through[(i) manual submission at the office address indicated below on or before April 21, 2026, 9:00AM.</p>	<p>Bids must be duly received by the Bids and Awards Committee (BAC) Secretariat through[(i) manual submission at the office address indicated below on or before April 30, 2026, 9:00AM.</p>
<p>Bid opening shall be on April 21, 2026, 9:30AM at the BSWM Convention Hall, 2nd Floor, SRDC Bldg., Visayas Ave. Cor. Elliptical Road, Diliman, Quezon City and through videoconferencing/webcasting via ZOOM</p>	<p>Bid opening shall be on April 30, 2026, 9:30AM at the BSWM Convention Hall, 2nd Floor, SRDC Bldg., Visayas Ave. Cor. Elliptical Road, Diliman, Quezon City and through videoconferencing/webcasting via ZOOM</p>
	<p>Revised Section VII. Technical Specifications (please refer to Annex A of this Bid Bulletin)</p>

For guidance and information of all concerned.

DENISE A. SOLANO
 BAC Chairperson



ANNEX A

Revised Technical Specifications

Bidders must state “Comply” or “Not Comply” for each specification and provide the corresponding performance parameters for offered equipment. Each response must be supported by a clear documentary support in the bid and properly cross-referenced. Acceptable evidence includes unaltered manufacturer sales brochures, official specification sheets, product samples, independent test results, and similar documents.

Note: Bidders shall state the Brand/Model of offered products for evaluation purposes

Lot 1: Supply and Delivery of Computers

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-01-0518 SWIIP (5) 2026-02-0381- STALAR-MAP (16)	1	Desktop (Highend- Mapping/CAD/System Development) ICT-2940 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 7 7000/8000 series Graphics Card: at least dedicated, at least 6GB VRAM, GDDR6 Memory: at least 16GB (x2) DDR5 (expandable to 64GB); at least 4 DIMM Slots Motherboard: Compatible with the specified processor and memory; at least 2x M.2 Slot; 4x RAM Slot; 1x HDMI; Internal Storage: at least 500GB M.2 NVMe SSD + 1TB 2.5" SSD Form Factor: Tower type (atleast H:22in by W:9in) Pre-installed Fans Monitor size: at least 27" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75 Hz Display Response Time: up to 5 ms Power Supply: at least 650Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons	21	unit	

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-0150 PMS- (18) 2026-02-0381-STALAR-MAP (3)	2	Desktop (DP-Office Productivity Advanced) ICT-2275 Processor: at least Intel Core i5 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series Graphics Card: dedicated, at least 4GB VRAM, GDDR6 Memory: at least 8GB (x2) DDR5 (expandable to 32GB); at least 2 DIMM Slots Motherboard: Compatible with the specified processor and memory; at least 1 x M.2 Slot; 2x RAM Slot;1x HDMI Internal Storage: at least 500GB M.2 NVMe SSD Form Factor: Tower type (atleast H:14.5in by W:6in) Pre-installed Fans Monitor size: at least 27" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75 Hz Display Response Time: up to 5 ms Power Supply: at least 500Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons	21	unit	

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-0037-SWRRD LFP-NSHP-ABFS (1) 2026-00-0059-WRMD-ESET-Rice (2)	3	Desktop (Office Document - Basic) ICT-2273 Processor: at least Ryzen 5 (5000 series) or its equivalent Intel i5 (12th Gen) Graphics Card: Integrated Memory: at least 8GB (x2) DDR4; at least 2 DIMM Slots Motherboard: Compatible with the specified processor and memory; at least 1 x M.2 Slot; 2x RAM Slot; 1x HDMI; Internal Storage: at least 500GB SSD Form Factor: Tower type (atleast H:14in by W:6in) Pre-installed Fans Monitor size: at least 23.8" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75Hz Display Response Time: up to 5 ms Power Supply: at least 500Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons	3	unit	
2026-00-0117-GSITD AFACI-Soil Phase 2	4	Laptop (Executive 13") ICT-3138 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 7 7000/8000 series Storage: at least 2 TB NVMe or 1 TB + 1 TB NVMe Gen4 Memory: at least 32GB x1 or 16GB x 2 , DDR5 GPU: Integrated graphics Camera: at least 1080 FHD Screen size: at least 13.4" inch Display Type: at least 120Hz Battery Type: at least 55WHrs; at least 3-cell battery Battery Charger: Type-C, Must be same brand with the offered unit Weight: not more than 1.2 kg Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Home (Perpetual) and compatible with the existing productivity suites (MS	2	unit	

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
		Office)			
2026-01-0518 SWIIP (5)	5	Laptop (Mapping/CAD/System Development) ICT-3269 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 7 7000/8000 series Graphics Card: dedicated, at least 8GB VRAM Memory: at least 16GBx1 or 8GBx2, DDR5 Storage: at least 1TB M.2 NVMe SSD Display Panel size: at least 14" inch Display Type: OLED Display Refresh Rate: at least 120 Hz Battery Type: at least 70WHrs, 4-cell Li-ion Weight: not more than 1.7 kg Ecolabels & Compliances: Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Home (Perpetual) and compatible with the existing productivity suites (MS Office)	5	unit	
2026-02-381-S TALAR-MAP	6	Laptop (High end-Mapping/CAD/System Development) ICT-2946 Processor: Intel Core i9 (14th Gen) latest generation or its equivalent Ryzen 9 7000/8000 series Graphics Card: dedicated, at least 8GB VRAM Memory: at least 16GB x 1 or 8GB x 2, DDR5 Storage: at least 1TB M.2 NVMe SSD Display Panel size: at least 14" inch Display Type: OLED Display Resolution: at least 3K (2880 x 1800) Display Refresh Rate: at least 120 Hz Battery Type: at least 70WHrs, 4-cell Li-ion Weight: not more than 1.5 kg Ecolabels & Compliances: Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Home (Perpetual) and compatible with the existing productivity suites (MS Office)	3	unit	

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-02-0445-SCMD-RD Corn-Continuing(3)	7	Laptop (Office Document - Basic) ICT-2282 Processor: at least Ryzen 5 (7000 series) or its equivalent Intel i5 (14th Gen) Graphics Card: Integrated Memory (RAM): at least 8GB DDR5 Storage: at least 512 M.2 NVMe SSD Display screen size: at least 15.6" inch Display Type: OLED or IPS Display Resolution: at least 1920 x 1080 Display Refresh Rate: at least 60 Hz Battery Type: at least 50 WHrs,3-cell Li-ion Weight: not more than 2 kg Operating System: latest Microsoft Windows Home, 64-bit(Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) and compatible with the existing productivity suites (MS Office)	3	unit	
Accessories for laptop- Laptop Sleeve/backpack					
Unit and its component must be BRAND NEW, UNUSED & NOT CLONE					
Brand and model offered shall be indicated on the technical proposal per line item					
Warranty: all equipment must be at least 1 year warranty on parts and labor service					
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)					

Lot 2: Supply and Delivery of Other Equipment and Peripherals

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-00 60-SCMD- RD-Corn (1) 2026-02-27 8-INS VARIOUS (8) 2026-02-04 40-LFP NSHP ALMED (20)	1	Multi-Purpose Geotagging Device (Tablet) ICT-2177 CPU: at least Octa-Core Display Type: TFT LCD Screen Size: at least 12 inches Screen Resolution: at least 1600 x 2560 pixels Screen Brightness: at least 500 nits Operating System: at least Android 11 Chipset: at least Qualcomm SM7225 Snapdragon 750G or it's equivalent RAM: at least 6GB Storage: at least 128GB Battery: at least LiPo 10,000 mAh Simcard Form Factor: Nano Camera: at least 5MP Front Camera at least 8MP Rear Camera Positioning: GPS, GLONASS, BDS, GALILEO with Stylus pen	29	pc	
2026-00-00 60-SCMD- RD-Corn (2)	2	Projector ICT-2177 Light Source Type: LCD Native Resolution: WXGA (1280 x 800) Brightness: at least 2000 Lumens Lamp Life: (Normal / Eco): 6,000 / 12,000 hours Contrast Ratio: 16,000:1 Analog Input Composite: 1 RCA Digital Input: at least HDMI x 1 Audio Input: 2RCA (White & Red): 1 USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Wireless Projection: IEEE 802.11b (2.4GHz): 11 Mbps*2 IEEE 802.11n (2.4GHz): 72.2 Mbps*2 IEEE 802.11a (5GHz): 54Mbps*2 IEEE 802.11n (5GHz): 150 Mbps*2 IEEE 802.11g (2.4GHz): 54 Mbps*2	2	pc	
2026-00-01 10-GSITD- STO ICT 2026	3	Desktop Speaker ICT-2859 Two satellite speakers Connectivity: 3.5 mm input: 1 USB Cable: 1 Bluetooth at least v5.0 Controls: at least Power and volume controls on right speaker	17	pc	

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-01 10-GSITD- STO ICT 2026	4	Multimedia Display (Smart TV 50 inch LED) ICT-2862 Type: Smart TV Screen Size: at least 50 inch TV Resolution: at least 4K Refresh Rate: 60Hz Display Panel: LED Bluetooth: 5.2 Speaker: at least 20w Wi-Fi 5: 2.4G & 5G 3-Side Bezel-less I/O Ports: HDMI 2.1 x 3 USB-A x 1 Ethernet Lan x 1	4	pc	
2026-00-01 10-GSITD- STO ICT 2026	5	Camera (DSLR) ICT-2508 Type: Digital Single Lens Reflex (Interchangeable Lens Camera) Image Sensor: 24.1MP APS-C CMOS sensor & DIGIC 4+ image processor Autofocus: 9-point AF with 1 centre cross-type AF point Standard ISO 100 – 6400 (expandable to 12800) Wireless Connection: Wi-Fi / NFC supported Up to 3 shots per second continuous shooting speed Screen: 3 inch LCD monitor with 18-55mm IS II Black lens	2	pc	
2026-02-31 1-WRMD-S WIIP(30)	6	UPS ICT-2219 Type: Uninterruptible Power Supply (UPS) Input Capacity: 650w/1200 VA Universal Socket: 4 Sockets Nominal Output Voltage: 230V Nominal Input Voltage: 230V Battery Type: Lead-acid battery Typical Charge Time: 8 hour(s)	30	pc	
2026-00-01 20-GSITD- STO ICT 2026 (18) 2026-00-01 21-GSITD- STALAR-M AP 2026 (10)	7	Internal Storage (SSD-1TB) ICT-1843 SSD Capacity: 1 TB Interface: SATA 6 GB/S Sequential Read: Up to 560 MB/s Sequential Write: Up to 530 MB/s	18	pc	

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-01 21-GSITD- STALAR-M AP 2026(9)	8	Internal Storage (SSD M.2-1TB) ICT-2224 SSD M.2 Capacity: 1 TB Form Factor: M.2 2280 Interface: PCIe Gen4 x4 Sequential Read Performance: At least 5000MB/s Sequential Write Performance: At least 4000MB/s	6	pc	
2026-00-01 21-GSITD- STALAR-M AP 2026	9	Internal Storage (NAS Drive 8TB) ICT-3115 Network Attached Storage Hard Disk Drive Capacity: 8 TB Interface: SATA 6 GB/S Speed: 7200RPM Cache: 256MB	10	pc	
2026-00-01 44 Info-Regula r Fund	10	Floor Standing LCD Display - 55" Indoor Touch Totem ICT-3278 Screen Size: at least 55-inch LCD Resolution: at least 2k Touch: Multi-touch capacitive Orientation: Vertical / Floor-standing totem Connectivity: HDMI, USB ports, WiFi, LAN Media Playback: Built-in media player (supports images and videos) Enclosure: Metal body, indoor use, stable base Power: Standard AC input Package Includes: Display unit, power cable, basic accessories	3	pc	
2026-00-01 44 Info-Regula r Fund	11	Overhead Scanner ICT-3280 Type: Overhead, contactless scanner Max Scan Size: 432 × 300 mm Scan Speed: Approx. 3 seconds per page Resolution: Up to 285 dpi (optical) Supported Media: Books, magazines, photos, documents up to 30 mm thick Features: Book curve correction Page-turn detection Auto-crop, auto-rotate, multi-document detection Connection: USB Compatibility: Windows and macOS Design: Non-contact scanning to protect bound and delicate materials Warranty: Must include supplier warranty and after-sales support	1	pc	

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-0144 Info-Regular Fund	12	Wireless Video Monitor System ICT-3283 Display: 7-inch touchscreen monitor Brightness: 1200 nits (daylight viewable) Wireless System: Includes Transmitter (TX) and Receiver (RX) Transmission Range: Up to 1300 ft Latency: As low as 60 ms Frequency: Dual-band 2.4 GHz & 5 GHz hopping Video Inputs/Outputs: SDI and HDMI monitoring switch Streaming Support: RTMP for direct live streaming Usage: Real-time monitoring for video production Package Includes: Monitor, TX, RX, accessories (as provided by manufacturer)	1	pc	
2026-02-381-STALAR-MAP (3)	13	Drone with accessories ICT-3054 Camera: 3-Axis Gimbal with Tri-Camera System 20MP 5.1K Wide-Angle 4/3 CMOS Hasselblad 166mm 12MP 7x Zoom Telephoto 70mm 48MP 3x Zoom Medium Telephoto Lens Flight Mode & Battery: 7 Intelligent Flight Modes Up to 43 Minutes of Flight Time Features: O3+ Transmission with a 9.3-Mile Range Omnidirectional Avoidance with APAS 5.0 D-LOG, D-LOG M & HLG Post Processing Fly More Combo & DJI RC Pro Remote	3	pc	
2026-02-0157-PMS-REGULAR	14	Smart TV 70 inch ICT-2554 Smart TV Screen Size: at least 70 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz Operating System: Tizen Wireless: Wi-Fi 802.11ac, Bluetooth 5.1 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF (Antenna/Cable) x 2 Included: With Mobile TV Cart Stand that can support the device	1	pc	

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-02-01 57- PMS -REGULAR	15	<p>Mirrorless Camera ICT-2510 Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: 24.1 megapixels; APS-C CMOS Processor Type: DIGIC 8 Autofocus: 143 Focus points Autofocus Modes: One-Shot AF, Servo AF / Movie Servo AF Image Resolution: up to 6000×4000</p> <p>Video Shooting: 4K at 23.98 fps 1920 x 1080 at 59.94 fps [60 Mb/s] 1920 x 1080 at 23.98/29.97 fps [30 Mb/s]</p> <p>Memory Card Slot: Single Slot – SD/SDHC/SDXC Wireless : 2.4 GHz Wi-Fi (802.11b/g), Bluetooth 4.2 Display Type: Fixed Non-Touchscreen LCD Battery Type: 1x LP-E17 Rechargeable Lithium-Ion Display Size: 3"</p> <p>Peripheral Connections: USB Type-C (Hi-Speed USB (USB 2.0) equivalent External microphone IN Terminal HDMI micro (Type D) Remote control Terminal(E3) Accessory shoe with RF-S18-45mm f/4.5-6.3 IS STM</p>	1	pc	

<p>2026-00-01 45-INFO-R EGULAR</p>	<p>16</p>	<p>Digital Mixer for Convention Hall ICT-3290 Specification: Input Channels: Mono Mic/Line Inputs: 24 (XLR/TRS) with recallable AnalogiQ™ preamps Stereo Line Inputs: 3 (TRS) Output Channels: Mix Outputs: 20 (XLR) Stereo Groups: 2 (switchable to Mix mode) Monitor Mixes: Up to 9 (4 mono + 5 stereo) Matrix Outputs: 2 stereo AES Digital Output: 1 Processing and Effects: FX Engines: 4 Dedicated FX Sends>Returns: 4 Channel Processing: Trim, polarity, high-pass filter (HPF), gate, insert, 4-band parametric EQ (PEQ), compressor, and delay on all inputs Output Processing: Insert, 4-band PEQ, 1/3 octave graphic EQ (GEQ), compressor, and delay on all outputs Automatic Mic Mixing: Yes Spectrogram: For feedback detection and room acoustics analysis Built-in Signal Generator: Yes Real-Time Analyzer (RTA): With peak band indication Control and Interface: Motorized Faders: 25 Touchscreen: 800×480 resolution Soft Keys: 10 programmable USB Audio Interface: 32×30 channels Qu-Drive: Direct multitrack recording/playback via USB drives DAW MIDI Control: Yes Remote Control Apps: Qu-Pad for iPad Qu-You for iPhone/Android personal monitoring Expansion and Connectivity: dSNAKE Remote Audio Port: For remote I/O expansion Compatibility: Works with ME Personal Mixing System Physical and Design: Finish: High-contrast metallic controls (Chrome Edition). " ital Mixer for Convention Hall Specification: Input Channels: Mono Mic/Line Inputs: 24 (XLR/TRS) with recallable AnalogiQ™ preamps Stereo Line Inputs: 3 (TRS) Output Channels:</p>	<p>1</p>	
--	-----------	--	----------	--

PR #/Division/ Fund Source	Item No.	Description	Qua ntity	Unit	Statement of Compliance
		<p>Mix Outputs: 20 (XLR) Stereo Groups: 2 (switchable to Mix mode) Monitor Mixes: Up to 9 (4 mono + 5 stereo) Matrix Outputs: 2 stereo AES Digital Output: 1 Processing and Effects: FX Engines: 4 Dedicated FX Sends>Returns: 4 Channel Processing: Trim, polarity, high-pass filter (HPF), gate, insert, 4-band parametric EQ (PEQ), compressor, and delay on all inputs Output Processing: Insert, 4-band PEQ, 1/3 octave graphic EQ (GEQ), compressor, and delay on all outputs Automatic Mic Mixing: Yes Spectrogram: For feedback detection and room acoustics analysis Built-in Signal Generator: Yes Real-Time Analyzer (RTA): With peak band indication Control and Interface: Motorized Faders: 25 Touchscreen: 800×480 resolution Soft Keys: 10 programmable USB Audio Interface: 32×30 channels Qu-Drive: Direct multitrack recording/playback via USB drives DAW MIDI Control: Yes Remote Control Apps: Qu-Pad for iPad Qu-You for iPhone/Android personal monitoring Expansion and Connectivity: dSNAKE Remote Audio Port: For remote I/O expansion Compatibility: Works with ME Personal Mixing System Physical and Design: Finish: High-contrast metallic controls (Chrome Edition).</p>			

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-01 45-INFO-REGULAR	17	Professional Wireless Intercom System ICT-3293 Specification: Communication Technology: DECT 6.0 (1.9 GHz) Audio Frequency Response: 150 Hz – 7 kHz Environmental Noise Cancellation (ENC): Dual-Mic ENC for reducing ambient noise Operating Range: Up to 1,100 feet (approximately 335 meters) line-of-sight Headset Design: True-wireless, single-ear with no bodypack required Mute Function: Push-to-Talk (PTT) button or rotating boom to mute Battery Life: Each headset comes with rechargeable batteries; exact duration varies by usage System Expandability: Supports multiple headsets; backward compatible with Solidcom C1 Additional Features: Supports A & B dual grouping and three-system cascaded connection; announce function	1		
2026-00-01 45-INFO-REGULAR	18	Conference Microphone System ICT-3295 Specification: Discussion Delegate Unit Specification: Mounting type Tabletop Frequency response At least 20Hz-20KHz Dynamic range >85dB Sensitivity -46dB±4dB Power input 24V Microphone length Standard 410 mm Headphone jack Mono 3.5mm Internal loudspeaker 4Ω/3W Weight 0.75 kg Dimensions 190×162×60 mm (W×D×H)	40		
2026-00-01 45-INFO-REGULAR	19	Central Discussion Controller ICT-3297 Power Supply: At least 100 ~ 220 V AC, 50/60Hz Screen: OLED Frequency Response: 20 Hz ~ 20 kHz Dynamic Range: > 94 dB Audio Output: 1 x RCA, 1 x XLR Audio Recording Output: USB Capacity: 60 - 70 units Operating Temperature: 0 ~ 45°C Dimensions (W x D x H): 485 mm × 350 mm × 90 mm Weight: 7.6 kg	2		

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-01-213-SWRRD-NSHP AGRI N	20	Printer (Portable Printer) ICT-1751 Print Method: Micro Piezo Printer Function: Print Maximum Resolution: At least 5760 x 1440 dpi Paper Sizes: Legal, Letter, A4, B5, A5, A6, 8×10", 5×7", 4×6", Envelopes: #10, DL, C6 Number of Paper Trays: 1 Interface: USB 2.0 Network: Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct Built-in Battery	1		
2026-02-311-WRMD-S WIIP	21	Multi-Purpose Geotagging ICT-1799 Chipset: At least Snapdragon 8 Gen 1 or it's equivalent Operating System: at least android 13 Screen Size: at least 6.5 inches Screen Resolution: at least 2400 x 1080p (FHD+)pixels Screen Brightness: at least 1000 nits Display Type: 90Hz RAM: at least 8GB Storage: at least 128GB Battery: at least 5000 mAh Network Technology: GSM / CDMA / HSPA / EVDO / LTE / 5G Camera: at least 12MP Front Camera at least 50MP Rear Camera	25		
2026-02-311-WRMD-S WIIP	22	Network Printer ICT-2233 Printer Type: Ink tank Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed) Maximum Resolution: 4800 x 1200 dpi Paper Sizes: A4, Letter, Legal and A3 Number of Paper Trays: 2 Automatic 2-Sided Printing (up to A4/Letter) Interface: USB 2.0 Network: Wireless, Mopria, AirPrint, Direct Wireless, Ethernet	2		

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-02-31 1-WRMD-S WIIP	23	Document Scanner ICT-1802 Portable Scanner Technology: Dual CIS Resolution: up to 1200 x 1200 dpi Scanning Width: up to 215.9 mm Scanning Length: up to 1,828 mm Power Source: USB Type-B Battery: Lithium 1200 mAh Interface: USB 3.0 Micro SD: 2GB – 32GB Wireless LAN: IEEE 802.11b/g/n, IEEE 802.11g (Wi-Fi Direct) Features: Duplex scanning ID Card scanning (up to 1 mm) LED display	4		
2026-02-31 1-WRMD-S WIIP	24	Portable Projector ICT-2784 Light Source Type: LED Native Resolution: at least 854×480 Brightness: at least 300 Lumens Built-in Battery: at least 12000mAh Lamp Life: up to 30000 hrs Contrast Ratio: at least 120000:1 Resolution Support: VGA(640 x 480) to FullHD(1920 x 1080) HDTV Compatibility: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p Input: HDMI: 1, (HDMI 1.4/ HDCP 1.4) USB Type C: 1 (5V/ 2A) Audio-in (Bluetooth): 1 (BT4.2) USB Type A: 1, (USB2.0 Reader) SD Card: Micro SD (32GB, SDHC) Wifi Input: 1 (5Gn) Output: Audio out (3.5mm): 1 Audio-out (Bluetooth): 1 (BT4.2) Speaker: 3W Cube x2 USB Type A (Power): 1 , (USB2.0 – 5V/1A,, share with USB A Input) With Carry Bag	4		

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-02-38 0-GSITD-S TALAR-MA P	25	<p>Server (1 Physical Server & 2 License for Windows Server 2022) ICT-3299</p> <p>Processor: Intel Xeon Silver 4208 2.1G, 8C/16T Additional Processor: Intel Xeon Silver 4208 2.1G, 8C/16T System Memory: 32GB (16Gb x 2) of 3200MT/s RDIMMs Hard Drive: 1TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive Chassis: with up to 8, 3.5" Hot Plug Hard Drives Power Supply: Dual, Hot-plug, Redundant Power Supply 495Watts</p> <p>Add ons:</p> <p>Windows Server Standard 2022 or latest Licensing Model: Core-Based</p>	1		
2026-02-38 0-GSITD-S TALAR-MA P	26	<p>Smart Cabinet ICT-3301</p> <p>No. of Racks: 1 Cooling Capacity: at least 3.5 kW Cooling Redundancy: Yes UPS Capacity: at least 2 * 3 kVA UPS Redundancy: Yes Backup Time: at least 5 mins to 60 mins Monitoring: Yes Fire Suppression and Access Control: Optional Usable U Space: at least 22U Display Panel: at least 7 inches Rack PDU type: All Types (Basic, Metered and Monitored) CE Certification: Yes</p>	1		

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-02-38 0-GSITD-S TALAR-MA P	27	<p>File Storage (NAS) ICT-3303</p> <p>Processor: Intel Core i9 latest generation or its equivalent Memory: at least 32GB, DDR5 (upgradable) Memory Slot: 2 X SODIMM DDR4 Drive Bay: 8 X 3.5-inch SATA 6Gb/s, 3Gb/s Drive Compatibility: 3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA solid state drives</p> <p>Hot Swappable: Yes M.2 Slot: 2 M.2 Compatibility: NVMe SSD PCIe Gen 3 and above SSD Cache Acceleration Support: Yes 2.5 Gigabit Ethernet Port (2.5G/1G): at least 2 (2.5G/1G) 10 Gigabit Ethernet Port (10G/5G/2.5G/1G): at least 2 Wake on Lan (WOL): Yes LED Indicators: HDD 1-8, Status, LAN, USB port, M.2 port Standard Warranty: 3 years</p> <p>Included: NAS Storage Hard Disk Quantity: 8 Capacity: 8 TB Speed: 7200 RPM Interface: 3.5-inch SATA 6 GB/s</p>	1		
2026-02-38 2-GSITD-S TALAR-MA P	28	<p>Book Scanner ICT-3220</p> <p>Maximum Scan Size up to: A3 Image Sensor: 24-megapixel CMOS color sensor Resolution: 5696 × 4272 pixels (≈320 DPI) Image Capture Speed: 1.5 seconds per page File Formats Supported: Image: JPG, PNG, BMP, TIF, PDF Document: WORD, Excel, TXT, Searchable PDF Video Format: Online: AVI, WMV, MP4 Offline: MOV Interface: USB 2.0, HDMI output Power Supply: AC 100–240V input, DC adapter output Lighting: Built-in LED lighting with auxiliary side lights (auto light optimization) Screen Size: 2.4 inches LCD preview screen with USB Cable, Black Scan Mat, Finger Cots, Adapter, Foot Pedal, Hand Button, HDMI Cable Focus: Auto-Focus Effect: Color / Grayscale / Black and White</p>	1		



PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-02-38 2-GSITD-S TALAR-MA P	29	Power Supply(UPS) ICT-3223 Input Voltage: 220VAC Frequency: 50hz – 60hz Output Voltage: 220VAC Capacity VA/Wattage: 650VA/455Watts Transfer Time: ≤10ms including direction time	5		
2026-02-04 45-SCMD- RD-Corn-C ontinuing	30	Geotagging Device(Mobile) ICT-3225 • Chipset: MediaTek Dimensity 8400-Ultra • Operating System: at least Android 15 • Screen Size: at least 6.83 inches • Screen Resolution: at least 2772 × 1280 pixels • Screen Brightness: at least 3200 nits • Display Type: AMOLED, 120Hz • RAM: at least 12GB • Storage: at least 256GB • Battery: at least 5500 mAh • Network Technology: GSM / HSPA / LTE / 5G • Camera: o Front Camera: at least 16MP o Rear Camera: at least 50MP main	5		
2026-03-05 90-STALAR -MAP	31	Hand-held (Camera) ICT-3161 Camera type: Handheld/Action Camera Microphones: 3 Screen Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58° ; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63° ; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Low-Light Video: 50-16000 Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi	4	pc	

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-03-05 90-STALAR -MAP	32	Earphones (In-ear) ICT-3217 Headphone Type: Closed, dynamic, in-ear Driver Unit: 12 mm dome type (CCAW voice coil) Magnet: Neodymium Impedance: 16 Ω (at 1 kHz) Frequency Response: 4 Hz – 24,000 Hz Sensitivity: 110 dB/mW Maximum Power Input: 100 mW Cord Type: Y-shape, Litz cable (tangle-free) Cord Length: at least 1m Plug: L-shaped, gold-plated 4-pole mini plug (3.5mm AUX) Wearing Style: In-ear canal Microphone/Remote: Inline mic with remote control for calls and music	9	pc	
Unit and it's component must be BRAND NEW, UNUSED & NOT CLONE					
Brand and model offered shall be indicated on the technical proposal per line item					
Warranty: all equipment must be at least 1 year warranty on parts and labor service					
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)					

Lot 3: Supply and Delivery of ICT Supplies and Toners

PR No.	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-0057 WRMD-INS Various 2026 (18)	1	Micro SD 256 ICT-3178 Capacity: 256GB Type: Micro SDXC Read Speed: Up to 200 MB/s Write Speed: Up to 90MB/s	18	pc	
2026-00-0058 -WRMD-ESET S-Rice (2) 2026-00-0062 -Planning-Reg ular Fund (6) 2026-00-0120 -GSITD-STO ICT 2026 (60) 2026-00-0123 -SWRRD-LFP -NSHP (4) 2026-02-394- LUPEZ-NSHP (3)	2	Wireless Keyboard & Mouse ICT-2797 Keyboard 3 Zone-Layout Adjustable height -tilt legs Special Keys: Music Controls Palm Rest 10-Key Number pad Key type: Deep profile On/Off power switch Mouse Sensor technology: High-precision Optical tracking Number of buttons: 3 (Left/Right-click, Middle click) Scrolling: line-by-line Scroll Wheel: Yes, 2D, mechanical Connect/Power: On/Off power button	75	set	
2026-00-0062 -Planning-Reg ular Fund (6) 2026-00-0120 -GSITD-STO ICT 2026 (12)	3	USB Port Hub (10 Ports) Interface Type: USB 3.0 Ports: 10 Ports Standard: USB 3.0 Body Type: Aluminum Interface: USB3.0 Speed: 5Gbps Support Function: Current Protection/Hot Swap Plug: 12V Power Adapter Cable Length: 1M	18	pc	
2026-00-0062 -Planning-Reg ular Fund	4	USB Mutiport Adapter (7 – in – 1) Interface Type: Type-C Ports: 7 Ports Output: USB3.0,HDMI 4k@30Hz,SD/TF, PD 100W Speed: 5Gbps Charging: 100W max input	2	pc	
2026-00-0120 -GSITD-STO ICT 2026 (3)	5	OTG Type C/Flash Drive 128 GB Capacity: 128GB Speed: USB 3.1 Gen.1 up to 150MB/s read Interface: USB-A Type-C	3	pc	
2026-00-0120 -GSITD-STO ICT 2026	6	Micro SD Card (128GB with card reader) Storage Capacity: 128GB Card Type: microSDXC	5	pc	
2026-00-0120 -GSITD-STO ICT 2026	7	RJ45 Keystone Jack (CAT6) Category Standard: ANSI/TIA-568.2-D (CAT6) Data Transmission: Up to 10 Gbps (10GBASE-T) Connector Type: RJ45 (8P8C) female Termination Type: Punch-down (IDC)	197	pc	

PR No.	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-0120 -GSITD-STO ICT 2026	8	RJ45 (Extender CAT6 (Female to Female)) Category Standard: ANSI/TIA-568.2-D (CAT6) Connector Type: RJ45 8P8C (female-to-female)	20	pc	
2026-00-0120 -GSITD-STO ICT 2026 (9) 2026-00-0121 -GSITD-STAL AR-MAP 2026 (10)	9	RAM (16 GB DDR4) DDR4 16GB (16×1) 3600 MHz LoDimm	19	pc	
2026-00-0120 -GSITD-STO ICT 2026 (6) 2026-00-0121 -GSITD-STAL AR-MAP 2026 (6)	10	RAM (16GB DDR5) DDR5 8GB (8×2) 5200 MHz LoDimm	12	pc	
2026-00-0120 -GSITD-STO ICT 2026 (18)	11	Power Supply (650w) Watts: at least 650 Rating: 80+ Bronze Type: Non-Modular Fan Size: 120mm Form Factor: ATX	18	pc	
2026-00-0120 -GSITD-STO ICT 2026 (3) 2026-00-0121 -GSITD-STAL AR-MAP 2026 (15)	12	Cable (HDMI) HDMI (Male) to HDMI (Male) 5 meters Resolution: 1080P	18	pc	
2026-00-0120 -GSITD-STO ICT 2026	13	HDMI Splitter (4-port) Input Ports: 1 × HDMI (Type A, 19-pin, female) Output Ports: 4 × HDMI (Type A, 19-pin, female)	2	pc	
2026-00-0121 -GSITD-STO ICT 2026	14	Cable (HDMI 2Meters) HDMI (Male) to Display Port (Male) 2 meters Resolution: 4k@30Hz	15	pc	
2026-00-0121 -GSITD-STO ICT 2026	15	Cable (Cat6 Slim Patch Cable) Cat6 Slim Patch Cable	30	pc	
2026-00-0121 -GSITD-STAL AR-MAP 2026	16	USB HUB (6 in 1) USB C ethernet hub 4K@60Hz HDMI data transfer atleast 10Gbps 1000mbps Gigabit ethernet, PD 100W charging, 2x USB-A 3.2 gen2 1x USB-C 3.2 gen2	8	pc	
2026-00-0061 -RD Corn	17	Brother LC462 BK, Black	10	pc	
2026-00-0061 -RD Corn	18	Brother LC462 C, Cyan	10	pc	
2026-00-0061 -RD Corn	19	Brother LC462 M, Magenta	10	pc	
2026-00-0061 -RD Corn	20	Brother LC462 Y, Yellow	10	pc	
2026-00-0061 -RD Corn(75)	21	Epson 003 - Cyan 65ml	93	pc	

PR No.	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-0104-ESETS-Rice(15) 2026-00-0119-STO-ICT 2026(3)					
2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Rice(15) 2026-00-0119-STO-ICT 2026(3)	22	Epson 003 - Magenta 65ml	68	pc	
2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Rice(15) 2026-00-0119-STO-ICT 2026(3)	23	Epson 003 - Yellow 65ml	68	pc	
2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Rice(45) 2026-00-0119-STO-ICT 2026(13)	24	Epson 003 - Black 65ml	108	pc	
2026-00-0104-ESETS-Rice	25	HP GT53 - Black 90ml	32	pc	
2026-00-0104-ESETS-Rice	26	HP GT52 - Cyan 70ml	20	pc	
2026-00-0104-ESETS-Rice	27	HP GT52 - Magenta 70ml	20	pc	
2026-00-0104-ESETS-Rice	28	HP GT52 - Yellow 70ml	20	pc	
2026-00-0104-WRMD-ESETS-Rice	29	Epson L385 Inkpad	5	pc	
2026-00-0104-WRMD-ESETS-Rice	30	Epson L405 Inkpad	5	pc	
2026-00-0104-WRMD-ESETS-Rice	31	Epson L3110 Inkpad	10	pc	
2026-00-0104-WRMD-ESETS-Rice	32	Epson L3210 Inkpad	10	pc	
2026-00-0104-WRMD-ESETS-Rice	33	HP M0H50AA (Tri-color)	5	pc	
2026-00-0104-WRMD-ESETS-Rice	34	HP X4E75AA (Black)	5	pc	
2026-00-0104-WRMD-ESETS-Rice	35	Epson 289 (Black)	45	pc	
2026-00-0104-WRMD-ESETS-Rice	36	Epson 290 (Tri-color)	45	pc	
2026-00-0119-STO-ICT 2026(10)	37	HP 680 Tri-color Original Ink Advantage Cartridge 4 mL	15	pc	

PR No.	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-00-0124-LFP-NSHP-S WRRD (BIOSMS)(5)					
2026-00-0119-STO-ICT 2026(10) 2026-00-0124-LFP-NSHP-S WRRD (BIOSMS)(12)	38	HP 680 Black Original Ink Advantage Cartridge 8.5 mL	22	pc	
2026-00-0119-STO-ICT 2026	39	Brother DCP - T710W - Black	7	pc	
2026-00-0119-STO-ICT 2026	40	Brother DCP - T710W -Magenta	3	pc	
2026-00-0119-STO-ICT 2026	41	Brother DCP - T710W -Cyan	3	pc	
2026-00-0119-STO-ICT 2026	42	Brother DCP - T710W - Yellow	3	pc	
2026-00-0119-STO-ICT 2026	43	Brother HL - T4000DW- Black	4	pc	
2026-00-0119-STO-ICT 2026	44	Brother HL - T4000DW- Magenta	2	pc	
2026-00-0119-STO-ICT 2026	45	Brother HL - T4000DW- Cyan	2	pc	
2026-00-0119-STO-ICT 2026	46	Brother HL - T4000DW- Yellow	2	pc	
2026-00-0119-STO-ICT 2026	47	Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF400X, Black	2	pc	
2026-00-0119-STO-ICT 2026	48	Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF401X, Cyan	1	pc	
2026-00-0119-STO-ICT 2026	49	Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF402X, Yellow	1	pc	
2026-00-0119-STO-ICT 2026	50	Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF403X, Magenta	1	pc	
2026-00-0119-STO-ICT 2026	51	HP DESKJET 2337 INKJET CARTRIDGES Ink Cartridge HP 682, Tri-color 4ml Ink Cartridge HP 682, Black 8.5ml	4	pc	
2026-00-0124-LFP-NSHP-S WRRD (BIOSMS)	52	Canon CL-57 Ink Cartridge Colored 15 mL	18	pc	
2026-00-0124-LFP-NSHP-S WRRD (BIOSMS)	53	Canon PG-47 Ink Cartridge Black 15 mL	18	pc	
2026-00-0145-INFO-REGULAR	54	8PS-15 Extension Cable Specification: Color: Black Connectors: One Male, One Female Length 15m	2	pc	
2026-00-0145-INFO-REGULAR	55	8P-T3 T-Cable Specification: Color: Black Connectors: Two Male, one Female Length 1.5m + 1.2m	40	pc	

PR No.	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-01-213-NSHP AGRIN (5) 2026-03-0533-WRMD-LFP-SWIIP(47)	56	Powerbank ICT-2199 Battery Capacity: at least 20000 mAh Input ports: Lightning Micro-USB Output ports: USB Type-A (2) I/O: DC 5V – 2.1A	52	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	57	Epson T6641, Black	4	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	58	Epson T6642, Cyan	3	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	59	Epson T6643, Magenta	3	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	60	Epson T6644, Yellow	3	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	61	HP GT 53 Black, 90 ml	8	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	62	HP GT 52 Cyan, 70 ml	7	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	63	HP GT 52 Magenta, 70 ml HP GT 52 Yellow, 70 ml	7	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	64	HP GT 52 Yellow, 70 m	7	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	65	HP 680, Black	3	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	66	HP 680, Color	3	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	67	Epson 003, Black	3	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	68	Epson 003, Cyan	3	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	69	Epson 003, Magenta	3	pc	
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	70	Epson 003, Yellow	3	pc	
2026-02-252-LFP-NSHP-S	71	Ink for HP GT-52 - Yellow	5	pc	

PR No.	Item No.	Description	Quantity	Unit	Statement of Compliance
WRRD (AGRI N)					
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	72	Ink for HP GT-52 - Cyan	5	pc	
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	73	Ink for HP GT-52 - Magenta	5	pc	
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	74	Ink for HP GT-53 - Black	6	pc	
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	75	BTD60BK Ink Bottle- Black 100ml Compatible with Printer: Brother DCPT710W	4	pc	
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	76	BT-5000 Cyan 50ml, Compatible with Printer: Brother DCPT710W 50ml	4	pc	
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	77	BT-5000 Magenta 50ml, Compatible with Printer: Brother DCPT710W	4	pc	
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	78	BT-5000 Yellow 50ml, Compatible with Printer: Brother DCPT710W 50ml	4	pc	
2026-02-360-SWIIP	79	Memory Card (Micro SD 128GB) ICT-1870 Capacity: 128GB Type: Micro SDXC Read Speed: Up to 200 MB/s Write Speed: Up to 90MB/s	50	pc	
2026-02-360-SWIIP	80	Wireless Mouse Basic ICT-2810 SENSOR TECHNOLOGY Optical tracking DPI (Min/Max): 1000± BUTTONS Number of Buttons: 3 (Left/Right-click, Middle click) SCROLLING Line-by-line scrolling Scroll Wheel: Yes, 2D, optical Battery Details: 1 x AA (included) CONNECTIVITY Connection Type: 2.4 GHz wireless connection Wireless range: at least 10 m Connect / Power: Yes, on/off switch	52		
2026-02-361-SWIIP	81	Epson 008 Black Ink (127 mL)	6		
2026-02-361-SWIIP	82	Epson 008 Cyan Ink (70 mL)	4		
2026-02-361-SWIIP	83	Epson 008 Magenta Ink (70 mL)	4		
2026-02-361-SWIIP	84	Epson 008 Yellow Ink (70 mL)	4		

PR No.	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-02-394-NSHP	85	Wireless Mouse ICT-2189 Type: Wireless Connection Type: Bluetooth® Smart and 2.4GHz wireless connection Wireless range: 10 m Battery Details: 1 x AA DPI (Min/Max): 1000± Sensor resolution: 1000 dpi Scroll Wheel: 3G Core Number of buttons: 8	2		
2026-02-394-NSHP	86	Wireless HDMI Extender (Adaptor) ICT-2876 HDMI display up to 50m from the HDMI source HD 1080p video wireless transmission 5GHz transmission efficiency	1		
2026-02-394-NSHP	87	ICT-3200 HDMI Splitter Input Ports: 1 × HDMI (Type A, 19-pin, female) Output Ports: 4 × HDMI (Type A, 19-pin, female)	1	pcs	
2026-03-0533-LFP-SWIIP(12)	88	External storage (1TB, Gen3.2) ICT-2172 Type: SSD Capacity: 1 TB Interface: USB Gen 3.2 Sequential Read : Up to 1,050MB/sec Sequential Write : Up to 1,000 MB/sec Encryption: AES 256-bit hardware encryption	12		
2026-03-0533-LFP-SWIIP(25)	89	External Storage(SSD) ICT-2248 Type: SSD Capacity: 2 TB USB 3.2 Gen 2 x2 Sequential Read: Up to 2,000MB/sec Sequential Writ : Up to 2,000 MB/sec Encryption: AES 256-bit hardware encryption USB-C to USB-C Cable USB-C to USB-A Cable	25		
2026-03-584-STALAR-MAP	90	HP 680 Cartridge Black - 8.5 ml	25		
2026-03-584-STALAR-MAP	91	HP 680 Cartridge Tri-color - 4 ml	25		
2026-03-584-STALAR-MAP	92	T40B UltraChrome XD2 Black Ink 80 ml	3		
2026-03-584-STALAR-MAP	93	T40B UltraChrome XD2 Cyan Ink 50 ml	3		
2026-03-584-STALAR-MAP	94	T40B UltraChrome XD2 Magenta Ink 50 ml	3		
2026-03-584-STALAR-MAP	95	T40B UltraChrome XD2 Yellow Ink 50 ml	3		
2026-03-584-STALAR-MAP	96	LaserJet Imaging Drum, HP 126A (CE314A)	3		
2026-03-584-STALAR-MAP	97	HP 416A (W2040A), Black	2		
2026-03-584-STALAR-MAP	98	HP 416A (W2043A), Magenta	2		



PR No.	Item No.	Description	Quantity	Unit	Statement of Compliance
2026-03-584-STALAR-MAP	99	HP 416A (W2042A), Yellow	2		
2026-03-584-STALAR-MAP	100	HP 416A (W2041A), Cyan	2		
Inks, toner and cartridge must be GENUINE					
Brand and model offered shall be indicated on the technical proposal per line item					
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)					
Bidders must submit a copy of Certificate of Authorized Reseller and Manufacturing Authenticity Certificate (during post qual)					

LOT 4: Supply and Delivery of ICT Software (Subscriptions)

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Statement of Compliance
GSITD-2026-00-0118-NSHP	1	Azure Database (12 Months)	1	license	
GSITD-2026-00-0118-NSHP	2	MS Office 365 Business Standard (12 Months)	26	license	
GSITD-2026-00-0118-NSHP (2) 2026-02-250-WRMD(4)	3	Editing Software (Adobe Creative Cloud) (12 Months) ICT-3088 Features included: • 1 license per user • Can be activated on up to 2 devices (1 device at a time) • Access to 20+ editing applications • 100GB cloud storage • Creative Cloud Libraries • Version history: Keep past file versions for 30 days • 1 year Subscription	6	license	
2026-02-250-WRMD	4	Canva Editing Software	4	license	
2026-02-250-WRMD	5	Autodesk Civil 3D	6	license	

Lot 1: Supply and Delivery of Computers

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-01-0518 SWIIP (5) 2026-02-0381- STALAR-MAP (16)	1	Desktop (Highend- Mapping/CAD/System Development) ICT-2940 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 7 7000/8000 series Graphics Card: at least dedicated, at least 6GB VRAM, GDDR6 Memory: at least 16GB (x2) DDR5 (expandable to 64GB); at least 4 DIMM Slots Motherboard: Compatible with the specified processor and memory; at least 2x M.2 Slot; 4x RAM Slot; 1x HDMI; Internal Storage: at least 500GB M.2 NVMe SSD + 1TB 2.5" SSD Form Factor: Tower type (atleast H:22in by W:9in) Pre-installed Fans Monitor size: at least 27" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75 Hz Display Response Time: up to 5 ms Power Supply: at least 650Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons	21	unit	145,000.00	3,045,000.00

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-0150 PMS- (18) 2026-02-0381-STALAR-MAP (3)	2	Desktop (DP-Office Productivity Advanced) ICT-2275 Processor: at least Intel Core i5 (14th Gen) latest generation or its equivalent Ryzen 5 7000/8000 series Graphics Card: dedicated, at least 4GB VRAM, GDDR6 Memory: at least 8GB (x2) DDR5 (expandable to 32GB); at least 2 DIMM Slots Motherboard: Compatible with the specified processor and memory; at least 1 x M.2 Slot; 2x RAM Slot;1x HDMI Internal Storage: at least 500GB M.2 NVMe SSD Form Factor: Tower type (atleast H:14.5in by W:6in) Pre-installed Fans Monitor size: at least 27" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75 Hz Display Response Time: up to 5 ms Power Supply: at least 500Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons	21	unit	70,000.00	1,470,000.00

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-0037-SWRRD LFP-NSHP-ABFS (1) 2026-00-0059-WRMD-ESET-Rice (2)	3	Desktop (Office Document - Basic) ICT-2273 Processor: at least Ryzen 5 (5000 series) or its equivalent Intel i5 (12th Gen) Graphics Card: Integrated Memory: at least 8GB (x2) DDR4; at least 2 DIMM Slots Motherboard: Compatible with the specified processor and memory; at least 1 x M.2 Slot; 2x RAM Slot; 1x HDMI; Internal Storage: at least 500GB SSD Form Factor: Tower type (atleast H:14in by W:6in) Pre-installed Fans Monitor size: at least 23.8" Panel Type: IPS Resolution: at least 1920 x 1080 Display Refresh Rate: at least 75Hz Display Response Time: up to 5 ms Power Supply: at least 500Watts 80+ Bronze Ecolabels & Compliances (Monitor): Energy star certified Operating System: latest Microsoft Windows Professional Edition, 64-bit (Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) Included Accessories: Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons	3	unit	49,900.00	149,700.00
2026-00-0117-GSITD AFACI-Soil Phase 2	4	Laptop (Executive 13") ICT-3138 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 7 7000/8000 series Storage: at least 2 TB NVMe or 1 TB + 1 TB NVMe Gen4 Memory: at least 32GB x1 or 16GB x 2 , DDR5 GPU: Integrated graphics Camera: at least 1080 FHD Screen size: at least 13.4" inch Display Type: at least 120Hz Battery Type: at least 55WHrs; at least 3-cell battery Battery Charger: Type-C, Must be same brand with the offered unit Weight: not more than 1.2 kg Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Home (Perpetual) and compatible with the existing productivity suites (MS	2	unit	180,000.00	360,000.00



PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
		Office)				
2026-01-0518 SWIIP (5)	5	Laptop (Mapping/CAD/System Development) ICT-3269 Processor: Intel Core i7 (14th Gen) latest generation or its equivalent Ryzen 7 7000/8000 series Graphics Card: dedicated, at least 8GB VRAM Memory: at least 16GBx1 or 8GBx2, DDR5 Storage: at least 1TB M.2 NVMe SSD Display Panel size: at least 14" inch Display Type: OLED Display Refresh Rate: at least 120 Hz Battery Type: at least 70WHrs, 4-cell Li-ion Weight: not more than 1.7 kg Ecolabels & Compliances: Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Home (Perpetual) and compatible with the existing productivity suites (MS Office)	5	unit	150,000.00	750,000.00
2026-02-381-S TALAR-MAP	6	Laptop (High end-Mapping/CAD/System Development) ICT-2946 Processor: Intel Core i9 (14th Gen) latest generation or its equivalent Ryzen 9 7000/8000 series Graphics Card: dedicated, at least 8GB VRAM Memory: at least 16GB x 1 or 8GB x 2, DDR5 Storage: at least 1TB M.2 NVMe SSD Display Panel size: at least 14" inch Display Type: OLED Display Resolution: at least 3K (2880 x 1800) Display Refresh Rate: at least 120 Hz Battery Type: at least 70WHrs, 4-cell Li-ion Weight: not more than 1.5 kg Ecolabels & Compliances: Energy star certified Operating System: latest Microsoft Windows Professional or its equivalent (Perpetual) and compatible with the existing productivity suites (MS Windows) Productivity Suites: latest Microsoft Office Home (Perpetual) and compatible with the existing productivity suites (MS Office)	3	unit	200,000.00	600,000.00

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-02-0445-SCMD-RD Corn-Continuing(3)	7	Laptop (Office Document - Basic) ICT-2282 Processor: at least Ryzen 5 (7000 series) or its equivalent Intel i5 (14th Gen) Graphics Card: Integrated Memory (RAM): at least 8GB DDR5 Storage: at least 512 M.2 NVMe SSD Display screen size: at least 15.6" inch Display Type: OLED or IPS Display Resolution: at least 1920 x 1080 Display Refresh Rate: at least 60 Hz Battery Type: at least 50 WHrs,3-cell Li-ion Weight: not more than 2 kg Operating System: latest Microsoft Windows Home, 64-bit(Perpetual) Productivity Suites: latest Microsoft Office Home (Perpetual) and compatible with the existing productivity suites (MS Office)	3	unit	49,900.00	149,700.00
Accessories for laptop- Laptop Sleeve/backpack						
Unit and it's component must be BRAND NEW, UNUSED & NOT CLONE						
Brand and model offered shall be indicated on the technical proposal per line item						
Warranty: all equipment must be at least 1 year warranty on parts and labor service						
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)						
GRAND TOTAL						6,524,400.00

Lot 2: Supply and Delivery of Other Equipment and Peripherals

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-00 60-SCMD- RD-Corn (1) 2026-02-27 8-INS VARIOUS (8) 2026-02-04 40-LFP NSHP ALMED (20)	1	Multi-Purpose Geotagging Device (Tablet) ICT-2177 CPU: at least Octa-Core Display Type: TFT LCD Screen Size: at least 12 inches Screen Resolution: at least 1600 x 2560 pixels Screen Brightness: at least 500 nits Operating System: at least Android 11 Chipset: at least Qualcomm SM7225 Snapdragon 750G or it's equivalent RAM: at least 6GB Storage: at least 128GB Battery: at least LiPo 10,000 mAh Simcard Form Factor: Nano Camera: at least 5MP Front Camera at least 8MP Rear Camera Positioning: GPS, GLONASS, BDS, GALILEO with Stylus pen	29	pc	49,000.00	1,421,000.00
2026-00-00 60-SCMD- RD-Corn (2)	2	Projector ICT-2177 Light Source Type: LCD Native Resolution: WXGA (1280 x 800) Brightness: at least 2000 Lumens Lamp Life: (Normal / Eco): 6,000 / 12,000 hours Contrast Ratio: 16,000:1 Analog Input Composite: 1 RCA Digital Input: at least HDMI x 1 Audio Input: 2RCA (White & Red): 1 USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Wireless Projection: IEEE 802.11b (2.4GHz): 11 Mbps*2 IEEE 802.11n (2.4GHz): 72.2 Mbps*2 IEEE 802.11a (5GHz): 54Mbps*2 IEEE 802.11n (5GHz): 150 Mbps*2 IEEE 802.11g (2.4GHz): 54 Mbps*2	2	pc	40,000.00	80,000.00
2026-00-01 10-GSITD- STO ICT 2026	3	Desktop Speaker ICT-2859 Two satellite speakers Connectivity: 3.5 mm input: 1 USB Cable: 1 Bluetooth at least v5.0 Controls: at least Power and volume controls on right speaker	17	pc	3,600.00	61,200.00

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-01 10-GSITD- STO ICT 2026	4	Multimedia Display (Smart TV 50 inch LED) ICT-2862 Type: Smart TV Screen Size: at least 50 inch TV Resolution: at least 4K Refresh Rate: 60Hz Display Panel: LED Bluetooth: 5.2 Speaker: at least 20w Wi-Fi 5: 2.4G & 5G 3-Side Bezel-less I/O Ports: HDMI 2.1 x 3 USB-A x 1 Ethernet Lan x 1	4	pc	35,000.00	140,000.00
2026-00-01 10-GSITD- STO ICT 2026	5	Camera (DSLR) ICT-2508 Type: Digital Single Lens Reflex (Interchangeable Lens Camera) Image Sensor: 24.1MP APS-C CMOS sensor & DIGIC 4+ image processor Autofocus: 9-point AF with 1 centre cross-type AF point Standard ISO 100 – 6400 (expandable to 12800) Wireless Connection: Wi-Fi / NFC supported Up to 3 shots per second continuous shooting speed Screen: 3 inch LCD monitor with 18-55mm IS II Black lens	2	pc	42,000.00	84,000.00
2026-02-31 1-WRMD-S WIIP(30)	6	UPS ICT-2219 Type: Uninterruptible Power Supply (UPS) Input Capacity: 650w/1200 VA Universal Socket: 4 Sockets Nominal Output Voltage: 230V Nominal Input Voltage: 230V Battery Type: Lead-acid battery Typical Charge Time: 8 hour(s)	30	pc	8,500.00	255,000.00
2026-00-01 20-GSITD- STO ICT 2026 (18) 2026-00-01 21-GSITD- STALAR-M AP 2026 (10)	7	Internal Storage (SSD-1TB) ICT-1843 SSD Capacity: 1 TB Interface: SATA 6 GB/S Sequential Read: Up to 560 MB/s Sequential Write: Up to 530 MB/s	18	pc		224,000.00



PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-01 21-GSITD- STALAR-M AP 2026(9)	8	Internal Storage (SSD M.2-1TB) ICT-2224 SSD M.2 Capacity: 1 TB Form Factor: M.2 2280 Interface: PCIe Gen4 x4 Sequential Read Performance: At least 5000MB/s Sequential Write Performance: At least 4000MB/s	6	pc		59,400.00
2026-00-01 21-GSITD- STALAR-M AP 2026	9	Internal Storage (NAS Drive 8TB) ICT-3115 Network Attached Storage Hard Disk Drive Capacity: 8 TB Interface: SATA 6 GB/S Speed: 7200RPM Cache: 256MB	10	pc	18,000.00	180,000.00
2026-00-01 44 Info-Regula r Fund	10	Floor Standing LCD Display - 55" Indoor Touch Totem ICT-3278 Screen Size: at least 55-inch LCD Resolution: at least 2k Touch: Multi-touch capacitive Orientation: Vertical / Floor-standing totem Connectivity: HDMI, USB ports, WiFi, LAN Media Playback: Built-in media player (supports images and videos) Enclosure: Metal body, indoor use, stable base Power: Standard AC input Package Includes: Display unit, power cable, basic accessories	3	pc	70,000.00	210,000.00
2026-00-01 44 Info-Regula r Fund	11	Overhead Scanner ICT-3280 Type: Overhead, contactless scanner Max Scan Size: 432 × 300 mm Scan Speed: Approx. 3 seconds per page Resolution: Up to 285 dpi (optical) Supported Media: Books, magazines, photos, documents up to 30 mm thick Features: Book curve correction Page-turn detection Auto-crop, auto-rotate, multi-document detection Connection: USB Compatibility: Windows and macOS Design: Non-contact scanning to protect bound and delicate materials Warranty: Must include supplier warranty and after-sales support	1	pc	66,000.00	66,000.00



PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-0144 Info-Regular Fund	12	Wireless Video Monitor System ICT-3283 Display: 7-inch touchscreen monitor Brightness: 1200 nits (daylight viewable) Wireless System: Includes Transmitter (TX) and Receiver (RX) Transmission Range: Up to 1300 ft Latency: As low as 60 ms Frequency: Dual-band 2.4 GHz & 5 GHz hopping Video Inputs/Outputs: SDI and HDMI monitoring switch Streaming Support: RTMP for direct live streaming Usage: Real-time monitoring for video production Package Includes: Monitor, TX, RX, accessories (as provided by manufacturer)	1	pc	47,000.00	47,000.00
2026-02-381-STALAR-MAP (3)	13	Drone with accessories ICT-3054 Camera: 3-Axis Gimbal with Tri-Camera System 20MP 5.1K Wide-Angle 4/3 CMOS Hasselblad 166mm 12MP 7x Zoom Telephoto 70mm 48MP 3x Zoom Medium Telephoto Lens Flight Mode & Battery: 7 Intelligent Flight Modes Up to 43 Minutes of Flight Time Features: O3+ Transmission with a 9.3-Mile Range Omnidirectional Avoidance with APAS 5.0 D-LOG, D-LOG M & HLG Post Processing Fly More Combo & DJI RC Pro Remote	3	pc	240,000.00	720,000.00
2026-02-0157-PMS-REGULAR	14	Smart TV 70 inch ICT-2554 Smart TV Screen Size: at least 70 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz Operating System: Tizen Wireless: Wi-Fi 802.11ac, Bluetooth 5.1 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF (Antenna/Cable) x 2 Included: With Mobile TV Cart Stand that can support the device	1	pc	92,000.00	92,000.00

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-02-01 57- PMS -REGULAR	15	Mirrorless Camera ICT-2510 Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: 24.1 megapixels; APS-C CMOS Processor Type: DIGIC 8 Autofocus: 143 Focus points Autofocus Modes: One-Shot AF, Servo AF / Movie Servo AF Image Resolution: up to 6000×4000 Video Shooting: 4K at 23.98 fps 1920 x 1080 at 59.94 fps [60 Mb/s] 1920 x 1080 at 23.98/29.97 fps [30 Mb/s] Memory Card Slot: Single Slot – SD/SDHC/SDXC Wireless : 2.4 GHz Wi-Fi (802.11b/g), Bluetooth 4.2 Display Type: Fixed Non-Touchscreen LCD Battery Type: 1x LP-E17 Rechargeable Lithium-Ion Display Size: 3" Peripheral Connections: USB Type-C (Hi-Speed USB (USB 2.0) equivalent External microphone IN Terminal HDMI micro (Type D) Remote control Terminal(E3) Accessory shoe with RF-S18-45mm f/4.5-6.3 IS STM	1	pc	48,000.00	48,000.00

2026-00-01 45-INFO-R EGULAR	16	<p>Digital Mixer for Convention Hall ICT-3290</p> <p>Specification:</p> <p>Input Channels: Mono Mic/Line Inputs: 24 (XLR/TRS) with recallable AnalogiQ™ preamps Stereo Line Inputs: 3 (TRS)</p> <p>Output Channels: Mix Outputs: 20 (XLR) Stereo Groups: 2 (switchable to Mix mode) Monitor Mixes: Up to 9 (4 mono + 5 stereo) Matrix Outputs: 2 stereo AES Digital Output: 1</p> <p>Processing and Effects: FX Engines: 4 Dedicated FX Sends>Returns: 4</p> <p>Channel Processing: Trim, polarity, high-pass filter (HPF), gate, insert, 4-band parametric EQ (PEQ), compressor, and delay on all inputs</p> <p>Output Processing: Insert, 4-band PEQ, 1/3 octave graphic EQ (GEQ), compressor, and delay on all outputs</p> <p>Automatic Mic Mixing: Yes Spectrogram: For feedback detection and room acoustics analysis Built-in Signal Generator: Yes Real-Time Analyzer (RTA): With peak band indication</p> <p>Control and Interface: Motorized Faders: 25 Touchscreen: 800×480 resolution Soft Keys: 10 programmable USB Audio Interface: 32×30 channels Qu-Drive: Direct multitrack recording/playback via USB drives DAW MIDI Control: Yes</p> <p>Remote Control Apps: Qu-Pad for iPad Qu-You for iPhone/Android personal monitoring</p> <p>Expansion and Connectivity: dSNAKE Remote Audio Port: For remote I/O expansion Compatibility: Works with ME Personal Mixing System</p> <p>Physical and Design: Finish: High-contrast metallic controls (Chrome Edition). "</p> <p>Digital Mixer for Convention Hall</p> <p>Specification:</p> <p>Input Channels: Mono Mic/Line Inputs: 24 (XLR/TRS) with recallable AnalogiQ™ preamps Stereo Line Inputs: 3 (TRS)</p> <p>Output Channels:</p>	1		170,000.0 0	170,000.00
-----------------------------------	----	---	---	--	----------------	------------



PR #/Division/ Fund Source	Item No.	Description	Qua ntity	Unit	Unit Cost	Total
		<p>Mix Outputs: 20 (XLR) Stereo Groups: 2 (switchable to Mix mode) Monitor Mixes: Up to 9 (4 mono + 5 stereo) Matrix Outputs: 2 stereo AES Digital Output: 1 Processing and Effects: FX Engines: 4 Dedicated FX Sends>Returns: 4 Channel Processing: Trim, polarity, high-pass filter (HPF), gate, insert, 4-band parametric EQ (PEQ), compressor, and delay on all inputs Output Processing: Insert, 4-band PEQ, 1/3 octave graphic EQ (GEQ), compressor, and delay on all outputs Automatic Mic Mixing: Yes Spectrogram: For feedback detection and room acoustics analysis Built-in Signal Generator: Yes Real-Time Analyzer (RTA): With peak band indication Control and Interface: Motorized Faders: 25 Touchscreen: 800x480 resolution Soft Keys: 10 programmable USB Audio Interface: 32x30 channels Qu-Drive: Direct multitrack recording/playback via USB drives DAW MIDI Control: Yes Remote Control Apps: Qu-Pad for iPad Qu-You for iPhone/Android personal monitoring Expansion and Connectivity: dSNAKE Remote Audio Port: For remote I/O expansion Compatibility: Works with ME Personal Mixing System Physical and Design: Finish: High-contrast metallic controls (Chrome Edition).</p>				

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-01 45-INFO-REGULAR	17	Professional Wireless Intercom System ICT-3293 Specification: Communication Technology: DECT 6.0 (1.9 GHz) Audio Frequency Response: 150 Hz – 7 kHz Environmental Noise Cancellation (ENC): Dual-Mic ENC for reducing ambient noise Operating Range: Up to 1,100 feet (approximately 335 meters) line-of-sight Headset Design: True-wireless, single-ear with no bodypack required Mute Function: Push-to-Talk (PTT) button or rotating boom to mute Battery Life: Each headset comes with rechargeable batteries; exact duration varies by usage System Expandability: Supports multiple headsets; backward compatible with Solidcom C1 Additional Features: Supports A & B dual grouping and three-system cascaded connection; announce function	1		172,000.00	172,000.00
2026-00-01 45-INFO-REGULAR	18	Conference Microphone System ICT-3295 Specification: Discussion Delegate Unit Specification: Mounting type Tabletop Frequency response At least 20Hz-20KHz Dynamic range >85dB Sensitivity -46dB±4dB Power input 24V Microphone length Standard 410 mm Headphone jack Mono 3.5mm Internal loudspeaker 4Ω/3W Weight 0.75 kg Dimensions 190×162×60 mm (W×D×H)	40		15,200.00	608,000.00
2026-00-01 45-INFO-REGULAR	19	Central Discussion Controller ICT-3297 Power Supply: At least 100 ~ 220 V AC, 50/60Hz Screen: OLED Frequency Response: 20 Hz ~ 20 kHz Dynamic Range: > 94 dB Audio Output: 1 x RCA, 1 x XLR Audio Recording Output: USB Capacity: 60 - 70 units Operating Temperature: 0 ~ 45°C Dimensions (W x D x H): 485 mm × 350 mm × 90 mm Weight: 7.6 kg	2		118,000.00	236,000.00

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-01-213-SWRRD-NSHP AGRI N	20	Printer (Portable Printer) ICT-1751 Print Method: Micro Piezo Printer Function: Print Maximum Resolution: At least 5760 x 1440 dpi Paper Sizes: Legal, Letter, A4, B5, A5, A6, 8×10", 5×7", 4×6", Envelopes: #10, DL, C6 Number of Paper Trays: 1 Interface: USB 2.0 Network: Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct Built-in Battery	1		20,000.00	20,000.00
2026-02-311-WRMD-S WIIP	21	Multi-Purpose Geotagging ICT-1799 Chipset: At least Snapdragon 8 Gen 1 or it's equivalent Operating System: at least android 13 Screen Size: at least 6.5 inches Screen Resolution: at least 2400 x 1080p (FHD+)pixels Screen Brightness: at least 1000 nits Display Type: 90Hz RAM: at least 8GB Storage: at least 128GB Battery: at least 5000 mAh Network Technology: GSM / CDMA / HSPA / EVDO / LTE / 5G Camera: at least 12MP Front Camera at least 50MP Rear Camera	25		49,900.00	1,247,500.00
2026-02-311-WRMD-S WIIP	22	Network Printer ICT-2233 Printer Type: Ink tank Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed) Maximum Resolution: 4800 x 1200 dpi Paper Sizes: A4, Letter, Legal and A3 Number of Paper Trays: 2 Automatic 2-Sided Printing (up to A4/Letter) Interface: USB 2.0 Network: Wireless, Mopria, AirPrint, Direct Wireless, Ethernet	2		33,000.00	66,000.00

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-02-31 1-WRMD-S WIIP	23	Document Scanner ICT-1802 Portable Scanner Technology: Dual CIS Resolution: up to 1200 x 1200 dpi Scanning Width: up to 215.9 mm Scanning Length: up to 1,828 mm Power Source: USB Type-B Battery: Lithium 1200 mAh Interface: USB 3.0 Micro SD: 2GB – 32GB Wireless LAN: IEEE 802.11b/g/n, IEEE 802.11g (Wi-Fi Direct) Features: Duplex scanning ID Card scanning (up to 1 mm) LED display	4		16,500.00	66,000.00
2026-02-31 1-WRMD-S WIIP	24	Portable Projector ICT-2784 Light Source Type: LED Native Resolution: at least 854×480 Brightness: at least 300 Lumens Built-in Battery: at least 12000mAh Lamp Life: up to 30000 hrs Contrast Ratio: at least 120000:1 Resolution Support: VGA(640 x 480) to FullHD(1920 x 1080) HDTV Compatibility: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p Input: HDMI: 1, (HDMI 1.4/ HDCP 1.4) USB Type C: 1 (5V/ 2A) Audio-in (Bluetooth): 1 (BT4.2) USB Type A: 1, (USB2.0 Reader) SD Card: Micro SD (32GB, SDHC) Wifi Input: 1 (5Gn) Output: Audio out (3.5mm): 1 Audio-out (Bluetooth): 1 (BT4.2) Speaker: 3W Cube x2 USB Type A (Power): 1 , (USB2.0 – 5V/1A,, share with USB A Input) With Carry Bag	4		28,000.00	112,000.00

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-02-38 0-GSITD-S TALAR-MA P	25	Server (1 Physical Server & 2 License for Windows Server 2022) ICT-3299 Processor: Intel Xeon Silver 4208 2.1G, 8C/16T Additional Processor: Intel Xeon Silver 4208 2.1G, 8C/16T System Memory: 32GB (16Gb x 2) of 3200MT/s RDIMMs Hard Drive: 1TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive Chassis: with up to 8, 3.5" Hot Plug Hard Drives Power Supply: Dual, Hot-plug, Redundant Power Supply 495Watts Add ons: Windows Server Standard 2022 or latest Licensing Model: Core-Based	1		800,000.00	800,000.00
2026-02-38 0-GSITD-S TALAR-MA P	26	Smart Cabinet ICT-3301 No. of Racks: 1 Cooling Capacity: at least 3.5 kW Cooling Redundancy: Yes UPS Capacity: at least 2 * 3 kVA UPS Redundancy: Yes Backup Time: at least 5 mins to 60 mins Monitoring: Yes Fire Suppression and Access Control: Optional Usable U Space: at least 22U Display Panel: at least 7 inches Rack PDU type: All Types (Basic, Metered and Monitored) CE Certification: Yes	1		1,500,000.00	1,500,000.00

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-02-38 0-GSITD-S TALAR-MA P	27	<p>File Storage (NAS) ICT-3303 Processor: Intel Core i9 latest generation or its equivalent Memory: at least 32GB, DDR5 (upgradable) Memory Slot: 2 X SODIMM DDR4 Drive Bay: 8 X 3.5-inch SATA 6Gb/s, 3Gb/s Drive Compatibility: 3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA solid state drives Hot Swappable: Yes M.2 Slot: 2 M.2 Compatibility: NVMe SSD PCIe Gen 3 and above SSD Cache Acceleration Support: Yes 2.5 Gigabit Ethernet Port (2.5G/1G): at least 2 (2.5G/1G) 10 Gigabit Ethernet Port (10G/5G/2.5G/1G): at least 2 Wake on Lan (WOL): Yes LED Indicators: HDD 1-8, Status, LAN, USB port, M.2 port Standard Warranty: 3 years</p> <p>Included: NAS Storage Hard Disk Quantity: 8 Capacity: 8 TB Speed: 7200 RPM Interface: 3.5-inch SATA 6 GB/s</p>	1		800,000.00	800,000.00
2026-02-38 2-GSITD-S TALAR-MA P	28	<p>Book Scanner ICT-3220 Maximum Scan Size up to: A3 Image Sensor: 24-megapixel CMOS color sensor Resolution: 5696 × 4272 pixels (≈320 DPI) Image Capture Speed: 1.5 seconds per page File Formats Supported: Image: JPG, PNG, BMP, TIF, PDF Document: WORD, Excel, TXT, Searchable PDF Video Format: Online: AVI, WMV, MP4 Offline: MOV Interface: USB 2.0, HDMI output Power Supply: AC 100–240V input, DC adapter output Lighting: Built-in LED lighting with auxiliary side lights (auto light optimization) Screen Size: 2.4 inches LCD preview screen with USB Cable, Black Scan Mat, Finger Cots, Adapter, Foot Pedal, Hand Button, HDMI Cable Focus: Auto-Focus Effect: Color / Grayscale / Black and White</p>	1		49,900.00	49,900.00



PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-02-38 2-GSITD-S TALAR-MA P	29	Power Supply(UPS) ICT-3223 Input Voltage: 220VAC Frequency: 50hz – 60hz Output Voltage: 220VAC Capacity VA/Wattage: 650VA/455Watts Transfer Time: ≤10ms including direction time	5		3,000.00	15,000.00
2026-02-04 45-SCMD- RD-Corn-C ontinuing	30	Geotagging Device(Mobile) ICT-3225 • Chipset: MediaTek Dimensity 8400-Ultra • Operating System: at least Android 15 • Screen Size: at least 6.83 inches • Screen Resolution: at least 2772 × 1280 pixels • Screen Brightness: at least 3200 nits • Display Type: AMOLED, 120Hz • RAM: at least 12GB • Storage: at least 256GB • Battery: at least 5500 mAh • Network Technology: GSM / HSPA / LTE / 5G • Camera: o Front Camera: at least 16MP o Rear Camera: at least 50MP main	5		34,000.00	170,000.00
2026-03-05 90-STALAR -MAP	31	Hand-held (Camera) ICT-3161 Camera type: Handheld/Action Camera Microphones: 3 Screen Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58° ; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63° ; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Low-Light Video: 50-16000 Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi	4	pc	40,000.00	160,000.00

PR #/Division/ Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-03-05 90-STALAR -MAP	32	Earphones (In-ear) ICT-3217 Headphone Type: Closed, dynamic, in-ear Driver Unit: 12 mm dome type (CCAW voice coil) Magnet: Neodymium Impedance: 16 Ω (at 1 kHz) Frequency Response: 4 Hz – 24,000 Hz Sensitivity: 110 dB/mW Maximum Power Input: 100 mW Cord Type: Y-shape, Litz cable (tangle-free) Cord Length: at least 1m Plug: L-shaped, gold-plated 4-pole mini plug (3.5mm AUX) Wearing Style: In-ear canal Microphone/Remote: Inline mic with remote control for calls and music	9	pc	2,160.00	19,440.00
Unit and it's component must be BRAND NEW, UNUSED & NOT CLONE						
Brand and model offered shall be indicated on the technical proposal per line item						
Warranty: all equipment must be at least 1 year warranty on parts and labor service						
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)						
GRAND TOTAL						9,899,440.00

Lot 3: Supply and Delivery of ICT Supplies and Toners

PR No.	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-0057 WRMD-INS Various 2026 (18)	1	Micro SD 256 ICT-3178 Capacity: 256GB Type: Micro SDXC Read Speed: Up to 200 MB/s Write Speed: Up to 90MB/s	18	pc	3,700.00	92,500.00
2026-00-0058 -WRMD-ESET S-Rice (2) 2026-00-0062 -Planning-Reg ular Fund (6) 2026-00-0120 -GSITD-STO ICT 2026 (60) 2026-00-0123 -SWRRD-LFP -NSHP (4) 2026-02-394- LUPEZ-NSHP (3)	2	Wireless Keyboard & Mouse ICT-2797 Keyboard 3 Zone-Layout Adjustable height -tilt legs Special Keys: Music Controls Palm Rest 10-Key Number pad Key type: Deep profile On/Off power switch Mouse Sensor technology: High-precision Optical tracking Number of buttons: 3 (Left/Right-click, Middle click) Scrolling: line-by-line Scroll Wheel: Yes, 2D, mechanical Connect/Power: On/Off power button	75	set	2,100.00	157,500.00
2026-00-0062 -Planning-Reg ular Fund (6) 2026-00-0120 -GSITD-STO ICT 2026 (12)	3	USB Port Hub (10 Ports) Interface Type: USB 3.0 Ports: 10 Ports Standard: USB 3.0 Body Type: Aluminum Interface: USB3.0 Speed: 5Gbps Support Function: Current Protection/Hot Swap Plug: 12V Power Adapter Cable Length: 1M	18	pc	3,000.00	54,000.00
2026-00-0062 -Planning-Reg ular Fund	4	USB Mutiport Adapter (7 – in – 1) Interface Type: Type-C Ports: 7 Ports Output: USB3.0,HDMI 4k@30Hz,SD/TF, PD 100W Speed: 5Gbps Charging: 100W max input	2	pc	2,200.00	4,400.00
2026-00-0120 -GSITD-STO ICT 2026 (3)	5	OTG Type C/Flash Drive 128 GB Capacity: 128GB Speed: USB 3.1 Gen.1 up to 150MB/s read Interface: USB-A Type-C	3	pc	800.00	4,800.00
2026-00-0120 -GSITD-STO ICT 2026	6	Micro SD Card (128GB with card reader) Storage Capacity: 128GB Card Type: microSDXC	5	pc	3,000.00	15,000.00
2026-00-0120 -GSITD-STO ICT 2026	7	RJ45 Keystone Jack (CAT6) Category Standard: ANSI/TIA-568.2-D (CAT6) Data Transmission: Up to 10 Gbps (10GBASE-T) Connector Type: RJ45 (8P8C) female Termination Type: Punch-down (IDC)	197	pc	100.00	19,700.00

PR No.	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-0120 -GSITD-STO ICT 2026	8	RJ45 (Extender CAT6 (Female to Female)) Category Standard: ANSI/TIA-568.2-D (CAT6) Connector Type: RJ45 8P8C (female-to-female)	20	pc	100.00	2,000.00
2026-00-0120 -GSITD-STO ICT 2026 (9) 2026-00-0121 -GSITD-STAL AR-MAP 2026 (10)	9	RAM (16 GB DDR4) DDR4 16GB (16×1) 3600 MHz LoDimm	19	pc	4,000.00	152,000.00
2026-00-0120 -GSITD-STO ICT 2026 (6) 2026-00-0121 -GSITD-STAL AR-MAP 2026 (6)	10	RAM (16GB DDR5) DDR5 8GB (8×2) 5200 MHz LoDimm	12	pc	4,800.00	182,400.00
2026-00-0120 -GSITD-STO ICT 2026 (18)	11	Power Supply (650w) Watts: at least 650 Rating: 80+ Bronze Type: Non-Modular Fan Size: 120mm Form Factor: ATX	18	pc	3,800.00	91,200.00
2026-00-0120 -GSITD-STO ICT 2026 (3) 2026-00-0121 -GSITD-STAL AR-MAP 2026 (15)	12	Cable (HDMI) HDMI (Male) to HDMI (Male) 5 meters Resolution: 1080P	18	pc	900.00	16,200.00
2026-00-0120 -GSITD-STO ICT 2026	13	HDMI Splitter (4-port) Input Ports: 1 × HDMI (Type A, 19-pin, female) Output Ports: 4 × HDMI (Type A, 19-pin, female)	2	pc	2,100.00	4,200.00
2026-00-0121 -GSITD-STO ICT 2026	14	Cable (HDMI 2Meters) HDMI (Male) to Display Port (Male) 2 meters Resolution: 4k@30Hz	15	pc	700.00	10,500.00
2026-00-0121 -GSITD-STO ICT 2026	15	Cable (Cat6 Slim Patch Cable) Cat6 Slim Patch Cable	30	pc	500.00	15,000.00
2026-00-0121 -GSITD-STAL AR-MAP 2026	16	USB HUB (6 in 1) USB C ethernet hub 4K@60Hz HDMI data transfer atleast 10Gbps 1000mbps Gigabit ethernet, PD 100W charging, 2x USB-A 3.2 gen2 1x USB-C 3.2 gen2	8	pc	1,800.00	14,400.00
2026-00-0061 -RD Corn	17	Brother LC462 BK, Black	10	pc	800.00	8,000.00
2026-00-0061 -RD Corn	18	Brother LC462 C, Cyan	10	pc	800.00	8,000.00
2026-00-0061 -RD Corn	19	Brother LC462 M, Magenta	10	pc	800.00	8,000.00
2026-00-0061 -RD Corn	20	Brother LC462 Y, Yellow	10	pc	800.00	8,000.00
2026-00-0061 -RD Corn(75)	21	Epson 003 - Cyan 65ml	93	pc	500.00	46,500.00



PR No.	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-0104-ESETS-Rice(15) 2026-00-0119-STO-ICT 2026(3)						
2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Rice(15) 2026-00-0119-STO-ICT 2026(3)	22	Epson 003 - Magenta 65ml	68	pc	500.00	34,000.00
2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Rice(15) 2026-00-0119-STO-ICT 2026(3)	23	Epson 003 - Yellow 65ml	68	pc	500.00	34,000.00
2026-00-0061-RD Corn(50) 2026-00-0104-ESETS-Rice(45) 2026-00-0119-STO-ICT 2026(13)	24	Epson 003 - Black 65ml	108	pc	500.00	54,000.00
2026-00-0104-ESETS-Rice	25	HP GT53 - Black 90ml	32	pc	500.00	16,000.00
2026-00-0104-ESETS-Rice	26	HP GT52 - Cyan 70ml	20	pc	500.00	10,000.00
2026-00-0104-ESETS-Rice	27	HP GT52 - Magenta 70ml	20	pc	500.00	10,000.00
2026-00-0104-ESETS-Rice	28	HP GT52 - Yellow 70ml	20	pc	500.00	10,000.00
2026-00-0104-WRMD-ESETS-Rice	29	Epson L385 Inkpad	5	pc	100.00	500.00
2026-00-0104-WRMD-ESETS-Rice	30	Epson L405 Inkpad	5	pc	100.00	500.00
2026-00-0104-WRMD-ESETS-Rice	31	Epson L3110 Inkpad	10	pc	100.00	1,000.00
2026-00-0104-WRMD-ESETS-Rice	32	Epson L3210 Inkpad	10	pc	100.00	1,000.00
2026-00-0104-WRMD-ESETS-Rice	33	HP M0H50AA (Tri-color)	5	pc	1,200.00	6,000.00
2026-00-0104-WRMD-ESETS-Rice	34	HP X4E75AA (Black)	5	pc	1,200.00	6,000.00
2026-00-0104-WRMD-ESETS-Rice	35	Epson 289 (Black)	45	pc	1,200.00	54,000.00
2026-00-0104-WRMD-ESETS-Rice	36	Epson 290 (Tri-color)	45	pc	1,100.00	49,500.00
2026-00-0119-STO-ICT 2026(10)	37	HP 680 Tri-color Original Ink Advantage Cartridge 4 mL	15	pc	700.00	10,500.00

PR No.	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-00-0124-LFP-NSHP-S WRRD (BIOSMS)(5)						
2026-00-0119-STO-ICT 2026(10) 2026-00-0124-LFP-NSHP-S WRRD (BIOSMS)(12)	38	HP 680 Black Original Ink Advantage Cartridge 8.5 mL	22	pc	700.00	15,400.00
2026-00-0119-STO-ICT 2026	39	Brother DCP - T710W - Black	7	pc	560.00	3,920.00
2026-00-0119-STO-ICT 2026	40	Brother DCP - T710W -Magenta	3	pc	560.00	1,680.00
2026-00-0119-STO-ICT 2026	41	Brother DCP - T710W -Cyan	3	pc	560.00	1,680.00
2026-00-0119-STO-ICT 2026	42	Brother DCP - T710W - Yellow	3	pc	560.00	1,680.00
2026-00-0119-STO-ICT 2026	43	Brother HL - T4000DW- Black	4	pc	560.00	2,240.00
2026-00-0119-STO-ICT 2026	44	Brother HL - T4000DW- Magenta	2	pc	560.00	1,120.00
2026-00-0119-STO-ICT 2026	45	Brother HL - T4000DW- Cyan	2	pc	560.00	1,120.00
2026-00-0119-STO-ICT 2026	46	Brother HL - T4000DW- Yellow	2	pc	560.00	1,120.00
2026-00-0119-STO-ICT 2026	47	Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF400X, Black	2	pc	7,700.00	15,400.00
2026-00-0119-STO-ICT 2026	48	Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF401X, Cyan	1	pc	8,360.00	8,360.00
2026-00-0119-STO-ICT 2026	49	Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF402X, Yellow	1	pc	8,360.00	8,360.00
2026-00-0119-STO-ICT 2026	50	Genuine Ink Toner for HP Color Laserjet Pro M252n, HP 201X, CF403X, Magenta	1	pc	8,360.00	8,360.00
2026-00-0119-STO-ICT 2026	51	HP DESKJET 2337 INKJET CARTRIDGES Ink Cartridge HP 682, Tri-color 4ml Ink Cartridge HP 682, Black 8.5ml	4	pc	2,000.00	8,000.00
2026-00-0124-LFP-NSHP-S WRRD (BIOSMS)	52	Canon CL-57 Ink Cartridge Colored 15 mL	18	pc	980.00	17,640.00
2026-00-0124-LFP-NSHP-S WRRD (BIOSMS)	53	Canon PG-47 Ink Cartridge Black 15 mL	18	pc	650.00	11,700.00
2026-00-0145-INFO-REGULAR	54	8PS-15 Extension Cable Specification: Color: Black Connectors: One Male, One Female Length 15m	2	pc	8,000.00	16,000.00
2026-00-0145-INFO-REGULAR	55	8P-T3 T-Cable Specification: Color: Black Connectors: Two Male, one Female Length 1.5m + 1.2m	40	pc	2,300.00	92,000.00



PR No.	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-01-213-NSHP AGRIN (5) 2026-03-0533-WRMD-LFP-SWIIP(47)	56	Powerbank ICT-2199 Battery Capacity: at least 20000 mAh Input ports: Lightning Micro-USB Output ports: USB Type-A (2) I/O: DC 5V – 2.1A	52	pc	2,000.00	104,000.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	57	Epson T6641, Black	4	pc	420.00	1,680.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	58	Epson T6642, Cyan	3	pc	420.00	1,260.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	59	Epson T6643, Magenta	3	pc	420.00	1,260.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	60	Epson T6644, Yellow	3	pc	420.00	1,260.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	61	HP GT 53 Black, 90 ml	8	pc	460.00	3,680.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	62	HP GT 52 Cyan, 70 ml	7	pc	500.00	3,500.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	63	HP GT 52 Magenta, 70 ml HP GT 52 Yellow, 70 ml	7	pc	500.00	3,500.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	64	HP GT 52 Yellow, 70 m	7	pc	500.00	3,500.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	65	HP 680, Black	3	pc	700.00	2,100.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	66	HP 680, Color	3	pc	700.00	2,100.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	67	Epson 003, Black	3	pc	500.00	1,500.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	68	Epson 003, Cyan	3	pc	500.00	1,500.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	69	Epson 003, Magenta	3	pc	500.00	1,500.00
2026-02-251-LFP-NSHP-S WRRD (ABFS COCONUT)	70	Epson 003, Yellow	3	pc	500.00	1,500.00
2026-02-252-LFP-NSHP-S	71	Ink for HP GT-52 - Yellow	5	pc	500.00	2,500.00



PR No.	Item No.	Description	Quantity	Unit	Unit Cost	Total
WRRD (AGRI N)						
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	72	Ink for HP GT-52 - Cyan	5	pc	500.00	2,500.00
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	73	Ink for HP GT-52 - Magenta	5	pc	500.00	2,500.00
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	74	Ink for HP GT-53 - Black	6	pc	500.00	3,000.00
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	75	BTD60BK Ink Bottle- Black 100ml Compatible with Printer: Brother DCPT710W	4	pc	560.00	2,240.00
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	76	BT-5000 Cyan 50ml, Compatible with Printer: Brother DCPT710W 50ml	4	pc	560.00	2,240.00
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	77	BT-5000 Magenta 50ml, Compatible with Printer: Brother DCPT710W	4	pc	560.00	2,240.00
2026-02-252-LFP-NSHP-S WRRD (AGRI N)	78	BT-5000 Yellow 50ml, Compatible with Printer: Brother DCPT710W 50ml	4	pc	560.00	2,240.00
2026-02-360-SWIIP	79	Memory Card (Micro SD 128GB) ICT-1870 Capacity: 128GB Type: Micro SDXC Read Speed: Up to 200 MB/s Write Speed: Up to 90MB/s	50	pc	2,400.00	120,000.00
2026-02-360-SWIIP	80	Wireless Mouse Basic ICT-2810 SENSOR TECHNOLOGY Optical tracking DPI (Min/Max): 1000± BUTTONS Number of Buttons: 3 (Left/Right-click, Middle click) SCROLLING Line-by-line scrolling Scroll Wheel: Yes, 2D, optical Battery Details: 1 x AA (included) CONNECTIVITY Connection Type: 2.4 GHz wireless connection Wireless range: at least 10 m Connect / Power: Yes, on/off switch	52		700.00	36,400.00
2026-02-361-SWIIP	81	Epson 008 Black Ink (127 mL)	6		1,100.00	6,600.00
2026-02-361-SWIIP	82	Epson 008 Cyan Ink (70 mL)	4		900.00	3,600.00
2026-02-361-SWIIP	83	Epson 008 Magenta Ink (70 mL)	4		900.00	3,600.00
2026-02-361-SWIIP	84	Epson 008 Yellow Ink (70 mL)	4		900.00	3,600.00

PR No.	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-02-394-NSHP	85	Wireless Mouse ICT-2189 Type: Wireless Connection Type: Bluetooth® Smart and 2.4GHz wireless connection Wireless range: 10 m Battery Details: 1 x AA DPI (Min/Max): 1000± Sensor resolution: 1000 dpi Scroll Wheel: 3G Core Number of buttons: 8	2		3,000.00	6,000.00
2026-02-394-NSHP	86	Wireless HDMI Extender (Adaptor) ICT-2876 HDMI display up to 50m from the HDMI source HD 1080p video wireless transmission 5GHz transmission efficiency	1		7,500.00	7,500.00
2026-02-394-NSHP	87	ICT-3200 HDMI Splitter Input Ports: 1 × HDMI (Type A, 19-pin, female) Output Ports: 4 × HDMI (Type A, 19-pin, female)	1	pcs	2,100.00	2,100.00
2026-03-0533-LFP-SWIIP(12)	88	External storage (1TB, Gen3.2) ICT-2172 Type: SSD Capacity: 1 TB Interface: USB Gen 3.2 Sequential Read : Up to 1,050MB/sec Sequential Write : Up to 1,000 MB/sec Encryption: AES 256-bit hardware encryption	12		9,000.00	135,000.00
2026-03-0533-LFP-SWIIP(25)	89	External Storage(SSD) ICT-2248 Type: SSD Capacity: 2 TB USB 3.2 Gen 2 x2 Sequential Read: Up to 2,000MB/sec Sequential Writ : Up to 2,000 MB/sec Encryption: AES 256-bit hardware encryption USB-C to USB-C Cable USB-C to USB-A Cable	25		13000	455,000.00
2026-03-584-STALAR-MAP	90	HP 680 Cartridge Black - 8.5 ml	25		700.00	17,500.00
2026-03-584-STALAR-MAP	91	HP 680 Cartridge Tri-color - 4 ml	25		700.00	17,500.00
2026-03-584-STALAR-MAP	92	T40B UltraChrome XD2 Black Ink 80 ml	3		6,000.00	18,000.00
2026-03-584-STALAR-MAP	93	T40B UltraChrome XD2 Cyan Ink 50 ml	3		4,500.00	13,500.00
2026-03-584-STALAR-MAP	94	T40B UltraChrome XD2 Magenta Ink 50 ml	3		4,500.00	13,500.00
2026-03-584-STALAR-MAP	95	T40B UltraChrome XD2 Yellow Ink 50 ml	3		4,500.00	13,500.00
2026-03-584-STALAR-MAP	96	LaserJet Imaging Drum, HP 126A (CE314A)	3		12,000.00	36,000.00
2026-03-584-STALAR-MAP	97	HP 416A (W2040A), Black	2		8,000.00	16,000.00
2026-03-584-STALAR-MAP	98	HP 416A (W2043A), Magenta	2		9,000.00	18,000.00



PR No.	Item No.	Description	Quantity	Unit	Unit Cost	Total
2026-03-584-STALAR-MAP	99	HP 416A (W2042A), Yellow	2		9,000.00	18,000.00
2026-03-584-STALAR-MAP	100	HP 416A (W2041A), Cyan	2		9,000.00	18,000.00
Inks, toner and cartridge must be GENUINE						
Brand and model offered shall be indicated on the technical proposal per line item						
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)						
Bidders must submit a copy of Certificate of Authorized Reseller and Manufacturing Authenticity Certificate (during post qual)						
GRAND TOTAL						2,559,280.00

LOT 4: Supply and Delivery of ICT Software (Subscriptions)

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
GSITD-2026-00-0118-NSHP	1	Azure Database (12 Months)	1	license	1,045,000.00	1,045,000.00
GSITD-2026-00-0118-NSHP	2	MS Office 365 Business Standard (12 Months)	26	license	8,000.00	208,000.00
GSITD-2026-00-0118-NSHP (2) 2026-02-250-WRMD(4)	3	Editing Software (Adobe Creative Cloud) (12 Months) ICT-3088 Features included: • 1 license per user • Can be activated on up to 2 devices (1 device at a time) • Access to 20+ editing applications • 100GB cloud storage • Creative Cloud Libraries • Version history: Keep past file versions for 30 days • 1 year Subscription	6	license	45,000.00	270,000.00
2026-02-250-WRMD	4	Canva Editing Software	4	license	3,600.00	14,400.00
2026-02-250-WRMD	5	Autodesk Civil 3D	6	license	150,000.00	900,000.00
GRAND TOTAL						2,437,400.00

