



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAMARINES SUR

| Municipality | Fertilizer-Guide Group | | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options | | | | | | | | | | | | | | | |
|--------------|------------------------|-------------|--|------------------|----|--|-------------------------------|------------------|----|--|-------------------------------|------------------|----|--|-------------------------------|------------------|----|--|
| | | | INBRED RICE | | | | | | | | | HYBRID RICE | | | | | | |
| | WET SEASON | | | | | DRY SEASON | | | | WET SEASON | | | | | DRY SEASON | | | |
| | Number | Description | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) |
| N | | | P ₂ O ₅ | K ₂ O | N | | P ₂ O ₅ | K ₂ O | N | | P ₂ O ₅ | K ₂ O | N | | P ₂ O ₅ | K ₂ O | | |
| SAN FERNANDO | 016 | L-L-H-H | 100 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); | 120 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); | 120 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); | 140 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.75 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 3.00 (46-0-0); 0.25 (0-0-60); |
| SAN FERNANDO | 012 | L-L-MH-H | 100 | 20 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); | 120 | 20 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.50 (46-0-0); | 120 | 30 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); | 140 | 30 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.75 (46-0-0); 2.56 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.50 (46-0-0); |
| SAN FERNANDO | 008 | L-L-ML-H | 100 | 40 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 1.87 (46-0-0); 3.67 (0-18-0); (2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); | 120 | 40 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 3.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); | 120 | 50 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); | 140 | 50 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.75 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.50 (46-0-0); |
| SAN FERNANDO | 080 | M-L-H-H | 90 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); | 100 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); | 110 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 0.25 (0-0-60); | 120 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); |
| SAN FERNANDO | 068 | M-L-L-H | 90 | 60 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100 | 60 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 110 | 70 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 120 | 70 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); |
| SAN FERNANDO | 065 | M-L-L-L | 90 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); | 100 | 60 | 60 | Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); | 110 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); | 120 | 70 | 70 | Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); |

Application schedule:
1st - after last harrowing
2nd - 10-14 DAT
3rd - 20-25 DAT
DAT - days after transplanting

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0)
Ammophos (16-20-0)
Solophos (0-18-0)
Muriate of Potash (0-0-60)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAMARINES SUR

| Municipality | Fertilizer-Guide Group | | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options | | | | | | | | | | | | | | | |
|--------------|------------------------|-------------|--|----|-------------------------------|---|----------------------|----|-------------------------------|---|----------------------|-------------|-------------------------------|---|----------------------|----|-------------------------------|---|
| | | | INBRED RICE | | | | | | | | | HYBRID RICE | | | | | | |
| | WET SEASON | | | | | DRY SEASON | | | | WET SEASON | | | | DRY SEASON | | | | |
| | Number | Description | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) |
| | | | Texture-N-P-K | N | P ₂ O ₅ | | K ₂ O | N | P ₂ O ₅ | | K ₂ O | N | P ₂ O ₅ | | K ₂ O | N | P ₂ O ₅ | |
| SAN FERNANDO | 072 | M-L-ML-H | 90 | 40 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); 3.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); | 100 | 40 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 1.87 (46-0-0); 3.67 (0-18-0); (2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); | 110 | 50 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); | 120 | 50 | 7 | Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); |
| SAN FERNANDO | 071 | M-L-ML-MH | 90 | 40 | 20 | Option 1: (1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); | 100 | 40 | 20 | Option 1: (1st Application): 3.00 (14-14-14-); 1.30 (46-0-0); 2.22 (0-18-0); (2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); | 110 | 50 | 30 | Option 1: (1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); 2.22 (0-18-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); | 120 | 50 | 30 | Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); |

Application schedule:
1st - after last harrowing
2nd - 10-14 DAT
3rd - 20-25 DAT
DAT - days after transplanting

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0)
Ammophos (16-20-0)
Solophos (0-18-0)
Muriate of Potash (0-0-60)