



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF DAVAO DEL SUR

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																	
			INBRED RICE									HYBRID RICE								
	WET SEASON					DRY SEASON					WET SEASON					DRY SEASON				
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)		
			N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O			
MAGSAYSAY	065	M-L-L-L	90	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);	100	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60);	110	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);	120	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);		
MAGSAYSAY	066	M-L-L-ML	90	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	100	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	120	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);		
MAGSAYSAY	069	M-L-ML-L	90	40	60	Option 1: (1st Application): 5.75 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);	100	40	60	Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60);	110	50	70	Option 1: (1st Application): 7.25 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);	120	50	70	Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);		

Application schedule:
1st - after last harrowing
2nd - 10-14 DAT
3rd - 20-25 DAT
DAT - days after transplanting

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0)
Ammophos (16-20-0)
Solophos (0-18-0)
Muriate of Potash (0-0-60)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF DAVAO DEL SUR

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options															
			INBRED RICE									HYBRID RICE						
	WET SEASON					DRY SEASON				WET SEASON					DRY SEASON			
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)
			N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O	
MAGSAYSAY	070	M-L-ML-ML	90	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	100	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	120	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);
MAGSAYSAY	097	M-MH-L-L	50	60	60	Option 1: (1st Application): 8.75 (14-14-14-); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.25 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 2.00 (0-0-60);	60	60	60	Option 1: (1st Application): 8.75 (14-14-14-); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 0.50 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60);	70	70	70	Option 1: (1st Application): 10.00 (14-14-14-); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60);	80	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 0.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);
MAGSAYSAY	081	M-ML-L-L	70	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 0.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);	80	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);	90	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 2.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);	100	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);

Application schedule:
1st - after last harrowing
2nd - 10-14 DAT
3rd - 20-25 DAT
DAT - days after transplanting

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0)
Ammophos (16-20-0)
Solophos (0-18-0)
Muriate of Potash (0-0-60)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF DAVAO DEL SUR

Municipality	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																
			INBRED RICE									HYBRID RICE							
	WET SEASON					DRY SEASON				WET SEASON					DRY SEASON				
	Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	
			N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O		
MAGSAYSAY	082	M-ML-L-ML	70	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	80	60	40	Option 1: (1st Application): 5.75 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	90	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);	100	70	50	Option 1: (1st Application): 7.25 (14-14-14-); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	

Application schedule:
1st - after last harrowing
2nd - 10-14 DAT
3rd - 20-25 DAT
DAT - days after transplanting

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0)
Ammophos (16-20-0)
Solophos (0-18-0)
Muriate of Potash (0-0-60)