



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF EASTERN SAMAR

| Barangay | Farmer Representative | Fertilizer-Guide Group | <i>Additional 10-20 bags/ha Organic Fertilizer is recommended for all options</i> | | | | | | | | | | | | | | | | |
|----------------------------------|-------------------------------|------------------------|---|------------------------------|----------------------|-------------------------------|---|---|-------------------------------|------------------|---|---|----------------------|---|---|---|----|-------------------------------|---|
| | | | INBRED RICE | | | | | | HYBRID RICE | | | | | | | | | | |
| | | | WET SEASON | | | DRY SEASON | | | WET SEASON | | | DRY SEASON | | | | | | | |
| | | | Number | Description Texture-N-P-K | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | | Nutrient Requirement | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | Recommended Fertilizer Rate (bags/hectare) | | | |
| N | P ₂ O ₅ | K ₂ O | | | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | | | | | | | N | P ₂ O ₅ | K ₂ O |
| Municipality of MAYDOLONG | | | | | | | | | | | | | | | | | | | |
| Bulalacao | Amando Galos | 103 | M-MH-ML-MH | 50 | 40 | 20 | Option 1: (1st Application): 3.00 (14-14-14); 2.25 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.75 (0-0-60); | 60 | 40 | 20 | Option 1: (1st Application): 3.00 (14-14-14); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 4.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60); | 70 | 50 | 30 | Option 1: (1st Application): 4.50 (14-14-14); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); | 80 | 50 | 30 | Option 1: (1st Application): 4.50 (14-14-14); 2.25 (0-18-0); (2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); |
| Canloterio | Rodelio Gallao | 068 | M-L-L-H | 90 | 60 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100 | 60 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 110 | 70 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 120 | 70 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); |
| Canloterio | Lope Bajado | 070 | M-L-ML-ML | 90 | 40 | 40 | Option 1: (1st Application): 5.75 (14-14-14); 0.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); | 100 | 40 | 40 | Option 1: (1st Application): 5.75 (14-14-14); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); | 110 | 50 | 50 | Option 1: (1st Application): 7.25 (14-14-14); 0.25 (46-0-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); | 120 | 50 | 50 | Option 1: (1st Application): 7.25 (14-14-14); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); |
| Essu | Jerry Busa | 119 | M-H-ML-MH | 30 | 40 | 20 | Option 1: (1st Application): 2.25 (14-14-14); 3.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 4.50 (0-18-0); (3rd Application): 0.75 (46-0-0); 0.75 (0-0-60); | 40 | 40 | 20 | Option 1: (1st Application): 3.00 (14-14-14); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 1.00 (46-0-0); 4.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); | 50 | 50 | 30 | Option 1: (1st Application): 3.75 (14-14-14); 3.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 5.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); | 60 | 50 | 30 | Option 1: (1st Application): 4.50 (14-14-14); 2.50 (0-18-0); (2nd Application): 1.50 (46-0-0); Option 2: (1st Application): 1.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); |

| | |
|---|--|
| <p>FOR THE LEGEND Fertilizer Guide for Rice For Transplanted after second harrowing: 10-20 bags organic fertilizer (basal) Inorganic Fertilizer: 1st Application: after last harrowing 2nd Application: 10-14 DAT (days after transplanting) 3rd Application: 20-25 DAT (days after transplanting)</p> | <p>For Direct Seeded after second harrowing: 10-20 bags organic fertilizer (basal) Inorganic Fertilizer: 1st Application: 10 -15 DAS (days after seeding) 2nd Application: 20-30 DAS (days after seeding) 3rd Application: 35-45 DAS (days after seeding)</p> |
|---|--|



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF EASTERN SAMAR

| Barangay | Farmer Representative | Fertilizer-Guide Group | <i>Additional 10-20 bags/ha Organic Fertilizer is recommended for all options</i> | | | | | | | | | | | | | | | | |
|-----------|-------------------------------|------------------------|---|------------------------------|----------------------|-------------------------------|--|---|-------------------------------|------------------|--|------------------------------|----------------------|-------------------------------|--|---|----|---|--|
| | | | INBRED RICE | | | | | | HYBRID RICE | | | | | | | | | | |
| | | | WET SEASON | | | DRY SEASON | | | WET SEASON | | | DRY SEASON | | | | | | | |
| | | | Number | Description Texture-N-P-K | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | | Number | Description Texture-N-P-K | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | | |
| N | P ₂ O ₅ | K ₂ O | | | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | | | N | P ₂ O ₅ | K ₂ O | | | | |
| Maytigbao | Jaime Bagapo | 084 | M-ML-L-H | 70 | 60 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 6.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 80 | 60 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 6.00 (0-18-0); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 90 | 70 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 7.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100 | 70 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 7.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); |
| Poblacion | Manny Busa | 108 | M-MH-MH-H | 50 | 20 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60); | 60 | 20 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); | 70 | 30 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); | 80 | 30 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.75 (0-18-0); (2nd Application): 1.59 (46-0-0); (3rd Application): 1.59 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); |
| Tagasilan | Jessie Busa | 072 | M-L-ML-H | 90 | 40 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.75 (46-0-0); 3.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100 | 40 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.87 (46-0-0); 3.67 (0-18-0); (2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 110 | 50 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.25 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 120 | 50 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.50 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); |

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)