
## LAND SUITABILITY MAP

### **ABACA**

# LAND RESOURCES EVALUATION AND SUITABILITY ASSESSMENT OF STRATEGIC PRODUCTION AREAS


### GENERAL SANTOS CITY





#### MAP INDEX

# LAND RESOURCES EVALUATION AND SUITABILITY ASSESSMENT OF STRATEGIC PRODUCTION AREAS GENERAL SANTOS CITY



## LAND SUITABILITY MAP FOR **ABACA**

### LAND RESOURCES EVALUATION AND SUITABILITY ASSESSMENT OF STRATEGIC PRODUCTION AREAS GENERAL SANTOS CITY, REGION XII

#### **EXTENT OF SUITABILITY FOR ABACA PRODUCTION BY MUNICIPALITY**

					EXPANSION AREA (Ha)					CONFLICT RESOLUTION AREA (Ha)				TOTAL			
MUNICIPALITY	EXISTI	ING ABAC	CA (Ha)	TOTAL EXISTING AREA (Ha)	Coco	onut	Shrubl unmana	•	Grassl unmana	,	Cor	'n	Pinea	pple	Other	crops	POTENTIAL EXPANSION
	<b>S1</b>	<b>S2</b>	<b>S</b> 3		<b>S1</b>	S2	<b>S1</b>	<b>S2</b>	<b>S1</b>	S2	S1	<b>S2</b>	<b>S1</b>	<b>S2</b>	<b>S1</b>	<b>S2</b>	AREA (Ha)
GENERAL SANTOS CITY	-	-	-	-	2,427	410	189	433	1,532	5,857	6,588	2,534	70	41	3	-	20,084
TOTAL	_	_	_	-	2.427	410	189	433	1.532	5.857	6.588	2.534	70	41	3	_	20.084

Note: Delivery of abaca planting materials must be started on the onset of rainy season.

\*establishment of shade trees prior to planting of abaca.

#### AGRONOMIC REQUIREMENT OF ABACA PRODUCTION

LAND UTILIZATION TYPE	SUITABILITY RATING	SLOPE (%)	SOIL DEPTH (cm)	SOIL TEXTURE	SOIL DRAINAGE	SOIL REACTION (pH)	INHERENT FERTILITY	FLOODING CLASS	EROSION CLASS	ROCK OUTCROPS	ELEVATION (masl)	ANNUAL RAINFALL (mm)	CLIMATIC TYPE
	S1	<8	>50	CL, SiCL, SCL, SC, SiC, C, HC	WD,MWD, SPD	5.6 -7.2	high	none-slight	none-slight	none-few	<500	2001-4500	II, III, IV
Abaca	S2	8 - 30	30 - 50	FSL, L, SiL, SL	PD,VPD	5.1 - 5.5 7.3 - 7.8	medium	moderate	moderate	common	500-1500	1000-2000	I, II
	S3	>30	< 30	S, LS, CSL	ED	<5.0 - > 7.9	low	severe	severe	many	>1500	<1000 >4500	
SLOPE (%)			SOIL DRAINA	AGE	,	SOIL REACTION	-	-	SOIL TEXTU	RE		F)*	. •

 excessively drained extremely acid - level to gently sloping - gently sloping to undulating WD - well drained very strongly acid - sandy clay - sand 5.1 - 5.5 - strongly acid - undulating to rolling - moderately well drained SiC silty clay loamy sand - rolling to moderately steep - somewhat poorly drained - medium acid - coarse sandy loam - clay 30 - 50 - poorly drained 6.1 - 6.5 - slightly acid - sandy loam heavy clay > 50 - very poorly drained 6.6 - 7.2 - neutral very steep mildly alkaline - fine sandy loam SOIL DEPTH (cm) **SURFACE IMPEDIMENT** - moderately alkaline - loam ROCK OUTCROPS - silt loam - strongly alkaline 30 - 50 - shallow - none - few - clay loam 50 - 100 - moderately deep 10 - 30% - common SiCL - silty clay loam - deep to very deep > 30% - sandy clay loam - many

SOIL DEPTH

**ROCK OUTCROPS** 

Rc2 - Common

Rc3 - Many

Sh3 - Very shallow (< 30cm)

Sh2 - Shallow to moderately deep (30 - 100cm)

**SOIL EROSION** 

**FLOODING** 

E3 - Severe erosion

- Moderate erosion

F2 - Moderate seasonal flooding

F3 - Severe seasonal flooding

#### LAND LIMITATIONS DESCRIPTION AND COMBINATIONS

ELEV	VATION	SOIL	DRAINA
El2	- 500 - 1000m or 2000 - 2500m	D2	- Somev
El3	- < 500m or > 2500m	D3	- Very p

ewhat poorly drained to poorly drained poorly drained or excessively drained

SLOPE/TOPOGRAPHY **SOIL TEXTURE** T2 - Undulating to moderately steep Tc - Coarse texture T3 - Steep to very steep

CODE	LIMITATION	CODE	LIMITATION
1	F2-D2	11	T2-F3-D2
2	F3-D2	12	T2-Sh2-Rc2
3	Rc2	13	T3
4	Sh2-Rc2	14	T3-E3
5	T2	15	T3-E3-Sh3-Rc2
6	T2-E2-Sh2-Rc2	16	T3-E3-Sh3-Rc3
7	T2-E3	17	T3-E3
8	T2-E3-Sh2-Rc2	18	T3-E3-Sh3-Rc3
9	T2-E3-Sh2-Rc3	19	T5-El3
10	T2-F2-D2	20	Tc

CODE	LANDUSE
4	Corn
51	Cassava
84	Pineapple
85	Mango
116	Coconut
126	Grassland
134	Shrubs, unmanaged

#### **SUITABILITY CLASSES:**

Highly Suitable (S1) Land having no significant limitation to sustained application of a given use, or only minor limitations that will not significantly reduce productivity or benefits and will not raise inputs above an acceptable level.

benefits and increase required inputs to the extent

that the overall advantage to be gained from the

use, although still attractive, will be appreciably

inferior to that expected on class S1 land.

Moderately Suitable (S2) Land having limitation which in aggregate are moderately severe for sustained application of a given use; the limitation will reduce productivity or

**Not Suitable / Not Relevant** Land having limitations which may be surmountable in time but which cannot be corrected with existing knowledge at currently acceptable cost; the limitations are so severe as to preclude successful sustained use of the land in the given manner. Existing forest, shrubland greater than 18% slope, irrigated paddy rice and miscellaneous land types such as built up areas, roads, etc are considered as not relevant.

Land having limitations which in aggregate are

severe for sustained application of a given use and

will so reduce productivity or benefits, or increase required inputs, that this expenditure will be only

Marginally Suitable (S3)

marginally justified.

#### **CLIMATE TYPE**


**TYPE I**: Two pronouced season, dry from November to April and **TYPE II**: No dry season with a very pronounced maximum rain wet during the rest of the year. Maximum rain period is from June to September

period from December to February. There is not a single dry month. Maximum monthly rainfall occurs during the period from March to May.

**TYPE III**: No very pronounced maximum rain period, with a dry season lasting only from one to three months, either during the period from December to February or from March to May. This type resembles Type I since it has a short dry season.

**TYPE IV**: Rainfall is more or less evenly distributed throughout the year. This type resembles Type II since it has no dry season.

General Santos City is classified as climatic Type IV.



Source: PAGASA 2018, Climatological Normals (Rainfall), Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA), accessed 27 July 2018, <a href="https://www1.pagasa.dost.gov.ph/index.php/climate/climatological-normals">https://www1.pagasa.dost.gov.ph/index.php/climate/climatological-normals</a>.

