



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF ISABELA**

| Municipality  | Fertilizer-Guide Group |             | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options |                               |                  |  |                      |                               |                  |  |                      |                               |                  |   |                      |                               |                  |  |
|---------------|------------------------|-------------|--|-------------------------------|------------------|--|----------------------|-------------------------------|------------------|--|----------------------|-------------------------------|------------------|---|----------------------|-------------------------------|------------------|--|
|               |                        |             | INBRED RICE  |                               |                  |  |                      |                               |                  |  |                      | HYBRID RICE                   |                  |   |                      |                               |                  |  |
|               |                        |             | WET SEASON   |                               |                  |  | DRY SEASON           |                               |                  |  |                      | WET SEASON                    |                  |   |                      | DRY SEASON                    |                  |  |
|               | Number                 | Description | Nutrient Requirement   |                               |                  | Recommended Fertilizer Rate (bags/hectare)   | Nutrient Requirement |                               |                  | Recommended Fertilizer Rate (bags/hectare)   | Nutrient Requirement |                               |                  | Recommended Fertilizer Rate (bags/hectare)  | Nutrient Requirement |                               |                  | Recommended Fertilizer Rate (bags/hectare)   |
| Texture-N-P-K |                        |             | N  | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O |  | N                    | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O |  | N                    | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O |   | N                    | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O |  |
| LUNA          | 080                    | M-L-H-H     | 90   | 7                             | 7                | Option 1:<br>(1st Application): 1.00 (14-14-14-); 1.75 (46-0-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0);<br>Option 2:<br>(1st Application): 0.75 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.75 (46-0-0); 0.25 (0-0-60);<br>Option 3:<br>(1st Application): 2.00 (46-0-0); 1.00 (0-18-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100                  | 7                             | 7                | Option 1:<br>(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0);<br>Option 2:<br>(1st Application): 0.75 (16-20-0);<br>(2nd Application): 2.25 (46-0-0);<br>(3rd Application): 2.00 (46-0-0); 0.25 (0-0-60);<br>Option 3:<br>(1st Application): 2.25 (46-0-0); 1.00 (0-18-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 110                  | 7                             | 7                | Option 1:<br>(1st Application): 1.00 (14-14-14-); 2.25 (46-0-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0);<br>Option 2:<br>(1st Application): 0.75 (16-20-0);<br>(2nd Application): 4.75 (46-0-0);<br>(3rd Application): 0.25 (0-0-60);<br>Option 3:<br>(1st Application): 2.50 (46-0-0); 1.00 (0-18-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 120                  | 7                             | 7                | Option 1:<br>(1st Application): 1.00 (14-14-14-); 2.50 (46-0-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0);<br>Option 2:<br>(1st Application): 0.75 (16-20-0);<br>(2nd Application): 3.00 (46-0-0);<br>(3rd Application): 2.00 (46-0-0); 0.25 (0-0-60);<br>Option 3:<br>(1st Application): 2.75 (46-0-0); 1.00 (0-18-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); |
| LUNA          | 078                    | M-L-H-ML    | 90   | 7                             | 40               | Option 1:<br>(1st Application): 1.00 (14-14-14-); 1.75 (46-0-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.25 (0-0-60);<br>Option 2:<br>(1st Application): 0.75 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.75 (46-0-0); 1.50 (0-0-60);  | 100                  | 7                             | 40               | Option 1:<br>(1st Application): 1.00 (14-14-14-); 2.00 (46-0-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0); 1.25 (0-0-60);<br>Option 2:<br>(1st Application): 0.75 (16-20-0);<br>(2nd Application): 2.25 (46-0-0);<br>(3rd Application): 2.00 (46-0-0); 1.50 (0-0-60);  | 110                  | 7                             | 50               | Option 1:<br>(1st Application): 1.00 (14-14-14-); 2.25 (46-0-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);<br>Option 2:<br>(1st Application): 0.75 (16-20-0);<br>(2nd Application): 4.75 (46-0-0);<br>(3rd Application): 1.75 (0-0-60);  | 120                  | 7                             | 50               | Option 1:<br>(1st Application): 1.00 (14-14-14-); 2.50 (46-0-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0); 1.50 (0-0-60);<br>Option 2:<br>(1st Application): 0.75 (16-20-0);<br>(2nd Application): 3.00 (46-0-0);<br>(3rd Application): 2.00 (46-0-0); 1.75 (0-0-60);  |
| LUNA          | 068                    | M-L-L-H     | 90   | 60                            | 7                | Option 1:<br>(1st Application): 1.00 (14-14-14-); 6.00 (0-18-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 2.00 (46-0-0);<br>Option 2:<br>(1st Application): 6.00 (16-20-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);   | 100                  | 60                            | 7                | Option 1:<br>(1st Application): 1.00 (14-14-14-); 6.00 (0-18-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 2.00 (46-0-0);<br>Option 2:<br>(1st Application): 6.00 (16-20-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);   | 110                  | 70                            | 7                | Option 1:<br>(1st Application): 1.00 (14-14-14-); 7.00 (0-18-0);<br>(2nd Application): 2.25 (46-0-0);<br>(3rd Application): 2.25 (46-0-0);<br>Option 2:<br>(1st Application): 7.00 (16-20-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);  | 120                  | 70                            | 7                | Option 1:<br>(1st Application): 1.00 (14-14-14-); 7.00 (0-18-0);<br>(2nd Application): 2.50 (46-0-0);<br>(3rd Application): 2.50 (46-0-0);<br>Option 2:<br>(1st Application): 7.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);   |
| LUNA          | 065                    | M-L-L-L     | 90   | 60                            | 60               | Option 1:<br>(1st Application): 8.75 (14-14-14-);<br>(2nd Application): 0.75 (46-0-0);<br>(3rd Application): 0.75 (46-0-0);<br>Option 2:<br>(1st Application): 6.00 (16-20-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);  | 100                  | 60                            | 60               | Option 1:<br>(1st Application): 8.75 (14-14-14-);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0);<br>Option 2:<br>(1st Application): 6.00 (16-20-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);  | 110                  | 70                            | 70               | Option 1:<br>(1st Application): 10.00 (14-14-14-);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0);<br>Option 2:<br>(1st Application): 7.00 (16-20-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);  | 120                  | 70                            | 70               | Option 1:<br>(1st Application): 10.00 (14-14-14-);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0);<br>Option 2:<br>(1st Application): 7.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 2.50 (0-0-60);   |

Application schedule:  
1st - after last harrowing  
2nd - 10-14 DAT  
3rd - 20-25 DAT  
DAT - days after transplanting

Fertilizer materials:  
Complete (14-14-14)  
Urea (46-0-0)  
Ammophos (16-20-0)  
Solophos (0-18-0)  
Muriate of Potash (0-0-60)



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF ISABELA**

| Municipality | Fertilizer-Guide Group |             | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options |                  |    |   |                               |                  |    |   |                               |                  |    |   |                               |                  |            |   |  |  |
|--------------|------------------------|-------------|--|------------------|----|---|-------------------------------|------------------|----|---|-------------------------------|------------------|----|---|-------------------------------|------------------|------------|---|--|--|
|              |                        |             | INBRED RICE  |                  |    |   |                               |                  |    |   |                               | HYBRID RICE      |    |   |                               |                  |            |   |  |  |
|              |                        |             | WET SEASON   |                  |    |   |                               | DRY SEASON       |    |   |                               | WET SEASON       |    |   |                               |                  | DRY SEASON |   |  |  |
|              | Number                 | Description | Nutrient Requirement   |                  |    | Recommended Fertilizer Rate (bags/hectare)  | Nutrient Requirement          |                  |    | Recommended Fertilizer Rate (bags/hectare)  | Nutrient Requirement          |                  |    | Recommended Fertilizer Rate (bags/hectare)  | Nutrient Requirement          |                  |            | Recommended Fertilizer Rate (bags/hectare)  |  |  |
| N            |                        |             | P <sub>2</sub> O <sub>5</sub>  | K <sub>2</sub> O | N  |   | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O | N  |   | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O | N  |   | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O |            |   |  |  |
| LUNA         | 067                    | M-L-L-MH    | 90   | 60               | 20 | Option 1:<br>(1st Application): 3.00 (14-14-14-); 4.50 (0-18-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0);<br>Option 2:<br>(1st Application): 6.00 (16-20-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);                | 100                           | 60               | 20 | Option 1:<br>(1st Application): 3.00 (14-14-14-); 4.50 (0-18-0);<br>(2nd Application): 1.75 (46-0-0);<br>(3rd Application): 1.75 (46-0-0);<br>Option 2:<br>(1st Application): 6.00 (16-20-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);                | 110                           | 70               | 30 | Option 1:<br>(1st Application): 4.50 (14-14-14-); 4.50 (0-18-0);<br>(2nd Application): 1.75 (46-0-0);<br>(3rd Application): 1.75 (46-0-0);<br>Option 2:<br>(1st Application): 7.00 (16-20-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);                | 120                           | 70               | 30         | Option 1:<br>(1st Application): 4.50 (14-14-14-); 4.50 (0-18-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 2.00 (46-0-0);<br>Option 2:<br>(1st Application): 7.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);                |  |  |
| LUNA         | 066                    | M-L-L-ML    | 90   | 60               | 40 | Option 1:<br>(1st Application): 5.75 (14-14-14-); 2.25 (0-18-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0);<br>Option 2:<br>(1st Application): 6.00 (16-20-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);                | 100                           | 60               | 40 | Option 1:<br>(1st Application): 5.75 (14-14-14-); 2.25 (0-18-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0);<br>Option 2:<br>(1st Application): 6.00 (16-20-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);                | 110                           | 70               | 50 | Option 1:<br>(1st Application): 7.25 (14-14-14-); 2.25 (0-18-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0);<br>Option 2:<br>(1st Application): 7.00 (16-20-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);                | 120                           | 70               | 50         | Option 1:<br>(1st Application): 7.25 (14-14-14-); 2.25 (0-18-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0);<br>Option 2:<br>(1st Application): 7.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.75 (0-0-60);                |  |  |
| LUNA         | 075                    | M-L-MH-MH   | 90   | 20               | 30 | Option 1:<br>(1st Application): 3.00 (14-14-14-); 1.25 (46-0-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.50 (0-0-60);<br>Option 2:<br>(1st Application): 2.00 (16-20-0);<br>(2nd Application): 2.25 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); | 100                           | 20               | 30 | Option 1:<br>(1st Application): 3.00 (14-14-14-); 1.50 (46-0-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0); 0.50 (0-0-60);<br>Option 2:<br>(1st Application): 2.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); | 110                           | 30               | 30 | Option 1:<br>(1st Application): 4.50 (14-14-14-); 1.25 (46-0-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0);<br>Option 2:<br>(1st Application): 3.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.75 (46-0-0); 1.00 (0-0-60);                | 120                           | 30               | 30         | Option 1:<br>(1st Application): 4.50 (14-14-14-); 1.50 (46-0-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0);<br>Option 2:<br>(1st Application): 3.00 (16-20-0);<br>(2nd Application): 2.25 (46-0-0);<br>(3rd Application): 2.00 (46-0-0); 1.00 (0-0-60);                |  |  |
| LUNA         | 074                    | M-L-MH-ML   | 90   | 20               | 40 | Option 1:<br>(1st Application): 3.00 (14-14-14-); 1.25 (46-0-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);<br>Option 2:<br>(1st Application): 2.00 (16-20-0);<br>(2nd Application): 2.25 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); | 100                           | 20               | 40 | Option 1:<br>(1st Application): 3.00 (14-14-14-); 1.50 (46-0-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);<br>Option 2:<br>(1st Application): 2.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.75 (46-0-0); 1.50 (0-0-60); | 110                           | 30               | 50 | Option 1:<br>(1st Application): 4.50 (14-14-14-); 1.25 (46-0-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);<br>Option 2:<br>(1st Application): 3.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.75 (46-0-0); 1.75 (0-0-60); | 120                           | 30               | 50         | Option 1:<br>(1st Application): 4.50 (14-14-14-); 1.50 (46-0-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0); 0.75 (0-0-60);<br>Option 2:<br>(1st Application): 3.00 (16-20-0);<br>(2nd Application): 2.25 (46-0-0);<br>(3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); |  |  |
| LUNA         | 071                    | M-L-ML-MH   | 90   | 40               | 20 | Option 1:<br>(1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); 2.25 (0-18-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0);<br>Option 2:<br>(1st Application): 4.00 (16-20-0);<br>(2nd Application): 1.50 (46-0-0);   | 100                           | 40               | 20 | Option 1:<br>(1st Application): 3.00 (14-14-14-); 1.30 (46-0-0); 2.22 (0-18-0);<br>(2nd Application): 1.09 (46-0-0);<br>(3rd Application): 1.09 (46-0-0);<br>Option 2:<br>(1st Application): 4.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);   | 110                           | 50               | 30 | Option 1:<br>(1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); 2.22 (0-18-0);<br>(2nd Application): 1.20 (46-0-0);<br>(3rd Application): 1.20 (46-0-0);<br>Option 2:<br>(1st Application): 5.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);   | 120                           | 50               | 30         | Option 1:<br>(1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); 2.25 (0-18-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.50 (46-0-0);<br>Option 2:<br>(1st Application): 5.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);   |  |  |

Application schedule:  
1st - after last harrowing  
2nd - 10-14 DAT  
3rd - 20-25 DAT  
DAT - days after transplanting

Fertilizer materials:  
Complete (14-14-14)  
Urea (46-0-0)  
Ammophos (16-20-0)  
Solophos (0-18-0)  
Muriate of Potash (0-0-60)



Department of Agriculture  
BUREAU OF SOILS AND WATER MANAGEMENT  
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"  
**FERTILIZER-GUIDE FOR RICE**  
**PROVINCE OF ISABELA**

| Municipality | Fertilizer-Guide Group |             | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options |                               |                  |   |                      |                               |                  |   |                      |                               |                  |   |                      |                               |                  |   |
|--------------|------------------------|-------------|--|-------------------------------|------------------|---|----------------------|-------------------------------|------------------|---|----------------------|-------------------------------|------------------|---|----------------------|-------------------------------|------------------|---|
|              |                        |             | INBRED RICE  |                               |                  |   |                      |                               |                  |   |                      | HYBRID RICE                   |                  |   |                      |                               |                  |   |
|              |                        |             | WET SEASON   |                               |                  |   |                      | DRY SEASON                    |                  |   |                      | WET SEASON                    |                  |   |                      |                               | DRY SEASON       |   |
|              | Number                 | Description | Nutrient Requirement   |                               |                  | Recommended Fertilizer Rate (bags/hectare)  | Nutrient Requirement |                               |                  | Recommended Fertilizer Rate (bags/hectare)  | Nutrient Requirement |                               |                  | Recommended Fertilizer Rate (bags/hectare)  | Nutrient Requirement |                               |                  | Recommended Fertilizer Rate (bags/hectare)  |
|              |                        |             | N  | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O |   | N                    | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O |   | N                    | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O |   | N                    | P <sub>2</sub> O <sub>5</sub> | K <sub>2</sub> O |   |
| LUNA         | 090                    | M-ML-MH-ML  | 70   | 20                            | 40               | Option 1:<br>(1st Application): 3.00 (14-14-14-); 0.75 (46-0-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);<br>Option 2:<br>(1st Application): 2.00 (16-20-0);<br>(2nd Application): 1.50 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); | 80                   | 20                            | 40               | Option 1:<br>(1st Application): 3.00 (14-14-14-); 1.00 (46-0-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);<br>Option 2:<br>(1st Application): 2.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); | 90                   | 30                            | 50               | Option 1:<br>(1st Application): 4.50 (14-14-14-); 0.75 (46-0-0);<br>(2nd Application): 1.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);<br>Option 2:<br>(1st Application): 3.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); | 100                  | 30                            | 50               | Option 1:<br>(1st Application): 4.50 (14-14-14-); 1.00 (46-0-0);<br>(2nd Application): 1.25 (46-0-0);<br>(3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);<br>Option 2:<br>(1st Application): 3.00 (16-20-0);<br>(2nd Application): 2.00 (46-0-0);<br>(3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); |

Application schedule:  
1st - after last harrowing  
2nd - 10-14 DAT  
3rd - 20-25 DAT  
DAT - days after transplanting

Fertilizer materials:  
Complete (14-14-14)  
Urea (46-0-0)  
Ammophos (16-20-0)  
Solophos (0-18-0)  
Muriate of Potash (0-0-60)