



**Negotiated Procurement - Two
Failed Bidding for the Re-Bid of
Supply and Delivery of various
Inks and ICT Equipment,
Supplies, and Peripherals Batch
2 for CY 2024**

IB NO: BSWM-NP-2024-11-007

**Date issued
November 2024**



Republic of the Philippines
Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
SRDC Bldg., Elliptical Road corner Visayas Avenue,
Diliman, Quezon City 1101

INVITATION TO BID

Negotiated Procurement - Two Failed Bidding

Re-Bid of Supply and Delivery of various Inks and ICT Equipment, Supplies, and Peripherals Batch 2 for CY 2024 - IB NO: BSWM -NP-2024-11-007

1. The Bureau of Soils and Water Management (BSWM), through the *General Appropriations Act for CY 2024* intends to procure the **Negotiated Procurement - Two Failed Bidding for the Re-Bid of Supply and Delivery of various Inks and ICT Equipment, Supplies, and Peripherals Batch 2 for CY 2024** with an Approved Budget for Contract (ABC) in the sum of:

LOT	CATEGORY	ABC
1	Personal Computers	4,026,300.00
2	Other ICT Equipment	5,158,000.00
3	Ink Tank	432,200.00
	GRAND TOTAL	9,184,300.00

2. The BSWM now invites technically, legally, and financially capable suppliers for the said project.
3. The Procurement procedure for this requirement is Negotiated Procurement for Two-Failed Bidding pursuant to Section 53.1 of 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The selection of the successful offer shall be based on the best and final offer that will be submitted on the set deadline by the BAC and which would meet the minimum technical specifications required.
4. The interested bidders may obtain further information from the BAC Secretariat at the address given below **until 20 November 2024, Monday to Friday, from 8:00 AM to 5:00 PM**
5. The BSWM will hold a **Negotiation Meeting on 19 November 2024, 01:00 PM** at the **BSWM Function Room and via Zoom**, which shall be open to prospective bidders.
6. Two (2) copies of the proposals (one original and one copy) must be submitted to the BAC which must be duly received by the BAC Secretariat through manual submission at the office address indicated above **on or before 9:00 AM of 21 November 2024**. Late submission shall not be accepted.
7. Interested bidders shall submit the following documents in sealed envelopes, labeled as "Negotiated Procurement for Two-Failed Biddings", with the title of the procurement project, name of the bidder, address, the contact details of the bidder, addressed to the BAC.

I. Eligibility and Technical Documents

- a. Valid PhilGEPS Registration Certificate (Platinum Membership), including the Annex/es;
- b. Statement of Bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid. For this purpose, the definition of similar contracts shall refer to the **Supply and delivery of various ICT Equipment and Peripherals**

equivalent to:

- **at least fifty (50%) of the total ABC for Lot 1 and 2; and**
- **at least twenty-five (25%) of the total ABC for Lot 3**

completed **within the last 5 years** prior to the date of submission of the best and final offer.

- c. Bid Security in any of the following forms as prescribed under the 2016 revised IRR of RA 9184:
 - i. In case of cash, Manager's Check, Bank Guarantee (2% of the ABC)
 - ii. In the case of Surety Bond, submit also a certification issued by the Insurance Commission or an Original Copy of Notarized Bid Securing Declaration (5% of the ABC)
 - iii. Bid Securing Declaration. (Note: Bidders SHALL use the ATTACHED template for the Bid Securing Declaration. Other forms of Bid Securing Declaration will NOT BE ACCEPTED and SHALL BE RATED "FAILED".) (Annex C)
- d. Conformity with the Schedule of Requirements; (Annex A)
- e. Conformity with the Technical Specifications; (Annex B)
- f. Notarized Omnibus Sworn Statement (OSS) supported with Notarized Secretary's Certificate in case of a corporation or cooperative; in case of a partnership or single proprietorship, the bidder shall submit Special Power of Attorney executed by the partners or single proprietorship; whichever is applicable.

In the case of a Joint Venture, Special Power of Attorney shall be submitted by all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
- g. The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation
- h. If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence or a duly notarized statement from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. Financial Documents

- i. Bid Form
 - j. Price Schedule
8. The Special Conditions of the Contract (Annex "C") shall form part of the contract. Other conditions of the contract shall be governed by the implementation of the rules and regulations of RA 9184 and other related and applicable laws.

9. Awarding for the contracts:

Lot 1 and 2- per lot
Lot 3- per line-item basis

10. The Head of the Procuring Entity reserves the right to reject all Bids, declare failure of bidding, or not award the contract in accordance with Section 41 of the 2016 revised Implementing Rules and Regulations.

11. For further information, please refer
to: FRANCE JOSEPHINE C. BAUTISTA
BIDS AND AWARDS COMMITTEE SECRETARIAT'S OFFICE
2ND FLOOR, SRDC BLDG.,
VISAYAS AVE. COR. ELLIPTICAL ROAD, DILIMAN, QUEZON CITY
TELEFAX NUMBER: +63-2-8273-2474 loc 3218
EMAIL ADDRESS: bac@bswm.da.gov.ph or bswm.bacsec@gmail.com WEBSITE: www.bswm.gov.ph
FB Page: <https://www.facebook.com/bswmpms>

You may visit the following websites:

For downloading of Bidding Documents:

PhilGEPS- <https://notices.philgeps.gov.ph/>, BSWM Website- www.bswm.gov.ph or BSWM
Procurement Service Facebook Page- <https://www.facebook.com/bswmpms>

DENISE A. SOLANO

Chairperson, Bids and Awards Committee



Annex A

Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

LOT	CATEGORY	DELIVERED, WEEKS/MONTHS
1	Personal Computers	Within 60 Calendar days upon receipt on NTP
2	Other ICT Equipment	
3	Ink Tank	

I hereby verify to comply with all the above requirements.

Signature over the printed name of the authorized representative

Company name

Date

Annex B

Technical Specifications

Item	Specification	Statement of Compliance
<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>		

LOT 1:

PR #/Division/Fund Source	Item No.	Description	Quantity	Statement of Compliance
LSD-NSHP (8)	1	Desktop Computer (Office Document Advance) Processor: Core: at least 6; Threads: at least 12; Cache: at least 32; Max/Boost Frequency (GHz): at least 5.1 GPU: at least 6GB VRAM, GDDR6 GPU Output: at least DisplayPort 1.4a x 2 & HDMI 2.1a x 2 RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Case Form Factor: Mid Tower (atleast H:14.5in by W:6in) Motherboard: at least 2 x M.2 Slot, 4 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 1 TB m.2 NVMe Gen 4 Internal Storage: 1TB HDD Power Supply: Rating at least 500 watts 80+ Bronze Display: at least 27-inch Monitor Display Refresh Rate: at least 75hz Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)"	8	
ALMED-LFP-NSHP (3) SCMD-SLRMA (1) CPIT-PAEF Rice & FPMA HVCDP(20)	2	Desktop Computer (Office Document BASIC) Processor: Core: at least 12; Threads: at least 20; Cache: at least 25; Max/Boost Frequency (GHz): at least 4.9 GPU: on-board/shared RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Case Form Factor: Mid Tower (atleast H:14.5in by W:6in) Motherboard: at least 1 x M.2 Slot, 2 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 1 TB m.2 NVMe Gen 4 Internal Storage: 1TB HDD Power Supply: Rating at least 500 watts 80+ Bronze	24	

		Display: at least 24-inch Monitor Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)		
ALMED-LFP-NSHP (5) WRMD-INS Various 2024-Rice ESETS (4) Manila Bay (1) SCMD-SLRMA (1) NSWRRD-HillPEZ-RD-VERMI (1) NSWRRD-LUPEZ-RD-Lysimeter-Current(1)	3	Laptop Computer (Office Document BASIC) Processor: Core: at least 8; Threads: at least 16; Cache: at least 16MB; Max Turbo Frequency (GHz): at least 4.6 Storage: at least 512GB M.2 NVMe SSD Memory: at least 16GB, DDR4/single 16GB or dual 8GB Camera: at least 720p Screen size: at least 15.6-inch Display Type: FHD Battery Type: at least 53 WH; at least 3-cell battery Battery Charger: Must be the same brand as the offered unit Operating System: Should be licensed and the latest professional edition, 64-bit Productivity Suites: Should be licensed and compatible with the existing productivity suites (MS Office)	13	
SCMD-GEF6 (4)	4	Laptop (Office Document Advance) Processor: Core: at least 10; Threads: at least 12; Cache: at least 12MB; Max Turbo Frequency (GHz): at least 5.0 Storage: at least 512GB SSD M.2 2242 PCIe 4.0x4 NVMe Memory: at least 16GB, DDR4 3200MHz (upgradable) Camera: at least 720p Screen size: at least 15.6 inch Display Type: IPS Battery Type: at least 50WH; at least 3 cell battery Battery Charger: Must be the same brand as the offered unit Operating System: Should be licensed and the latest professional edition, 64-bit Productivity Suites: Should be licensed, latest, and compatible with the existing productivity suites (MS Office)	4	
GSITD-ICT-STO Current (3) LSD-NSHP (8)	5	Laptop (Executive) Processor: Core: at least 16; Threads: at least 22; Cache: at least 24MB; Max Turbo Frequency (GHz): at least 5.1 Storage: at least 1TB NVMe Gen4 Memory: at least 16GB DDR5 GPU: at least 6GB dedicated Camera: at least 720p FHD Screen size: at least 14.5 inch Display Type: IPS, at least 90Hz Battery Type: at least 73WH Battery Charger: Must be same brand with the offered unit Weight: up to 1.49kg/3.28lbs Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)	11	
SCMD-GEF6 (1)	6	Laptop (Mapping/CAD/System Dev't - Advance) Processor: Core: at least 24; Threads: at least 32; Cache: at least 36MB; Max Turbo Frequency (GHz): at least 5.8	2	

		Storage: at least 1TB NVMe Gen4 Memory: at least 16GB, DDR5/single 16GB or dual 8GB (upgradable using two soDIMM modules) GPU: at least 8GB dedicated Camera: at least 720p Screen size: at least 16 inch Display Type: IPS, at least 165Hz Battery Type: at least 90WH; at least 4 cell battery Battery Charger: Must be the same brand as the offered unit Operating System: Should be licensed and the latest professional edition, 64-bit Productivity Suites: Should be licensed, latest, and compatible with the existing productivity suites (MS Office)		
Accessories for laptop- Laptop Sleeve or laptop Bag/Backpack with laptop compartment The unit and its components must not be a clone The brand and model offered should be indicated on the technical proposal per line item Warranty: All equipment must have at least 1-year warranty on parts and labor service Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)				

LOT 2:

PR #/Division/Fund Source	Item No.	Description	Quantity	Statement of Compliance
2024-07-1212- LSD-NSHP	1	Barcode Printer Print Technology: Direct Thermal Print labels up to 36mm in width Maximum print height: 32mm print resolution: 360dpi Minimum label length: 4mm Maximum label length: 1m Connectivity: USB: Windows® (USB1.1, 2.0, 3.0 protocol) Wired Network: 10 Base-T/100 Base-TX Serial: RS-232C (For printing with ESC/P commands only. Requires an optional serial adapter.) Wireless Direct: IEEE 802.11n Ad-Hoc mode: IEEE802.11b Infrastructure mode: IEEE802.11b/g/n WPS 2.0 Bluetooth 2.1 Barcode Supported: 1D: CODE39, CODE128, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128 (UCC/EAN128) QR Code Supported: 2D: QR Code, PDF417, Data Matrix, Aztec Code, RSS-14 (Standard, Truncated, Stacked, StackedOmni), RSS-Limited, RSS Expanded (Standard, Stacked) Features: Built in Automatic label cutter	20	
2024-07-1212- LSD-NSHP	2	Barcode/QR Scanner Form Factor: Handheld Connectivity: Wireless / Cable Connection: 2.4 GHz mini Wireless USB Dongle / 2.0 USB Cable Scanner Capability: 1D Barcodes: Codabar, Code 11, Code93, MSI, Code 128, UCC/EAN-128, Code 39, EAN-8, EAN-13, UPC-A, ISBN, Industrial 25, Interleaved 25, Standard 25, Matrix, + more.	20	

		2D Barcodes: QR, DataMatrix, PDF417, Aztec, Hanxin, Micro PDF417, + more. Scan Pattern: Linear + QR Codes Scanner Type: CMOS Battery Capacity: 2000mAh		
GSITD-ICT-STO Current	3	Camera (Advance) Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: APS-C CMOS sensor Image Processor: DIGIC X Effective Pixels: 24.2MP Focus Type: Dual Pixel CMOS AF II AF Mode: One Shot Servo AF Auto Switch (only in A+ mode) Built-in Flash GN (ISO 100, meters): 6 Video Quality: 4K30 Video, 4K60 with Crop; HDR-PQ Brightness Adjustment: Manual: Adjustable to one of seven levels Colour Tone Adjustment: 4 settings Viewfinder: 0.39 inch OLED colour EVF LCD Type: 7.5 cm (2.95") TFT colour LCD monitor Interface: USB 2.0 to USB Type-C Wireless Lan (2.4GHz) Bluetooth 4.2 HDMI Micro out (Type D, HDMI-CEC not supported) External Microphone In (3.5mm Stereo mini jack) Storage Type: SD/SDHC/SDXC and UHS-II With 18-150mm f/3.5-6.3 IS STM Lens, Camera Strap, Battery Pack, Battery Charger	1	
SSD-LFP-NSHP (2) NSWRRD- HighPEZ-RD- LTR (1) CPIT-PAEF Rice(3) SCMD-SLRMA (1)	4	Camera (Basic) Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: 24.1 megapixels; APS-C CMOS Processor Type: DIGIC 8 Autofocus: 143 Focus points Autofocus Modes: One-Shot AF, Servo AF / Movie Servo AF Image Resolution: up to 6000x4000 Video Shooting: 4K at 23.98 fps 1920 x 1080 at 59.94 fps [60 Mb/s] 1920 x 1080 at 23.98/29.97 fps [30 Mb/s] Memory Card Slot: Single Slot - SD/SDHC/SDXC Wireless: 2.4 GHz Wi-Fi (802.11b/g), Bluetooth 4.2 Display Type: Fixed Non-Touchscreen LCD Battery Type: 1x LP-E17 Rechargeable Lithium-Ion Display Size: 3" Peripheral Connections: USB Type-C (Hi-Speed USB (USB 2.0) equivalent) External microphone IN Terminal HDMI micro (Type D) Remote control Terminal(E3) Accessory shoe	7	
LSD-NSHP(20) SWRRD-LUPEZ- RD-Soil Tank (1)	5	Communication Device CPU: at least Octa-Core Display Type: Super AMOLED Screen Size: at least 6.6 inches Screen Resolution: at least 1080 x 2340 pixels Screen Brightness: at least 1000 nits Operating System: at least Android 14 Chipset:Exynos 1480 RAM: at least 8GB	21	

		Storage: at least 256GB Battery: at least Li-Ion 5000 mAh Camera: at least 50MP Front Camera at least 32MP Rear Camera Positioning: GPS, GALILEO, GLONASS, BDS, QZSS Bluetooth Version: 5.3		
ADMIN-Regular (2 Records) CPIT-PAEF Rice(1)	7	Document Scanner (Advance) Type: Sheetfed Scanner Sensor Type: Colour Contact Image Sensor Resolution: up to 600 DPI x 600 DPI ADF Paper Capacity: up to 50 Sheets Duplex Scan: Yes Document Sizes: Paper size Minimum: 50.8 x 50.8 mm Paper size Maximum: 215.9 x 6096 mm Interface: USB 3.2 Gen 1 USB 3.2 Gen 1, Wi-Fi (802.11 b/g/n)	3	
SCMD- Manila Bay (1) SCMD-GEF6(2) SCMD-SLRMA (1) 2024-07-1212- LSD-NSHP (1)	8	Handheld Action Camera Camera type: Handheld/Action Camera Microphones: 3 Screen Size: 2.0 inches Resolution: 314x556 Brightness: 700 nits Controllable Range: Pan: -235° to 58° ; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63° ; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Low-Light Video: 50-16000 Slow Motion: 50-6400 Max Image Size: 16:9, 3840x2160 1:1, 3072x3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi	5	
GSITD-ICT-STO Current	9	ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing Edge to edge print Digital shredding	1	
GSITD-ICT-STO Current	10	Multi-Media Display Smart TV Screen Size: at least 70 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz	1	

		Operating System: WebOS Wireless: Wi-Fi 802.11ac, Bluetooth 5.1 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF (Antenna/Cable) x 2 With TV Cart Stand		
LSD-NSHP (3)	11	Multi-Media Display Type: Smart TV Screen Size: at least 50 inch TV Resolution: at least 4K Panel Type: QLED Refresh Rate: 60Hz Operating System: Tizen SmartTV Wireless: Wi-Fi 802.11ac, Bluetooth 5.2 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF In (Terrestrial / Cable input) x 1	3	
CPIT-PAEF FPMA HVCDP (2)	12	Multi-Media Display Type: Smart TV Screen Size: at least 50 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz Bluetooth: 5.2 Speaker: at least 20w Wi-Fi 5: 2.4G & 5G 3-Side Bezel-less I/O Ports: HDMI 2.1 x 3 USB-A x 1 Ethernet Lan x 1 Digital Audio out (optical) RF in (Terrestrial/Cable input) Anynet+ (HDMI-CEC)	2	
GSITD-AFACI PAN (10)	13	Multi-Purpose Geotagging Device Chipset: Qualcomm SM8550-AC Snapdragon 8 Gen 2 Operating System: at least Android 13 Screen Size: at least 6.8 inches Screen Resolution: at least 1440 x 3088 pixels Screen Brightness: at least 1750 nits Display Type: Dynamic AMOLED 2X, 120Hz RAM: at least 8GB Storage: at least 128GB Battery: at least 5000 mAh Network Technology: GSM / CDMA / HSPA / EVDO / LTE / 5G Camera: at least 12MP Front Camera at least 200MP Rear Camera	10	
SCMD- Manila Bay (1) SCMD-GEF6 (5) SCMD-SLRMA (2) SSD-LFP-NSHP (3)	14	Multi-Purpose Geotagging Device CPU: at least Octa-Core Display Type: TFT LCD Screen Size: at least 12.4 inches Screen Resolution: at least 1600 x 2560 pixels Screen Brightness: at least 522 nits Operating System: at least Android 11	11	

		<p>Chipset: Qualcomm SM7225 Snapdragon 750G 5G (8 nm) - 5G</p> <p>RAM: at least 6GB</p> <p>Storage: at least 128GB</p> <p>Battery: at least LiPo 10090 mAh</p> <p>Sim Type: Nano</p> <p>Camera:</p> <p>at least 5MP Front Camera</p> <p>at least 8MP Rear Camera</p> <p>Positioning: GPS, GLONASS, BDS, GALILEO</p> <p>with Precision pen and keyboard pack</p>		
LSD-NSHP(16) CPIT-PAEF Rice(16)	15	<p>Network Printer (Basic)</p> <p>Printer Type: Ink tank</p> <p>Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed)</p> <p>Maximum Resolution: 4800 x 1200 dpi</p> <p>Paper Sizes: A4, Letter, Legal and A3</p> <p>Number of Paper Trays: 2</p> <p>Automatic 2-Sided Printing (up to A4/Letter)</p> <p>Interface: USB 2.0</p> <p>Network: Wireless, Mopria, AirPrint, Direct Wireless, Ethernet</p>	32	
GSITD-ICT-STO Current	16	<p>Network Printer (Advance)</p> <p>Printer Type: Ink tank</p> <p>Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed)</p> <p>Maximum Copy Size: A3</p> <p>Copy Resolution: At least 600 x 600 dpi</p> <p>Scanning Resolution: At least 1200 x 2400 dpi</p> <p>Scanner Sensor Type: CIS</p> <p>Maximum Printing Resolution: At least 4800 x 1200 dpi</p> <p>Paper Sizes: A3, Super B (13 x 19"), Indian Legal, Letter, A4, 16K (195 x 270mm), 8K (270 x 390mm), Executive (7.25 x 10.5"), B4, B5, A5, B6, A6, 8.5 x 13", 5 x 7", 4 x 6", 8 x 10", Legal (8.5 x 14"), 16:9 wide, Envelopes: #10, DL, C6, C4</p> <p>Number of Paper Trays: 3 (2 Front, 1 Rear)</p> <p>Automatic 2-Sided Printing (up to A3)</p> <p>Printing Speed:</p> <p>Draft, A4 (Black / Colour): Up to 32.0 ppm / 32.0 ppm *2</p> <p>ISO 24734, A4 Simplex (Black / Colour): Up to 25.0 ipm / 25.0 ipm *2</p> <p>ISO 24734, A4 Duplex (Black / Colour): Up to 21.0 ipm / 21.0 ipm *2</p> <p>ISO 24734, A3 Simplex (Black / Colour): Up to 13.5 ipm / 13.5 ipm *2</p> <p>ISO 24734, A3 Duplex (Black / Colour): Up to 10.0 ipm / 10.0 ipm *2</p> <p>LCD Screen: at least 4.3" Colour LCD Touch Screen</p> <p>Interface: USB 2.0</p> <p>Network: Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct</p> <p>LCD Screen: 4.3" Colour LCD Touch Screen</p>	1	
WRMD-RICE PSS (6) ADMIN- Regular (2 Personnel & Planning)	17	<p>Printer (Portable)</p> <p>Print Method: Micro Piezo</p> <p>Print Type: InkJet</p> <p>Printer Function: Print</p> <p>Maximum Resolution: At least 5760 x 1440 dpi</p> <p>Paper Sizes: Legal, Letter, A4, B5, A5, A6, 8x10", 5x7", 4x6", Envelopes: #10, DL, C6</p> <p>Number of Paper Trays: 1</p> <p>Interface: USB 2.0</p> <p>Network: Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct</p> <p>Built-in Battery</p>	8	

NSWRRD-HighPEZ-RD-LTR (2) ADMIN-PMU-Regular Fund (2)	18	Printer (Desktop) Printer Type: Ink tank Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed) Maximum Printing Resolution: 4800 x 1200 dpi Number of Paper Trays: 1 Interface: USB 2.0 Network: Wireless, Mopria, AirPrint, Direct Wireless Borderless Printing (A4 / Letter / 4 x 6" / 5 x 7" / 8 x 10" / Square (5 x 5") / Business Card)	4	
SSD-LFP-NSHP (2)	19	Projector Light Source Type: LCD Native Resolution: WXGA (1280 x 800) Brightness: at least 2000 Lumens Lamp Life: (Normal / Eco): 6,000 / 12,000 hours Contrast Ratio: 16,000:1 Analog Input Composite: 1 RCA D-Sub (VGA) : 1 Digital Input: HDMI x 1 Audio Input: 2RCA (White & Red): 1 USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Wireless Projection: IEEE 802.11b (2.4GHz): 11 Mbps*2 IEEE 802.11n (2.4GHz): 72.2 Mbps*2 IEEE 802.11a (5GHz): 54Mbps*2 IEEE 802.11n (5GHz): 150 Mbps*2 IEEE 802.11g (2.4GHz): 54 Mbps*2	2	
WRMD-INS Various 2024 (3) SSD-LFP-NSHP (6)	20	Two-way Radio Type: Two-way Radio Dual Band (VHF/UHF) Channel Spacing: 25KHz (wide band)12.5KHz (narrow band) Sensitivity: =0.25μV (wide band) =0.35μV (narrow band) Battery capacity: at least 1800 mAh Channel: 128 channels Frequency range: TX 136 – 174MHz, 400 – 520MHz RX 136 – 174MHz, 400 – 520MHz, 68-108MHz (FM Broadcast) 2 Device	9	

The unit and its components must not be a clone

The brand and model offered should be indicated on the technical proposal per line item

Warranty: All equipment must have at least 1-year warranty on parts and labor service

Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)

LOT 3:

No.	PR Fund	Item Description	Unit	Quantity	Statement of Compliance
1	REGULAR(GSITD(6) ADMIN-PERSONNEL(2), ADMIN-CASHIER(3) ADMIN-ACCOUNTING(4), ADMIN-RECORDS(4), ADMIN-BGA)(4), LFP-NSHP(SWRRD)(3) RD-REG-HIGHPEZ(9)	Brother Eco Tank Brother HL- T4000DW (Printer) BT5000M, Magenta	bottle	35	
2	REGULAR(GSITD(6) ADMIN-PERSONNEL(2), ADMIN-CASHIER(3) ADMIN-ACCOUNTING(4), ADMIN-RECORDS(4), ADMIN-BGA)(4), LFP-NSHP(SWRRD)(2) RD-REG-HIGHPEZ(9)	Brother Eco Tank Brother HL- T4000DW (Printer) BT5000C, Cyan	bottle	34	
3	REGULAR(GSITD(6) ADMIN-PERSONNEL(2), ADMIN-CASHIER(3) ADMIN-ACCOUNTING(4), ADMIN-RECORDS(4), ADMIN-BGA)(4), LFP-NSHP(SWRRD)(3) RD-REG-HIGHPEZ(9)	Brother Eco Tank Brother HL- T4000DW (Printer) BT5000Y, Yellow	bottle	35	
4	REGULAR(GSITD(6) ADMIN-PERSONNEL(2), ADMIN-CASHIER(4) ADMIN-ACCOUNTING(8), ADMIN-RECORDS(7), ADMIN-BGA)(4), LFP-NSHP(SWRRD)(3) RD-REG-HIGHPEZ(17)	Brother Eco Tank Brother HL- T4000DW (Printer) BTD60BK, Black	bottle	51	
5	LFP-NSHP-VEGETABLE- HILLPEZ	Brother Eco Tank Brother HL- T4000DW (Printer) BTD60BK, Black, BT5000Y, Yellow, BT5000C, Cyan, BT5000M, Magenta	set	4	

6	SCMD-Outscaling of SLRMA(DA BAR Trust)(30), SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP-PHILREC SOIL (1) SWRRD-RD-OAP-SES(3), SWRRD-RD-ISO-SWRRD(3), ADMIN-RECORDS- Regular(7), ADMIN-INFO-Regular(7)	Epson 003-Cyan	bottle	54	
7	SCMD-Outscaling of SLRMA(DA BAR Trust)(30), SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP-PHILREC SOIL (1) SWRRD-RD-OAP-SES(4), SWRRD-RD-ISO-SWRRD(1), ADMIN-RECORDS- Regular(7), ADMIN-INFO-Regular(7)	Epson 003- Magenta	bottle	53	
8	SCMD-Outscaling of SLRMA(DA BAR Trust)(30), SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP-PHILREC SOIL (1) SWRRD-RD-OAP-SES(4), SWRRD-RD-ISO-SWRRD(1), ADMIN-RECORDS- Regular(7), ADMIN-INFO-Regular(7)	Epson 003- Yellow	bottle	53	
9	SCMD-Outscaling of SLRMA(DA BAR Trust)(10), SWRRD-LFP-NSHP(9), SWRRD-LFP-NSHP-PHILREC SOIL (1) SWRRD-RD-OAP-SES(4), SWRRD-RD-ISO-SWRRD(5), ADMIN-RECORDS- Regular(7), ADMIN-INFO-Regular(12), WRMD-Rice ESETS 2024(8), WRMD-INS Various 2024(24)	Epson 003-Black	bottle	80	
10	INS Various 2024	Epson 003- (Black, Cyan, Magenta, Yellow)	set	10	
11	Rice ESETS 2024	Epson 003- (Black, Cyan, Magenta, Yellow)	set	5	
12	SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP-PHILREC SOIL (1) SWRRD-RD-OAP-SES(7), WRMD-INS Various 2024(20), WRMD-Rice ESETS 2024(8), ADMIN-BUDGET- Regular(12)	GT53-Black	bottle	51	
13	SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP-PHILREC SOIL (1)	GT52-Magenta	bottle	13	

	SWRRD-OAP-SES(3), ADMIN-BUDGET-Regular(6)				
14	LFP-NSHP(3), SWRRD-LFP-NSHP-PHILREC SOIL (1) RD-OAP-SES(3), Regular(6)	GT52-Cyan	bottle	13	
15	LFP-NSHP(3) SWRRD-LFP-NSHP-PHILREC SOIL (1)	GT52-Yellow	bottle	4	
16	Rice ESETS 2024	GT53 (Black, Cyan, Magenta, Yellow)	set	5	
17	SWRRD-RD-ISO-SWRRD(5), WRMD-INS Various 2024(26), ADMIN-INFO-Regular(9) RD-REG-HIGHPEZ(4) SWRRD-LFP-NSHP-PHILREC SOIL (1)	Epson 664-Black	bottle	45	
18	SWRRD-RD-ISO-SWRRD(2), WRMD-INS Various 2024(20), ADMIN-INFO-Regular(7) RD-REG-HIGHPEZ(1) SWRRD-LFP-NSHP-PHILREC SOIL (1)	Epson 664- Magenta	bottle	31	
19	SWRRD-RD-ISO-SWRRD(2), WRMD-INS Various 2024(20), ADMIN-INFO-Regular(7) RD-REG-HIGHPEZ(1) SWRRD-LFP-NSHP-PHILREC SOIL (1)	Epson 664-Cyan	bottle	31	
20	WRMD-INS Various 2024(20), ADMIN-INFO-Regular(7) RD-REG-HIGHPEZ(1) SWRRD-LFP-NSHP-PHILREC SOIL (1)	Epson 664- Yellow	bottle	29	
21	REGULAR	GI-790-Black, 135ml	bottle	6	
22	REGULAR	GI-790-Cyan, 70ml	bottle	6	
23	REGULAR	GI-790-Magenta, 135ml	bottle	6	
24	REGULAR	GI-790-Yellow, 135ml	bottle	6	
25	REGULAR	Compatible w/ Epson EcoTank L15150 A3 008-Black, 127ml EPSON	bottle	4	
26	REGULAR	Compatible w/ Epson EcoTank L15150 A3 008-Cyan, 70ml EPSON	bottle	5	
27	REGULAR	Compatible w/ Epson EcoTank L15150 A3 008-Magenta, 70ml EPSON	bottle	5	
28	REGULAR	Compatible w/ Epson EcoTank L15150 A3	bottle	5	

		008-Yellow, 70ml			
29	Regular	Compatible with Epson L3150, Yellow	pc	5	
30	Regular	Compatible with Epson L3150, Magenta	pc	5	
31	Regular	Compatible with Epson L3150, Cyan	pc	5	
32	Regular	Compatible with Epson L3150, Black	pc	5	
33	STO-REG-SSD	DCP-T300 Black	pc	4	
34	STO-REG-SSD	DCP-T500 Magenta	pc	4	
35	STO-REG-SSD	DCP-T700W Yellow	pc	4	
36	STO-REG-SSD	DCP-T800W Cyan	pc	4	
37	LFP-NSHP-(PHILREC SOIL)	Epson 001-Black	bottle	1	
38	LFP-NSHP-(PHILREC SOIL)	Epson 001-Cyan	bottle	1	
39	LFP-NSHP-(PHILREC SOIL)	Epson 001-Yellow	bottle	1	
40	LFP-NSHP-(PHILREC SOIL)	Epson 001-Magenta	bottle	1	
41	LFP-NSHP-(PHILREC SOIL)	Epson T7741	bottle	1	

Note:
Expiration of Inks/Cartridges/Toners must be at least 18-24 months upon delivery.
Bidders must submit Suppliers Performance Evaluation with at least a Satisfactory Rating (submit during post qual)

I hereby verify to comply with all the above requirements.

Signature over the printed name of the authorized representative

Company name

Date

Special Conditions of Contract

GCC Clause	
1	<p><i>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]</i></p> <p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause, the Procuring Entity’s Representative at the Project Site is <i>End-User Representative, Property Management Unit, and Inspection Committee.</i></p> <p><i>Supplier shall coordinate with the Property Management Unit for the final schedule of services. For the schedule of delivery. Please refer to this link:</i></p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div data-bbox="549 1352 842 1402" data-label="Text"> <p>https://sites.google.com/view/pmu-scheduleofdelivery/home</p> </div> <div data-bbox="944 1319 1117 1491" data-label="Image"> </div> </div> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <p><i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;

	<p>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</p>
	<p>e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</p> <p>f. <i>[Specify additional incidental service requirements, as needed.]</i></p> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <p><i>Select appropriate requirements and delete the rest.</i></p> <p>a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and</p> <p>b. in the event of termination of production of the spare parts:</p> <p>i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and</p> <p>ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.</p> <p>The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof is included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of <i>One Year</i>.</p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within <i>not more than Seven Calendar Days</i> of placing the order.</p>

	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>

	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Supplier's risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<i>N/A</i>
4	The inspections and tests that will be conducted are: <i>Inspections per conformity and compliance with technical specifications.</i>

Lot 1:

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
LSD-NSHP (8)	1	Desktop Computer (Office Document Advance) Processor: Core: at least 6; Threads: at least 12; Cache: at least 32; Max/Boost Frequency (GHz): at least 5.1 GPU: at least 6GB VRAM, GDDR6 GPU Output: at least DisplayPort 1.4a x 2 & HDMI 2.1a x 2 RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Case Form Factor: Mid Tower (atleast H:14.5in by W:6in) Motherboard: at least 2 x M.2 Slot, 4 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 1 TB m.2 NVMe Gen 4 Internal Storage: 1TB HDD Power Supply: Rating at least 500 watts 80+ Bronze Display: at least 27-inch Monitor Display Refresh Rate: at least 75hz Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)"	8	unit	70,000.00	560,000.00
ALMED-LFP-NSHP (3) SCMD-SLRMA (1) CPIT-PAEF Rice & FPMA HVCDP(20)	2	Desktop Computer (Office Document BASIC) Processor: Core: at least 12; Threads: at least 20; Cache: at least 25; Max/Boost Frequency (GHz): at least 4.9 GPU: on-board/shared RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Case Form Factor: Mid Tower (atleast H:14.5in by W:6in) Motherboard: at least 1 x M.2 Slot, 2 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 1 TB m.2 NVMe Gen 4 Internal Storage: 1TB HDD Power Supply: Rating at least 500 watts 80+ Bronze Display: at least 24-inch Monitor Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)	24	unit	49,900.00	1,197,600.00
ALMED-LFP-NSHP (5) WRMD-INS Various 2024-Rice ESETS (4) Manila Bay (1) SCMD-SLRMA (1) NSWRRD-HillPEZ-RD-VERMI (1) NSWRRD-LUPEZ-RD-Lysimeter-Current(1)	3	Laptop Computer (Office Document BASIC) Processor: Core: at least 8; Threads: at least 16; Cache: at least 16MB; Max Turbo Frequency (GHz): at least 4.6 Storage: at least 512GB M.2 NVMe SSD Memory: at least 16GB, DDR4/single 16GB or dual 8GB Camera: at least 720p Screen size: at least 15.6-inch Display Type: FHD Battery Type: at least 53 WH; at least 3-cell battery Battery Charger: Must be the same brand as the offered unit Operating System: Should be licensed and the latest professional edition, 64-bit Productivity Suites: Should be licensed and compatible with the existing productivity suites (MS Office)	13	unit	49,900.00	648,700.00
SCMD-GEF6 (4)	4	Laptop (Office Document Advance) Processor: Core: at least 10; Threads: at least 12; Cache: at least 12MB; Max Turbo Frequency (GHz): at least 5.0	4	unit	70,000.00	280,000.00

		Storage: at least 512GB SSD M.2 2242 PCIe 4.0x4 NVMe Memory: at least 16GB, DDR4 3200MHz (upgradable) Camera: at least 720p Screen size: at least 15.6 inch Display Type: IPS Battery Type: at least 50WH; at least 3 cell battery Battery Charger: Must be the same brand as the offered unit Operating System: Should be licensed and the latest professional edition, 64-bit Productivity Suites: Should be licensed, latest, and compatible with the existing productivity suites (MS Office)				
GSITD-ICT-STO Current (3) LSD-NSHP (8)	5	Laptop (Executive) Processor: Core: at least 16; Threads: at least 22; Cache: at least 24MB; Max Turbo Frequency (GHz): at least 5.1 Storage: at least 1TB NVMe Gen4 Memory: at least 16GB DDR5 GPU: at least 6GB dedicated Camera: at least 720p FHD Screen size: at least 14.5 inch Display Type: IPS, at least 90Hz Battery Type: at least 73WH Battery Charger: Must be same brand with the offered unit Weight: up to 1.49kg/3.28lbs Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)	11	unit	100,000.00	1,100,000.00
SCMD-GEF6 (1)	6	Laptop (Mapping/CAD/System Dev't - Advance) Processor: Core: at least 24; Threads: at least 32; Cache: at least 36MB; Max Turbo Frequency (GHz): at least 5.8 Storage: at least 1TB NVMe Gen4 Memory: at least 16GB, DDR5/single 16GB or dual 8GB (upgradable using two soDIMM modules) GPU: at least 8GB dedicated Camera: at least 720p Screen size: at least 16 inch Display Type: IPS, at least 165Hz Battery Type: at least 90WH; at least 4 cell battery Battery Charger: Must be the same brand as the offered unit Operating System: Should be licensed and the latest professional edition, 64-bit Productivity Suites: Should be licensed, latest, and compatible with the existing productivity suites (MS Office)	2	unit	120,000.00	240,000.00
Accessories for laptop- Laptop Sleeve or laptop Bag/Backpack with laptop compartment						
The unit and its components must not be a clone						
The brand and model offered should be indicated on the technical proposal per line item						
Warranty: All equipment must be at least 1-year warranty on parts and labor service						
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)						
						TOTAL 4,026,300.00

Lot 2:

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2024-07-1212-LSD-NSHP	1	Barcode Printer Print Technology: Direct Thermal Print labels up to 36mm in width Maximum print height: 32mm print resolution: 360dpi Minimum label length: 4mm Maximum label length: 1m Connectivity: USB: Windows® (USB1.1, 2.0, 3.0 protocol) Wired Network: 10 Base-T/100 Base-TX Serial: RS-232C (For printing with ESC/P commands only. Requires an optional serial adapter.) Wireless Direct: IEEE 802.11n Ad-Hoc mode: IEEE802.11b Infrastructure mode: IEEE802.11b/g/n WPS 2.0 Bluetooth 2.1 Barcode Supported: 1D: CODE39, CODE128, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128 (UCC/EAN128) QR Code Supported: 2D: QR Code, PDF417, Data Matrix, Aztec Code, RSS-14 (Standard, Truncated, Stacked, StackedOmni), RSS-Limited, RSS Expanded (Standard, Stacked) Features: Built in Automatic label cutter	20	unit	35,000.00	700,000.00
2024-07-1212-LSD-NSHP	2	Barcode/QR Scanner Form Factor: Handheld Connectivity: Wireless / Cable Connection: 2.4 GHz mini Wireless USB Dongle / 2.0 USB Cable Scanner Capability: 1D Barcodes: Codabar, Code 11, Code93, MSI, Code 128, UCC/EAN-128, Code 39, EAN-8, EAN-13, UPC-A, ISBN, Industrial 25, Interleaved 25, Standard 25, Matrix, + more. 2D Barcodes: QR, DataMatrix, PDF417, Aztec, Hanxin, Micro PDF417, + more. Scan Pattern: Linear + QR Codes Scanner Type: CMOS Battery Capacity: 2000mAh	20	unit	5,500.00	110,000.00
GSITD-ICT-STO Current	3	Camera (Advance) Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: APS-C CMOS sensor Image Processor: DIGIC X Effective Pixels: 24.2MP Focus Type: Dual Pixel CMOS AF II AF Mode: One Shot Servo AF Auto Switch (only in A+ mode) Built-in Flash GN (ISO 100, meters): 6 Video Quality: 4K30 Video, 4K60 with Crop; HDR-PQ Brightness Adjustment: Manual: Adjustable to one of seven levels Colour Tone Adjustment: 4 settings Viewfinder: 0.39 inch OLED colour EVF LCD Type: 7.5 cm (2.95") TFT colour LCD monitor Interface: USB 2.0 to USB Type-C Wireless Lan (2.4GHz) Bluetooth 4.2 HDMI Micro out (Type D, HDMI-CEC not supported) External Microphone In (3.5mm Stereo mini jack) Storage Type: SD/SDHC/SDXC and UHS-II With 18-150mm f/3.5-6.3 IS STM Lens, Camera Strap, Battery Pack, Battery Charger	1	unit	100,000.00	100,000.00
SSD-LFP-NSHP (2)	4	Camera (Basic)	7	unit	48,000.00	336,000.00

NSWRRD- HighPEZ-RD-LTR (1) CPIT-PAEF Rice(3) SCMD-SLRMA (1)		Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: 24.1 megapixels; APS-C CMOS Processor Type: DIGIC 8 Autofocus: 143 Focus points Autofocus Modes: One-Shot AF, Servo AF / Movie Servo AF Image Resolution: up to 6000x4000 Video Shooting: 4K at 23.98 fps 1920 x 1080 at 59.94 fps [60 Mb/s] 1920 x 1080 at 23.98/29.97 fps [30 Mb/s] Memory Card Slot: Single Slot - SD/SDHC/SDXC Wireless: 2.4 GHz Wi-Fi (802.11b/g), Bluetooth 4.2 Display Type: Fixed Non-Touchscreen LCD Battery Type: 1x LP-E17 Rechargeable Lithium-Ion Display Size: 3" Peripheral Connections: USB Type-C (Hi-Speed USB (USB 2.0) equivalent External microphone IN Terminal HDMI micro (Type D) Remote control Terminal(E3) Accessory shoe				
LSD-NSHP(20) SWRRD-LUPEZ-RD-Soil Tank (1)	5	Communication Device CPU: at least Octa-Core Display Type: Super AMOLED Screen Size: at least 6.6 inches Screen Resolution: at least 1080 x 2340 pixels Screen Brightness: at least 1000 nits Operating System: at least Android 14 Chipset:Exynos 1480 RAM: at least 8GB Storage: at least 256GB Battery: at least Li-Ion 5000 mAh Camera: at least 50MP Front Camera at least 32MP Rear Camera Positioning: GPS, GALILEO, GLONASS, BDS, QZSS Bluetooth Version: 5.3	21	unit	30,000.00	630,000.00
ADMIN-Regular (2 Records) CPIT-PAEF Rice(1)	7	Document Scanner (Advance) Type: Sheetfed Scanner Sensor Type: Colour Contact Image Sensor Resolution: up to 600 DPI x 600 DPI ADF Paper Capacity: up to 50 Sheets Duplex Scan: Yes Document Sizes: Paper size Minimum: 50.8 x 50.8 mm Paper size Maximum: 215.9 x 6096 mm Interface: USB 3.2 Gen 1 USB 3.2 Gen 1, Wi-Fi (802.11 b/g/n)	3	unit	35,000.00	105,000.00
SCMD- Manila Bay (1) SCMD-GEF6(2) SCMD-SLRMA (1) 2024-07-1212-LSD-NSHP (1)	8	Handheld Action Camera Camera type: Handheld/Action Camera Microphones: 3 Screen Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58° ; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63° ; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Low-Light Video: 50-16000 Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160	5	unit	36,000.00	180,000.00

		1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi				
GSITD-ICT-STO Current	9	ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing Edge to edge print Digital shredding	1	unit	150,000.00	150,000.00
GSITD-ICT-STO Current	10	Multi-Media Display Smart TV Screen Size: at least 70 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz Operating System: WebOS Wireless: Wi-Fi 802.11ac, Bluetooth 5.1 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF (Antenna/Cable) x 2 With TV Cart Stand	1	unit	92,000.00	92,000.00
LSD-NSHP (3)	11	Multi-Media Display Type: Smart TV Screen Size: at least 50 inch TV Resolution: at least 4K Panel Type: QLED Refresh Rate: 60Hz Operating System: Tizen SmartTV Wireless: Wi-Fi 802.11ac, Bluetooth 5.2 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF In (Terrestrial / Cable input) x 1	3	unit	60,000.00	180,000.00
CPIT-PAEF FPMA HVCDP (2)	12	Multi-Media Display Type: Smart TV Screen Size: at least 50 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz Bluetooth: 5.2 Speaker: at least 20w Wi-Fi 5: 2.4G & 5G 3-Side Bezel-less I/O Ports: HDMI 2.1 x 3 USB-A x 1 Ethernet Lan x 1 Digital Audio out (optical) RF in (Terrestrial/Cable input)	2	unit	35,000.00	70,000.00

		Anynet+ (HDMI-CEC)				
GSITD-AFACI PAN (10)	13	Multi-Purpose Geotagging Device Chipset: Qualcomm SM8550-AC Snapdragon 8 Gen 2 Operating System: at least android 13 Screen Size: at least 6.8 inches Screen Resolution: at least 1440 x 3088 pixels Screen Brightness: at least 1750 nits Display Type: Dynamic AMOLED 2X, 120Hz RAM: at least 8GB Storage: at least 128GB Battery: at least 5000 mAh Network Technology: GSM / CDMA / HSPA / EVDO / LTE / 5G Camera: at least 12MP Front Camera at least 200MP Rear Camera	10	unit	49,900.00	499,000.00
SCMD- Manila Bay (1) SCMD-GEF6 (5) SCMD-SLRMA (2) SSD-LFP-NSHP (3)	14	Multi-Purpose Geotagging Device CPU: at least Octa-Core Display Type: TFT LCD Screen Size: at least 12.4 inches Screen Resolution: at least 1600 x 2560 pixels Screen Brightness: at least 522 nits Operating System: at least Android 11 Chipset: Qualcomm SM7225 Snapdragon 750G 5G (8 nm) - 5G RAM: at least 6GB Storage: at least 128GB Battery: at least LiPo 10090 mAh Sim Type: Nano Camera: at least 5MP Front Camera at least 8MP Rear Camera Positioning: GPS, GLONASS, BDS, GALILEO with Precision pen and keyboard pack	11	unit	49,000.00	539,000.00
LSD-NSHP(16) CPIT-PAEF Rice(16)	15	Network Printer (Basic) Printer Type: Ink tank Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed) Maximum Resolution: 4800 x 1200 dpi Paper Sizes: A4, Letter, Legal and A3 Number of Paper Trays: 2 Automatic 2-Sided Printing (up to A4/Letter) Interface: USB 2.0 Network: Wireless, Mopria, AirPrint, Direct Wireless, Ethernet	32	unit	33,000.00	1,056,000.00
GSITD-ICT-STO Current	16	Network Printer (Advance) Printer Type: Ink tank Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed) Maximum Copy Size: A3 Copy Resolution: At least 600 x 600 dpi Scanning Resolution: At least 1200 x 2400 dpi Scanner Sensor Type: CIS Maximum Printing Resolution: At least 4800 x 1200 dpi Paper Sizes: A3, Super B (13 x 19"), Indian Legal, Letter, A4, 16K (195 x 270mm), 8K (270 x 390mm), Executive (7.25 x 10.5"), B4, B5, A5, B6, A6, 8.5 x 13", 5 x 7", 4 x 6", 8 x 10", Legal (8.5 x 14"), 16:9 wide, Envelopes: #10, DL, C6, C4 Number of Paper Trays: 3 (2 Front, 1 Rear) Automatic 2-Sided Printing (up to A3) Printing Speed: Draft, A4 (Black / Colour): Up to 32.0 ppm / 32.0 ppm *2 ISO 24734, A4 Simplex (Black / Colour): Up to 25.0 ipm / 25.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour): Up to 21.0 ipm / 21.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour): Up to 13.5 ipm / 13.5 ipm *2 ISO 24734, A3 Duplex (Black / Colour): Up to 10.0 ipm / 10.0 ipm *2 LCD Screen: at least 4.3" Colour LCD Touch Screen	1	unit	75,000.00	75,000.00

		Interface: USB 2.0 Network: Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct LCD Screen: 4.3" Colour LCD Touch Screen				
WRMD-RICE PSS (6) ADMIN-Regular (2 Personnel & Planning)	17	Printer (Portable) Print Method: Micro Piezo Print Type: InkJet Printer Function: Print Maximum Resolution: At least 5760 x 1440 dpi Paper Sizes: Legal, Letter, A4, B5, A5, A6, 8x10", 5x7", 4x6", Envelopes: #10, DL, C6 Number of Paper Trays: 1 Interface: USB 2.0 Network: Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct Built-in Battery	8	unit	20,000.00	160,000.00
NSWRRD- HighPEZ- RD-LTR (2) ADMIN-PMU-Regular Fund (2)	18	Printer (Desktop) Printer Type: InkTank Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed) Maximum Printing Resolution: 4800 x 1200 dpi Number of Paper Trays: 1 Interface: USB 2.0 Network: Wireless, Mopria, AirPrint, Direct Wireless Borderless Printing (A4 / Letter / 4 x 6" / 5 x 7" / 8 x 10" / Square (5 x 5") / Business Card)	4	unit	17,000.00	68,000.00
SSD-LFP-NSHP (2)	19	Projector Light Source Type: LCD Native Resolution: WXGA (1280 x 800) Brightness: at least 2000 Lumens Lamp Life: (Normal / Eco): 6,000 / 12,000 hours Contrast Ratio: 16,000:1 Analog Input Composite: 1 RCA D-Sub (VGA) : 1 Digital Input: HDMI x 1 Audio Input: 2RCA (White & Red): 1 USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Wireless Projection: IEEE 802.11b (2.4GHz): 11 Mbps*2 IEEE 802.11n (2.4GHz): 72.2 Mbps*2 IEEE 802.11a (5GHz): 54Mbps*2 IEEE 802.11n (5GHz): 150 Mbps*2 IEEE 802.11g (2.4GHz): 54 Mbps*2	2	unit	43,200.00	86,400.00
WRMD-INS Various 2024 (3) SSD-LFP-NSHP (6)	20	Two-way Radio Type: Two-way Radio Dual Band (VHF/UHF) Channel Spacing: 25KHz (wide band)12.5KHz (narrow band) Sensitivity: =0.25µV (wide band) =0.35µV (narrow band) Battery capacity: at least 1800 mAh Channel: 128 channels Frequency range: TX 136 – 174MHz, 400 – 520MHz RX 136 – 174MHz, 400 – 520MHz, 68-108MHz (FM Broadcast) 2 Device	9	unit	2,400.00	21,600.00

The unit and its components must not be a clone

The brand and model offered should be indicated on the technical proposal per line item

Warranty: All equipment must be at least 1-year warranty on parts and labor service

Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)

TOTAL						5,158,000.00
--------------	--	--	--	--	--	---------------------

Lot 3:

INK TANK								
No.	Division	PR Fund	Item	Item Description	Unit	Quantity	Unit Cost	Total
1	GSITD SWRRD SWRRDC- HIGHPEZ ADMIN- PERSONNEL ADMIN- CASHIER ADMIN- ACCOUNTING ADMIN- RECORDS ADMIN-BGA	REGULAR(GSITD(6) ADMIN-PERSONNEL(2), ADMIN-CASHIER(3) ADMIN- ACCOUNTING(4), ADMIN-RECORDS(4), ADMIN-BGA)(4), LFP-NSHP(SWRRD)(3) RD-REG-HIGHPEZ(9)	Ink Tank	Brother Eco Tank Brother HL-T4000DW (Printer) BT5000M, Magenta	bottle	35	600.00	21,000.00
2	GSITD SWRRD SWRRDC- HIGHPEZ ADMIN- PERSONNEL ADMIN- CASHIER ADMIN- ACCOUNTING ADMIN- RECORDS ADMIN-BGA	REGULAR(GSITD(6) ADMIN-PERSONNEL(2), ADMIN-CASHIER(3) ADMIN- ACCOUNTING(4), ADMIN-RECORDS(4), ADMIN-BGA)(4), LFP-NSHP(SWRRD)(2) RD-REG-HIGHPEZ(9)	Ink Tank	Brother Eco Tank Brother HL-T4000DW (Printer) BT5000C, Cyan	bottle	34	600.00	20,400.00
3	GSITD SWRRD SWRRDC- HIGHPEZ ADMIN- PERSONNEL ADMIN- CASHIER ADMIN- ACCOUNTING ADMIN- RECORDS ADMIN-BGA	REGULAR(GSITD(6) ADMIN-PERSONNEL(2), ADMIN-CASHIER(3) ADMIN- ACCOUNTING(4), ADMIN-RECORDS(4), ADMIN-BGA)(4), LFP-NSHP(SWRRD)(3) RD-REG-HIGHPEZ(9)	Ink Tank	Brother Eco Tank Brother HL-T4000DW (Printer) BT5000Y, Yellow	bottle	35	600.00	21,000.00
4	GSITD SWRRD SWRRDC- HIGHPEZ ADMIN- PERSONNEL ADMIN- CASHIER ADMIN- ACCOUNTING ADMIN- RECORDS ADMIN-BGA	REGULAR(GSITD(6) ADMIN-PERSONNEL(2), ADMIN-CASHIER(4) ADMIN- ACCOUNTING(8), ADMIN-RECORDS(7), ADMIN-BGA)(4), LFP-NSHP(SWRRD)(3) RD-REG-HIGHPEZ(17)	Ink Tank	Brother Eco Tank Brother HL-T4000DW (Printer) BTD60BK, Black	bottle	51	600.00	30,600.00
5	SWRRDC- HILLPEZ	LFP-NSHP-VEGETABLE- HILLPEZ	Ink for Brother	Brother Eco Tank Brother HL-T4000DW (Printer)	set	4	2500.00	10,000.00

			Printer for A3 size	BTD60BK, Black, BT5000Y, Yellow, BT5000C, Cyan, BT5000M, Magenta				
6	SCMD SWRRD ADMIN- RECORDS ADMIN-INFO	SCMD-Outscaling of SLRMA(DA BAR Trust)(30), SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-RD-OAP- SES(3), SWRRD-RD-ISO- SWRRD(3), ADMIN-RECORDS- Regular(7), ADMIN-INFO- Regular(7)	Ink Tank	Epson 003-Cyan	bottle	54	500.00	27,000.00
7	SCMD SWRRD ADMIN- RECORDS ADMIN-INFO	SCMD-Outscaling of SLRMA(DA BAR Trust)(30), SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-RD-OAP- SES(4), SWRRD-RD-ISO- SWRRD(1), ADMIN-RECORDS- Regular(7), ADMIN-INFO- Regular(7)	Ink Tank	Epson 003-Magenta	bottle	53	500.00	26,500.00
8	SCMD SWRRD ADMIN- RECORDS ADMIN-INFO	SCMD-Outscaling of SLRMA(DA BAR Trust)(30), SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-RD-OAP- SES(4), SWRRD-RD-ISO- SWRRD(1), ADMIN-RECORDS- Regular(7), ADMIN-INFO- Regular(7)	Ink Tank	Epson 003-Yellow	bottle	53	500.00	26,500.00
9	SCMD SWRRD ADMIN- RECORDS ADMIN-INFO WRMD	SCMD-Outscaling of SLRMA(DA BAR Trust)(10), SWRRD-LFP-NSHP(9), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-RD-OAP- SES(4), SWRRD-RD-ISO- SWRRD(5), ADMIN-RECORDS- Regular(7), ADMIN-INFO- Regular(12), WRMD-Rice ESETS 2024(8),	Ink Tank	Epson 003-Black	bottle	80	500.00	40,000.00

		WRMD-INS Various 2024(24)						
10	WRMD	INS Various 2024	Ink Tank	Epson 003-(Black, Cyan, Magenta, Yellow)	set	10	2000.00	20,000.00
11	WRMD	Rice ESETS 2024	Ink Tank	Epson 003-(Black, Cyan, Magenta, Yellow)	set	5	2000.00	10,000.00
12	SWRRD WRMD ADMIN- BUDGET	SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-RD-OAP- SES(7), WRMD-INS Various 2024(20), WRMD-Rice ESETS 2024(8), ADMIN-BUDGET- Regular(12)	Ink Tank	GT53-Black	bottle	51	500.00	25,500.00
13	SWRRD ADMIN- BUDGET	SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-OAP-SES(3), ADMIN-BUDGET- Regular(6)	Ink Tank	GT52-Magenta	bottle	13	500.00	6,500.00
14	SWRRD ADMIN- BUDGET	LFP-NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) RD-OAP-SES(3), Regular(6)	Ink Tank	GT52-Cyan	bottle	13	500.00	6,500.00
15	SWRRD	LFP-NSHP(3) SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	GT52-Yellow	bottle	4	500.00	2,000.00
16	WRMD	Rice ESETS 2024	Ink Tank	GT53 (Black, Cyan, Magenta, Yellow)	set	5	2000.00	10,000.00
17	SWRRD WRMD ADMIN-INFO SWRRDC- HIGHPEZ	SWRRD-RD-ISO- SWRRD(5), WRMD-INS Various 2024(26), ADMIN-INFO- Regular(9) RD-REG-HIGHPEZ(4) SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	Epson 664-Black	bottle	45	450.00	20,250.00
18	SWRRD WRMD ADMIN-INFO SWRRDC- HIGHPEZ	SWRRD-RD-ISO- SWRRD(2), WRMD-INS Various 2024(20), ADMIN-INFO- Regular(7) RD-REG-HIGHPEZ(1) SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	Epson 664-Magenta	bottle	31	450.00	13,950.00
19	SWRRD WRMD ADMIN-INFO SWRRDC- HIGHPEZ	SWRRD-RD-ISO- SWRRD(2), WRMD-INS Various 2024(20), ADMIN-INFO- Regular(7) RD-REG-HIGHPEZ(1) SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	Epson 664-Cyan	bottle	31	450.00	13,950.00
20	WRMD	WRMD-INS Various	Ink Tank	Epson 664-Yellow	bottle	29	450.00	13,050.00

	ADMIN-INFO SWRRDC- HIGHPEZ	2024(20), ADMIN-INFO- Regular(7) RD-REG-HIGHPEZ(1) SWRRD-LFP-NSHP- PHILREC SOIL (1)						
21	GSITD	REGULAR	Pigment Ink	GI-790-Black, 135ml	bottle	6	500.00	3,000.00
22	GSITD	REGULAR	Pigment Ink	GI-790-Cyan, 70ml	bottle	6	500.00	3,000.00
23	GSITD	REGULAR	Pigment Ink	GI-790-Magenta, 135ml	bottle	6	500.00	3,000.00
24	GSITD	REGULAR	Pigment Ink	GI-790-Yellow, 135ml	bottle	6	500.00	3,000.00
25	GSITD	REGULAR	Pigment Ink	Compatible w/ Epson EcoTank L15150 A3 008-Black, 127ml EPSON	bottle	4	1100.00	4,400.00
26	GSITD	REGULAR	Pigment Ink	Compatible w/ Epson EcoTank L15150 A3 008-Cyan, 70ml EPSON	bottle	5	900.00	4,500.00
27	GSITD	REGULAR	Pigment Ink	Compatible w/ Epson EcoTank L15150 A3 008-Magenta, 70ml EPSON	bottle	5	900.00	4,500.00
28	GSITD	REGULAR	Pigment Ink	Compatible w/ Epson EcoTank L15150 A3 008-Yellow, 70ml	bottle	5	900.00	4,500.00
29	ADMIN- BUDGET	Regular	Ink Tank- Epson L3150	Compatible with Epson L3150, Yellow	pc	5	1300.00	6,500.00
30	ADMIN- BUDGET	Regular	Ink Tank- Epson L3150	Compatible with Epson L3150, Magenta	pc	5	1300.00	6,500.00
31	ADMIN- BUDGET	Regular	Ink Tank- Epson L3150	Compatible with Epson L3150, Cyan	pc	5	1300.00	6,500.00
32	ADMIN- BUDGET	Regular	Ink Tank- Epson L3150	Compatible with Epson L3150, Black	pc	5	1300.00	6,500.00
33	SSD	STO-REG-SSD	Ink Tank- Brother Ink	DCP-T300 Black	pc	4	500.00	2,000.00
34	SSD	STO-REG-SSD	Ink Tank- Brother Ink	DCP-T500 Magenta	pc	4	500.00	2,000.00
35	SSD	STO-REG-SSD	Ink Tank- Brother Ink	DCP-T700W Yellow	pc	4	500.00	2,000.00
36	SSD	STO-REG-SSD	Ink Tank- Brother Ink	DCP-T800W Cyan	pc	4	500.00	2,000.00
37	SWRRD	LFP-NSHP-(PHILREC SOIL)	Ink Tank	Epson 001-Black	bottle	1	600.00	600.00
38	SWRRD	LFP-NSHP-(PHILREC SOIL)	Ink Tank	Epson 001-Cyan	bottle	1	600.00	600.00
39	SWRRD	LFP-NSHP-(PHILREC SOIL)	Ink Tank	Epson 001-Yellow	bottle	1	600.00	600.00
40	SWRRD	LFP-NSHP-(PHILREC SOIL)	Ink Tank	Epson 001-Magenta	bottle	1	600.00	600.00
41	SWRRD	LFP-NSHP-(PHILREC SOIL)	Ink Tank	Epson T7741	bottle	1	1200.00	1,200.00

Note:
Expiration of Inks/Cartridges/Toners must be at least 18-24 months upon delivery.
Bidders must submit Suppliers Performance Evaluation with at least a Satisfactory Rating (submit during post qual)

TOTAL	432,200.00
--------------	-------------------

Annex A: Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of Bid Security]

REPUBLIC OF THE PHILIPPINES)

CITY OF _____) S.S

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. **I/We shall furnish the required performance security within ten (10) calendar days in/ Case of receipt of Notice of Award (pursuant to GPPB Circular No. 04-2020 and GPPB Resolution No. 16-2020).**
3. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
4. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacture/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years for the second offense, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE]*

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Statement of all Ongoing Government & Private Contracts Including Contracts Awarded but not yet Started

Business Name: _____

Business Address: _____

Name of Contract/ Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidders Role		a. Date Awarded b. Date Started c. Date of Completion	% of Accomplishment		Value of Outstanding Works / Undelivered Portion
			Description	%		Planned	Actual	
<u>Government</u>								
<u>Private</u>								
						Total Cost		

Submitted by: _____

(Printed Name and Signature)

Designation: _____

Date: _____

Statement of Completed Similar Contracts

Business Name:

Business Address:

Name of Contract/ Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidders Role		a. Date Awarded b. Date Started c. Date of Completion	Value of Works
			Description	%		
Note: The following documents shall be presented for verification of the above statement during Post-Qualification:					Total	


- 1 Notice of Award OR Notice to Proceed issued by the End user OR its equivalent;
- 2 Copy of actual contract OR its equivalent; and
- 3 Certificate of Completion OR End-user's Acceptance OR Proof of payment

Submitted by: _____
(Printed Name and Signature)

Designation: _____

Date: _____

Sealing and Marking of Bid:



NOTE:

On the USB/CD (PDF Copy), Please arrange files following sequence of Original Copy by adding number on the Filename.

1 PhilGEPS
2 Mayors Permit
...

REMINDER:

One Bid Proposal for EVERY participated Lot.

Note: Envelopes should be marked with the ff:

1. contain the name of the contract to be bid in capital letters;
2. bear the name and address of the Bidder in capital letters;
3. be addressed to the Bureau of Soils and Water Management's Bids and Awards Committee;
4. bear a warning "DO NOT OPEN BEFORE" the date and time for the Opening of Bids.



