REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF AGRICULTURE
BUREAU OF SOILS AND WATER MANAGEMENT
Elliptical Road Cor. Visayas Ave., Diliman, Quezon City

RICE SUITABILITY MAP
(Key Rice Areas)
PROVINCE OF ORIENTAL MINDORO

SCALE 1:125,000
0 1 2 3 4 5 6 7 8 9 10
Kilometers

Projection : Transverse Mercator
Datum : Luzon 1911
DISCLAIMER : All political boundaries are not authoritative

Province of Occidental Mindoro

Province of Occidental Mindoro

Puerto Galera
San Teodoro
Baco
CALAPAN
Naujan
Victoria
Pola
Socorro
Pinamalayan
Gloria
Bansud
Bongabong
Roxas
Mansalay
Bulalacao

VERDE ISLAND PASSAGE
VARADERO BAY
SUBAANG BAY
SOUTH PASS
CALAPAN BAY
Ilog Anchorage
LAKE NAUJAN
POLA BAY
Baloc Bay
TABLAS STRAIT
SABLAYAN ANCHORAGE
Irirum Bay
MINDORO STRAIT
MANSALAY BAY
Cogolong Bay
Mansial Bay
Colasi Bay
Pocanil Bay
SOQUICAY BAY
MANGARIN BAY
Lalauigan Bay
BULALACAO BAY
PANDURUCAN BAY

LEGEND						
SUITABILITY RATING	DESCRIPTION	LIMITING FACTORS			AREA	
		Moderate	Marginal	Severe	ha	%
S2df	Moderately Suitable	d,f	-	-	6,052	8.07
S2dxf		d,x,f	-	-	5,277	7.04
S2f		f	-	-	4,593	6.13
S2idf		i,d,f	-	-	12,184	16.26
S2idxf		i,d,x,f	-	-	7,398	9.87
S2if		i,f	-	-	8,392	11.20
S2ixf		i,x,f	-	-	6,314	8.42
S2xf		x,f	-	-	18,736	25.00
S3dx	Marginally Suitable	i,f	d,x	-	673	0.90
S3f		-	f	-	142	0.19
S3x		d,f	x	-	5,048	6.73
Ndx	Not Suitable	f	-	d, x	140	0.19
				TOTAL	**74,950**	**100.00**

Note:
Highly Suitable (S1) - with none to slight limitations for any given use. Slight limitations will not significantly reduce productivity or benefit nor raise inputs above an acceptable level.

Moderately Suitable (S2) - with limitations which are moderately severe for sustained application for a given use. Limitations will moderately reduce productivity or benefits. Requires increased input to the extent that the overall advantage to be gained will be inferior to that expected on S1 land.

Marginally suitable (S3) - with limitations which in aggregate are severe for sustained application of a given use and will significantly reduce productivity or benefits. Limitations will significantly increase required inputs, that this expenditure will only be marginally satisfied.

Not Suitable (N) - with severe limitations which are difficult to overcome in time or cannot be corrected at currently acceptable cost. Limitations are so severe that prevent successful sustained use of the land in the given manner.

LIMITING FACTORS	RATING ARRANGED IN INCREASING SEVERITY OF LIMITATION			
	Highly Suitable (S1)	Moderately Suitable (S2)	Marginally Suitable (S3)	Not Suitable (N)
Water Availability				
m - no dry months (<75mm)	0 - 3	4 - 6	7 - 9	>9
r - annual average rainfall (mm)	> 1500	1200 - 1500	800 - 1200	< 800
Temperature Regime				
t - annual average temperature (^{0}C)	25 - 29	30 - 32 22 - 24	33 - 35 18 - 21	> 35 < 18
Terrain				
s - slope (%)	0 - 3	3 - 8	8 - 18	>18
o - stoniness	none	slight	moderate	severe
e - erosion	none - slight	slight - moderate	moderate severe	severe
i - flooding	none - slight	slight - moderate	severe	-
Rooting Conditions				
d - soil drainage class	VPD - SPD	SPD - MWD	WD	SED - ED
x - soil texture	C, SC, SiC; CL, SCL SiCL	L, SiL, Si	SL, LS	S
h - soil depth (cm)	> 50	41 - 50	20 - 40	< 20
Nutrient Availability				
f - soil fertility	Moderately High to High (MH-H)	Moderately Low (ML)	Low (L)	-

LOCATION MAP



CONVENTIONAL SIGNS

ROADS	BOUNDARY	HYDROLOGY
Expressway	Regional	Rivers / Lake
Trunk line	Provincial	Shoreline
Primary	District	PLACES
Secondary	Municipal	Capital City / City
Tertiary		Capital Town / Town

MISCELLANEOUS INFORMATION

SOURCES OF INFORMATION : Topographic information taken from NAMRIA Topographic Map at a scale of 1:50,000. Elevation data taken from SRTM 1 arc-second global dataset (2015). Bathymetry information taken from British Oceanographic Centre. Fertility data gathered through the Bureau of Soils and Water Management (BSWM), National Soil Sampling and Testing for Fertility and Crop Suitability Assessment Project led by the Soils Survey Division (SSD) in 2016.

Users noting errors or omissions in this publication are requested to inform the BSWM, SRDC Bldg., Elliptical Rd., cor. Visayas Avenue, Diliman, Quezon City, Philippines or visit the BSWM website (http://www.bswm.da.gov.ph).

Copyright © 2016. All rights reserved to the Bureau of Soils and Water Management. No part of this publication may be reproduced, stored in a retrieval system or published without written consent from the BSWM.

Prepared and produced by the **GEOMATICS AND SOIL INFORMATION TECHNOLOGY DIVISION, BSWM.**

120°40' 120°50' 121°0' 121°10' 121°20' 121°30'
13°30' 13°20' 13°10' 13°0' 12°50' 12°40' 12°30' 12°20'