

Bureau of Soils and Water Management PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Re-Bid of Supply and Delivery of various Inks and ICT Equipment, Supplies and Peripherals Batch 2 for CY 2024

IB No. BSWM 2024-10-061

Date issued October 2024

PHILIPPINE BIDDING DOCUMENTS

Procurement of GOODS

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	5
Section	on I. Invitation to Bid	8
Section	on II. Instructions to Bidders	12
1.	Scope of Bid	13
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	13
6.	Origin of Goods	14
7.	Subcontracts	14
8.	Pre-Bid Conference	15
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents comprising the Bid: Eligibility and Technical Components	15
11.	Documents comprising the Bid: Financial Component	16
12.	Bid Prices	16
13.	Bid and Payment Currencies	17
14.	Bid Security	17
15.	Sealing and Marking of Bids	17
16.	Deadline for Submission of Bids	17
17.	Opening and Preliminary Examination of Bids	17
18.	Domestic Preference	18
19.	Detailed Evaluation and Comparison of Bids	18
20.	Post-Qualification	19
21.	Signing of the Contract	19
Section	on III. Bid Data Sheet	20
Section	on IV. General Conditions of Contract	22
1.	Scope of Contract	23
2.	Advance Payment and Terms of Payment	23
3.	Performance Security	23
4.	Inspection and Tests	23
5.	Warranty	24
6.	Liability of the Supplier	24
Section	on V. Special Conditions of Contract	25
Section	on VI. Schedule of Requirements	30
Section	on VII. Technical Specifications	32
	on VIII. Checklist of Technical and Financial Documents	37

Glossary of Acronyms, Terms, and Abbreviations

ABC –Approved Budget for the Contract.

BAC – Bids and Awards Committee.

 \mathbf{Bid} – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – BangkoSentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to:

(i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and

Freight. **CIP** – Carriage and Insurance

Paid. **CPI** – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC –Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB –Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IBmust conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet





Republic of the Philippines
Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
SRDC Building Elliptical Road corner Visayas Avenue,
Diliman, Quezon City 1101
customers.center@bswm.da.gov.ph
Tel. no. (632) 8273-2474 local 3202

INVITATION TO BID

Re-Bid of Supply and Delivery of various Inks and ICT Equipment, Supplies and Peripherals Batch 2 for CY 2024- IB NO: BSWM 2024-10-061

1. The Bureau of Soils and Water Management (BSWM), through the **General Appropriation Act for CY 2024** intends to apply the sum of:

LOT NO.	CATEGORY	AMOUNT	Bid Docs Cost
1	Personal Computers	5,024,300.00	5,100.00
2	Other ICT Equipment	5,345,700.00	5,500.00
3	ICT Peripherals and Supplies	2,233,400.00	3,500.00
4	Toner Cartridge	3,747,160.00	4,000.00
5	Ink Cartridge	999,300.00	1,000.00
6	Ink Tank	432,200.00	500.00
TOTAL		17,782,060.00	

being the ABC to payments under the contract for the Be-Bid of **Supply and Delivery of various Inks and ICT Equipment, Supplies and Peripherals Batch 2 for CY 2024- IB NO: BSWM 2024-10-061.** Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The BSWM now invites bids for the above Procurement Project. **Delivery of Goods is required within 45 calendar days upon receipt of Notice to Proceed.** Bidders should have completed, **within five (5) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

- 4. Prospective Bidders may obtain further information from BSWM Bids and Awards Committee (BAC) Secretariat's Office and inspect the Bidding Documents at the given address during MONDAY TO FRIDAY, 8:00AM TO 5:00 PM EXCEPT ON DECLARED HOLIDAYS OR WORK SUSPENSION.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders until **October 28, 2024, 3:00PM** from the given address and website and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount as stated above. The Procuring Entity shall allow the bidder to present its proof of payment for the fees to BAC Secretariat on or before the deadline of Submission and Opening of Bids.

- 6. The BSWM will hold a **Pre-Bid Conference** on <u>October 17, 2024, 9:30AM at BSWM Convention Hall and</u> shall be open to prospective bidders. Pre-Bid Conference will be available "live" thru **BSWM Procurement Service Facebook Page (FB) Page (https://www.facebook.com/bswmpms).** Furthermore, all interested bidders can participate through videoconferencing. Please coordinate with BAC Secretariat at least a day before the meeting at <u>bac@bswm.da.gov.ph</u>.
- 7. **Bids must be duly received** by the BAC Secretariat through manual submission at the office address indicated below on or before **October 29, 2024, 9:00AM**. Late bids shall not be accepted.

All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 16.

8. <u>Bid opening shall be on October 29, 2024, 9:30AM</u> at the BSWM Convention Hall, 2nd Floor, SRDC Bldg., Visayas Ave. Cor. Elliptical Road, Diliman, Quezon City and through videoconferencing/webcasting via ZOOM and streamed live through BSWM Procurement Service FB Page. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

During the opening of bids, bidder's representative must present his/her company identification card and authorization letter from the head of the company.

- 10. BSWM adheres to the Republic Act 10173 Data Privacy Act.
- 11. The BSWM reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

FRANCE JOSEPHINE C. BAUTISTA

BIDS AND AWARDS COMMITTEE SECRETARIAT'S OFFICE

2ND FLOOR, SRDC BLDG.,

VISAYAS AVE. COR. ELLIPTICAL ROAD, DILIMAN, QUEZON CITY

TELEFAX NUMBER: +63-2-8273-2474 loc 3218

EMAIL ADDRESS: bac@bswm.da.gov.ph or bswm.bacsec@gmail.com WEBSITE: www.bswm.gov.ph

FB Page: https://www.facebook.com/bswmpms

You may visit the following websites:

For downloading of Bidding Documents:

PhilGEPS- https://notices.philgeps.gov.ph/, BSWM Website- www.bswm.gov.ph or BSWM

Procurement Service Facebook Page- https://www.facebook.com/bswmpms.

DENISE A. SOLANOBSWM BAC Chairperson

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *Bureau of Soils and Water Management* wishes to receive Bids for the **Supply and Delivery of various Inks and ICT Equipment**, **Supplies and Peripherals Batch 2 for CY 2024-IB NO: BSWM 2024-08-055.**

The Procurement Project (referred to herein as "Project") is composed of <u>6 Lots</u>, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for 2024 in the amount of:

LOT NO.	CATEGORY	AMOUNT
1	Personal Computers	5,024,300.00
2	Other ICT Equipment	5,345,700.00
3	ICT Peripherals and Supplies	2,233,400.00
4	Toner Cartridge	3,747,160.00
5	Ink Cartridge	999,300.00
6	Ink Tank	432,200.00
TOTAL		17,782,060.00

2.2. The source of funding is:

[If an early procurement activity, select one and delete others:]

- a. NGA, the National Expenditure Program.
- b. GOCC and GFIs, the proposed Corporate Operating Budget.
- c. LGUs, the proposed Local Expenditure Program.

[If not an early procurement activity, select one and delete others:]

- a. NGA, the General Appropriations Act or Special Appropriations.
- b. GOCC and GFIs, the Corporate Operating Budget.
- c. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the

general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. [Select one, delete other/s]
 - Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate:
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
 - b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC (For Lots 1 and 2)
- b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC (For Lots 3 and 6)
- c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) of the ABC per for this Project; and

- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

[Select one, delete other/s]

- a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed twenty percent (20%) of the contracted Goods.
- b. Subcontracting is not allowed.
- 7.2. [If Procuring Entity has determined that subcontracting is allowed during the bidding, state:]
 The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in ITB Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.3. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may
 - •identify its subcontractor during the contract implementation stage. Subcontractors identified
 - during the bidding may be changed during the implementation of this Contract. Subcontractors
 - must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA
 - No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or
 - •obligation under the Contract. The Supplier will be responsible for the acts, defaults, and
 - negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address stated on **Section I** and/or through videoconferencing/webcasting via Zoom as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *five years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- Include if Framework Agreement will be used:] Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the IB. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes of determining eligibility and whether or not such financial proposal is within the ABC.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:

- i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.
- 12.2. [Include if Framework Agreement will be used:] For Framework Agreement, the following should also apply in addition to Clause 12.1:
 - a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during
 - the Bidder's performance of the contract and not subject to variation or escalation on any
 - account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
 - b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission
 - of eligibility documents shall be the ceiling and the price quoted during mini- competition
 - must not exceed the initial price offer. The price quoted during call for mini-competition
 - shall be fixed during the Bidder's performance of that Call-off and not subject to variation
 - or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.
- b. [indicate currency if procurement involves a foreign-denominated bid as allowed by the Procuring Entity, which shall be tradeable or acceptable by the BSP].

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *120 days*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 14.3. *[Include if Framework Agreement will be used:] In the case of Framework Agreement,
 - other than the grounds for forfeiture under the 2016 revised IRR, the bid security may also
 - be forfeited if the successful bidder fails to sign the Framework Agreement, or fails to
 - furnish the performance security or performance securing declaration. Without prejudice
 - on its forfeiture, bid securities shall be returned only after the posting of performance
 - security or performance securing declaration, as the case may be, by the winning Bidder or compliant Bidders and the signing of the Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address as indicated in paragraph 7 of the **IB**.
- 16.2. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, the submission of bids shall be for the initial evaluation of their technical and financial eligibility. Thereafter, those declared eligible during the said initial eligibility evaluation and entered into a Framework Agreement with the Procuring Entity shall submit anew their best financial offer at the address and on or before the date and time indicated in the Call for each mini-competition.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.
- 18.2. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, determination of margin of preference shall be conducted every call for Mini-Competition.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

[Include the following options if Framework Agreement will be used:]

- a. In the case of single-year Framework Agreement, the Lowest Calculated Bid shall be determined outright after the detailed evaluation;
- b. For multi-year Framework Agreement, the determination of the eligibility and the compliance
 - •of bidders with the technical and financial aspects of the projects shall be initially made by
 - *the BAC, in accordance with Item 7.4.2 of the Guidelines on the Use of Framework Agreement.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and
 - evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the
 - *Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical
 - •Specifications), although the ABCs of these lots or items are indicated in the BDS for
 - purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of
 - RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

LOT NO.	CATEGORY	AWARDING	AMOUNT
1	Personal Computers	Lot	5,024,300.00
2	Other ICT Equipment	Lot	5,345,700.00
3	ICT Peripherals and Supplies	Lot	2,233,400.00
4	Toner Cartridge	Lot	3,747,160.00
5	Ink Cartridge	Lot	999,300.00
6	Ink Tank	Lot	432,200.00
TOTAL			17,782,060.00

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to

ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, {{Include if Framework Agreement will be used:}} or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant,} the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS. {{Include if Framework Agreement will be used:}} For every mini-competition in Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.}

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

[Include the following clauses if Framework Agreement will be used:]

- 21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework Agreement Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 21.3. Within ten (10) calendar days from receipt of the Notice to Execute Framework Agreement with the Procuring Entity, the successful Bidder or its duly authorized representative shall formally enter into a Framework Agreement with the procuring entity for an amount of One Peso to be paid to the procuring entity as a consideration for the option granted by the procuring entity to procure the items in the Framework Agreement List when the need arises.
- 21.4. The Procuring Entity shall enter into a Framework Agreement with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 21.5. The following documents shall form part of the Framework Agreement:
 - a. Framework Agreement Form;
 - b. Bidding Documents;
 - c. Call-offs;

- d. Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (e.g., bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
- e. Performance Security or Performance Securing Declaration, as the case may be;
- f. Notice to Execute Framework Agreement; and
- g. Other contract documents that may be required by existing laws and/or specified in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

Information that specifies and complements provisions of the ITB must be incorporated.

Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clau			
se			
5.3	For this purpose, contracts similar to the Project shall be:		
	a. Contract on supply and delivery various ICT Equipment /Peripherals/Supplies and Inks		
	b. completed within <u>five years</u> prior to the deadline for the submission and receipt of bids.		
7.1	SUB CONTRACTING- NOT APPLICABLE		
12	The price of the Goods shall be quoted DDP [state place of destination] or the applicable International Commercial Terms (INCOTERMS) for this Project.		
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:		
	a. The amount of <i>not less than two percent (2%) of ABC</i> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or		
	b. The amount of <i>not less than five percent</i> (5%) <i>of ABC</i> if bid security is in Surety Bond.		
	NOTE: Bidders SHALL use ATTACHED BSWM template of Bid Securing Declaration.		
	Other forms of Bid Securing Declaration will NOT BE ACCEPTED and SHALL BE RATED "FAILED".		
19.4.	The Project shall be awarded as follows:		
	One Project having several items, which shall be awarded as one contract (For Lots 1-2)		
	One Project having several items, which shall be awarded per line-item basis (For Lot 3-6)		
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]		

21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within 10 calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

Information that complements provisions of the GCC must be incorporated.

Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

	Special Conditions of Contract
GCC	
Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	"The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is <i>End-User Representative</i> , <i>Authorized Property Management Unit Personnel and Inspection Committee Member</i> .
	Supplier shall coordinate with the End-user and Property Management
	Unit for final schedule of delivery.
	To schedule the delivery, please click this link or scan the QR code:
	https://sites.google.com/view/pmu-scheduleofdelivery/home
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	Select appropriate requirements and delete the rest.
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;

- b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- f. [Specify additional incidental service requirements, as needed.]

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and

ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of *One Year*.

Spare parts or components shall be supplied as promptly as possible, but in any case, within *not more than Seven Calendar Days* of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and

storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Supplier's risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights –

	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	N/A
4	The inspections and tests that will be conducted are: <i>Inspection per conformity and compliance to technical specifications/ terms of reference</i> .

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Delivered, Weeks/Months
	Re-Bid of Supply and Delivery of various ICT equipment and Peripherals Batch 2	Within 45 Calendar days upon receipt on NTP

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of Compliance

[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

Lot 1- Personal Computers

PR #/Division/Fund Source	Item No.	Description	Quantity	Statement of Compliance and Offered Brand/Model
LSD-NSHP (8)	1	Processor: Core: at least 6; Threads: at least 12; Cache: at least 32; Max/Boost Frequency (GHz): at least 5.1 GPU: at least 6GB VRAM, GDDR6 GPU Output: at least DisplayPort 1.4a x 2 & HDMI 2.1a x 2 RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Form Factor: Form Factor: Mid Tower (atleast H:15in by W:6in) Motherboard: at least 2 x M.2 Slot, 4 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 500 GB m.2 NVMe Gen 4 Internal Storage: 1TB HDD Power Supply: Rating at least 500 watts 80+ Bronze Display: at least 27-inch Monitor Display Refresh Rate: at least 75hz Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)"	8	
ALMED-LFP- NSHP (3) SCMD-SLRMA (1) CPIT-PAEF Rice & FPMA HVCDP(20) WRMD-INS Various Continuing(2) WRMD-Rice ESETS Continuing (3)	2	Desktop Computer (Office Document BASIC) Processor: Core: at least 12; Threads: at least 20; Cache: at least 25; Max/Boost Frequency (GHz): at least 4.9 GPU: on-board/shared RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Form Factor: Form Factor: Mid Tower (atleast H:15in by W:6in) Motherboard: at least 1 x M.2 Slot, 2 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 256 GB m.2 NVMe Gen 4 Internal Storage: 1TB HDD	29	

		Power Supply: Rating at least 500 watts 80+ Bronze Display: at least 24-inch Monitor Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons Operating System: Should be licensed (Perpetual) and latest professional edition, 64-bit Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)		
ALMED-LFP- NSHP (5) WRMD-INS Various 2024- Rice ESETS (4) Manila Bay (1) SCMD-SLRMA (1) SWRRD-HillPEZ- Continuing Fund (3) NSWRRD- HillPEZ-RD- VERMI (1) NSWRRD-LUPEZ- RD-Lysimeter- Current(1) WRMD-Rice ESETS Continuing (12)	3	Laptop Computer (Office Document BASIC) Processor: Core: at least 8; Threads: at least 16; Cache: at least 16MB; Max Turbo Frequency (GHz): at least 4.6 Storage: at least 512GB M.2 NVMe SSD Memory: at least 16GB, DDR4 Camera: at least 720p Screen size: at least 15.6-inch Display Type: FHD Battery Type: at least 53 WH; at least 3 cell battery Battey Charger: Must be same brand with the offered unit Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed and compatible with the existing productivity suites (MS Office)	28	
SCMD-GEF6 (4)	4	Laptop (Office Document Advance) Processor: Core: at least 10; Threads: at least 12; Cache: at least 12MB; Max Turbo Frequency (GHz): at least 5.0 Storage: at least 512GB SSD M.2 2242 PCIe 4.0x4 NVMe Memory: at least 16GB, DDR4 3200MHz (upgradable) Camera: at least 720p Screen size: at least 16 inch Display Type: IPS Battery Type: at least 50WH; at least 3 cell battery Battey Charger: Must be same brand with the offered unit Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)	4	
GSITD-ICT-STO Current (3) LSD-NSHP (8)	5	Laptop (Executive) Processor: Core: at least 16; Threads: at least 22; Cache: at least 24MB; Max Turbo Frequency (GHz): at least 5.1 Storage: at least 1TB NVMe Gen4 Memory: at least 16GB DDR5 GPU: at least 6GB dedicated Camera: at least 720p FHD Screen size: at least 14.5 inch Display Type: IPS, at least 90Hz Battery Type: at least 73WH Battery Charger: Must be same brand with the offered unit Weight: up to 1.49kg/3.28lbs Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)	11	
SCMD-GEF6 (1)	6	Laptop (Mapping/CAD/System Dev't - Advance) Processor: Core: at least 24; Threads: at least 32; Cache: at least 36MB; Max Turbo Frequency (GHz): at least 5.8	2	

	Storage: at least 1TB NVMe Gen4 Memory: at least 16GB, DDR5 (upgradable using two soDIMM modules) GPU: at least 8GB dedicated Camera: at least 720p Screen size: at least 16 inch Display Type: IPS, at least 165Hz Battery Type: at least 90WH; at least 4 cell battery Battey Charger: Must be same brand with the offered unit Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)		
Accessories for laptop- Laptop Sl	eeve		
Unit and it's component must no	t be a clone	_	
Brand and model offered should be indicated on the technical proposal per line item			
Warranty: all equipment must be at least 1 year warranty on parts and labor service			
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)			
Compliance with Section VI. Scho	edule of Requirements		

Lot 2- Other ICT Equipment

PR #/Division/Fun d Source	Item No.	Description	Quantity	Statement of Compliance and Offered Brand/Model
2024-07-1212- LSD-NSHP	1	Barcode Printer Print Technology: Direct Thermal Print labels up to 36mm in width Maximum print height: 32mm print resolution: 360dpi Minimum label length: 4mm Maximum label length: 1m Connectivity: USB: Windows® (USB1.1, 2.0, 3.0 protocol) Wired Network: 10 Base-T/100 Base-TX Serial: RS-232C (For printing with ESC/P commands only. Requires an optional serial adapter.) Wireless Direct: IEEE 802.11n Ad-Hoc mode: IEEE802.11b Infrastructure mode: IEEE802.11b/g/n WPS 2.0 Bluetooth 2.1 Barcode Supported: 1D: CODE39, CODE128, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128 (UCC/EAN128) QR Code Supported: 2D: QR Code, PDF417, Data Matrix, Aztec Code, RSS-14 (Standard, Truncated, Stacked, StackedOmni), RSS-Limited, RSS Expanded (Standard, Stacked) Features: Built in Automatic label cutter	20	
	2	Barcode/QR Scanner Form Factor: Handheld Connectivity: Wireless / Cable Connection: 2.4 GHz mini Wireless USB Dongle / 2.0 USB Cable Scanner Capability: 1D Barcodes: Codabar, Code 11, Code93, MSI, Code 128, UCC/EAN-128, Code 39, EAN-8, EAN-13, UPC-A, ISBN, Industrial 25, Interleaved 25, Standard 25, Matrix, + more. 2D Barcodes: QR, DataMatrix, PDF417, Aztec, Hanxin, Micro PDF417, + more. Scan Pattern: Linear + QR Codes Scanner Type: CMOS Battery Capacity: 2000mAh	20	
GSITD-ICT-STO Current	3	Camera (Advance) Type: Digital single-lens mirrorless (Interchangeable	1	

		Lens Camera) Image Sensor: APS-C CMOS sensor Image Processor: DIGIC X Effective Pixels: 24.2MP Focus Type: Dual Pixel CMOS AF II AF Mode: One Shot		
SSD-LFP-NSHP (2) NSWRRD- HighPEZ-RD-LTR (1) CPIT-PAEF Rice(3) SCMD-SLRMA (1) WRMD-INS Various Continuing(1)	4	Camera (Basic) Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: 24.1 megapixels; APS-C CMOS Processor Type: DIGIC 8 Autofocus: 143 Focus points Autofocus Modes: One-Shot AF, Servo AF / Movie Servo AF Image Resolution: up to 6000x4000 Video Shooting: 4K at 23.98 fps 1920 x 1080 at 59.94 fps [60 Mb/s] 1920 x 1080 at 23.98/29.97 fps [30 Mb/s] Memory Card Slot: Single Slot - SD/SDHC/SDXC Wireless: 2.4 GHz Wi-Fi (802.11b/g), Bluetooth 4.2 Display Type: Fixed Non-Touchscreen LCD Battery Type: 1x LP-E17 Rechargeable Lithium-Ion Display Size: 3" Peripheral Connections: USB Type-C (Hi-Speed USB (USB 2.0) equivalent External microphone IN Terminal HDMI micro (Type D) Remote control Terminal(E3)	8	
LSD-NSHP(20) SWRRD-LUPEZ- RD-Soil Tank (1)	5	Accessory shoe Communication Device CPU: at least Octa-Core Display Type: Super AMOLED Screen Size: at least 6.6 inches Screen Resolution: at least 1080 x 2340 pixels Screen Brightness: at least 1000 nits Operating System: at least Android 14 Chipset:Exynos 1480 RAM: at least 8GB Storage: at least 256GB Battery: at least Li-Ion 5000 mAh Camera: at least 50MP Front Camera at least 32MP Rear Camera Positioning: GPS, GALILEO, GLONASS, BDS, QZSS Bluetooth Version: 5.3	21	
SWRRD-LUPEZ- RD-Continuing	6	Document Scanner (Portable) Technology: Dual CIS Resolution: up to 1200 x 1200 dpi Scanning Width: up to 215.9 mm Scanning Length: up to 1,828 mm Power Source: USB Type-B Battery: Lithium 1200 mAh Interface:	1	

USB 3.0 Wireless LAN: IEEE 802.11b/g/n, IEEE 802.11g Wireless: Duples scanning Up to 1 mm) LED display					
Wireles LAN: IEEE 802.11b/g/n, IEEE 802.11g					
Controllable Range Part			Micro SD: 2GB – 32GB		
Peatures:					
Duples scanning Duples scanning Deard scanning (up to 1 mm) LEU display			(Wi-Fi Direct)		
Dicard scanning (up to 1 mm) IED display			Features:		
ADMIN-Regular (2 Records)			Duplex scanning		
ADMIN-Regular (2 Records)			ID Card scanning (up to 1 mm)		
ADMIN-Regular (2 Records) Formula ADMIN-Regular (2 Records) ADF Paper Colour Contact Image Sensor Resolution: up to 600 DPI x 600 DPI ADF Paper Capacity: up to 50 Sheets Duplex Scan: Yes Duplex Scan: Yes Document Sizes: Paper size Minimum: 50.8 x 50.8 mm Paper size Maximum: 215.9 x 6096 mm Interface: USB 3.2 Gen 1 USB 3.2			LED display		
ADMIN-Regular (2 Records) Formula ADMIN-Regular (2 Records) ADF Paper Colour Contact Image Sensor Resolution: up to 600 DPI x 600 DPI ADF Paper Capacity: up to 50 Sheets Duplex Scan: Yes Duplex Scan: Yes Document Sizes: Paper size Minimum: 50.8 x 50.8 mm Paper size Maximum: 215.9 x 6096 mm Interface: USB 3.2 Gen 1 USB 3.2			Document Scanner (Advance)		
ADMIN-Regular (2 Records)					
ADMIN-Regular (2 Records)					
ADMIN-Regular (2 Records) CPIT-PAFF Rice(1)					
2 Records 7	ADMIN-Regular				
CPIT-PAEF Nocument Sizes: Saper size Minimum: 50.8 x 50.8 mm Paper size Minimum: 50.8 x 50.8 mm Paper size Minimum: 215.9 x 6096 mm Interface: USB 3.2 Gen 1 USB 3.2 Gen 3 USB		_			
Rice(1)		7		3	
Paper size Maximum: 215.9 x 6096 mm Interface:					
Interface:	()				
USB 3.2 Gen 1 USB 3.2 Gen					
USB 3.2 Gen 1, Wi-Fi (802.11 b/g/n)					
Handheld Action Camera Camera type: Handheld/Action Camera Camera type: Handheld/Action Camera Microphones: 3 Screen Size: 20 inches Resolution: 314*556 Brightness: 700 nits Controllable Range: Pan: -235° to 58°; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63°; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch (MOS) Aperture: 47.20 ISO Range: Photo: 50-6400 Low-Light Video: 50-6400 Low-Light Video: 50-6400 Low-Light Video: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 130 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing					
Camera type: Handheld/Action Camera Microphones: 3 Screen Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58°; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63°; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: (72.0) ISO Range: Photo: 50-6400 Low-Light Video: 50-6400 Low-Light Video: 50-16000 Slow Motion: 50-6400 Max Image Size: 16:9, 3340×2160 11:, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacitics: Card input: at least 100 Card output: at least					
Microphones: 3 Screen Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58°; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63°; Tilt: -180° to 98° Roll: -220° to 63° Roll: -220°					
SCREEN Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58°; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63°; Tilt: -180° to 98° Max Controllable Speed: 180.0°/5 Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Low-Light Video: 50-6400 Low-					
Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58°; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63°; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Low-Light Video: 50-6400 Low-Light Video: 50-6400 Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Birate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 100 Card output: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing					
SCMD- Manila Bay (1) Roll: -45° to 45° Tilt: -120° to 770° Roll: -45° to 45° Tilt: -180° to 98° Roll: -220° to 63° Tilt: -180° to 98° Roll: -220° to 63° Roll: -280° to 63° Roll					
SCMD-Manila Bay (1) SCMD-GEF6(2) SCMD-GEF6(2) SCMD-SLRMA (1) 2024-07-1212- LSD-NSHP (1) SO Range: Photo: 50-6400 Na Was Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Na Was Colomo Slow Motion: 50-6400 Low-Light Video: 50-6400 Low-Light Video: 50-6400 Na Was Wideo Resolution: 4k Max Wideo Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card dinput: at least 100 Card output: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing Dual Sided P					
To° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63°; Tilt: -180° to 98° Roll: -220° to 63° Aperture: f/2.0 Roll: -220° to 640° Aperture: f/2.0 ISO Range: Photo: 50-6400 Low-Light Video: 50-6400 Low-Light Video: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Birtarte: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing Dual Sided Printing Dual Sided Printing Patternet Printing Patternet Printing Patternet Printing Patternet Pa					
Roll: -45° to 45°					
SCMD-Manila Bay (1) SCMD-SERMA (1) 2024-07-1212- LSD-NSHP (1) SCMD-SERMA (1) 2024-07-1212- LSD-NSHP (1) Some series of the s					
SAMD-MAINIA Bay (1) Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Video: 50-6400 Low-Light Video: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing Dual Sided Print					
Bay (1) SCMD-GEF6(2) SCMD-SLRMA (1) 2024-07-1212- LSD-NSHP (1) SOMD-SLRMA (1) 2024-07-1212- LSD-NSHP (1) SOMD-GEF6(2) SOM	SCMD- Manila				
SCMD-GEF6(2) SCMD-SLRMA (1) 2024-07-1212- LSD-NSHP (1) Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Video: 50-6400 Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer					
SCMD-SLRMA					
Content Cont		8		5	
Aperture: 17.2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Low-Light Video: 50-16000 Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing				3	
LSD-NSHP (1) So Range: Photo: 50-6400			Aperture: f/2.0		
Continue			ISO Range: Photo: 50-6400		
Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing	LSD-NSHF (1)				
Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing			Low-Light Video: 50-16000		
1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing			Slow Motion: 50-6400		
Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing			Max Image Size: 16:9, 3840×2160		
Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing			1:1, 3072×3072		
Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing			Max Video Resolution: 4k		
Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing			Max Video Bitrate: 130 Mbps		
Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing			Battery Type: LiPo		
Wireless Connection: Bluetooth 5.2 & Wi-Fi ID Printer Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing					
Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing			Wireless Connection: Bluetooth 5.2 & Wi-Fi		
Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing					
Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing		1			
technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing					
GSITD-ICT-STO Current 9 Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing		1			
GSITD-ICT-STO Current 9 Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing		1	Feed System: Manual/Automatic		
GSITD-ICT-STO Current 9 Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing		1			
GSITD-ICT-STO Current 9 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing		1			
Current Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing	GSITD-ICT-STO	1			
USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing		9		1	
Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing	J VV				
Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing		1			
Features: Dual Sided Printing		1			
Dual Sided Printing		1			
Edge to edge print		1			
Digital shredding		1			
Multi-Media Display		+			
Smart TV					
Screen Size: at least 70 inch		1			
		1			
TV Resolution: at least 4K		1			
Panel Type: LED	CCITED ICT CTC				
GSITD-ICT-STO Refresh Rate: 60Hz		10		1	
Current Operating System: WebOS	current	1			
Wireless: Wi-Fi 802.11ac, Bluetooth 5.1		1			
Audio Output: at least 20W					
			1/0 D .		
HDMIx3			I/O Ports:		
USB 2.0 x 2			HDMI x 3		

		Ethernet LAN x 1 Digital Audio Out(Optical) x 1		
		RF (Antenna/Cable) x 2		
		With TV Cart Stand		
		Multi-Media Display		
		Type: Smart TV Screen Size: at least 50 inch		
		TV Resolution: at least 4K		
		Panel Type: QLED		
		Refresh Rate: 60Hz		
TCD NCHD (3)	11	Operating System: Tizen SmartTV Wireless: Wi-Fi 802.11ac, Bluetooth 5.2	3	
LSD-NSHP (3)	11	Audio Output: at least 20W	3	
		I/O Ports:		
		HDMI x 3		
		USB 2.0 x 2 Ethernet LAN x 1		
		Digital Audio Out(Optical) x 1		
		RF In (Terrestrial / Cable input) x 1		
		Multi-Media Display		
		Type: Smart TV Screen Size: at least 50 inch		
		TV Resolution: at least 4K		
		Panel Type: LED		
		Refresh Rate: 60Hz		
		Bluetooth: 5.2 Speaker: at least 20w		
CPIT-PAEF FPMA HVCDP (2)	12	Wi-Fi 5: 2.4G & 5G	2	
FFMA IIVCDF (2)		3-Side Bezel-less		
		I/O Ports: HDMI 2.1 x 3		
		USB-A x 1		
		Ethernet Lan x 1		
		Digital Audio out (optical)		
		RF in (Terrestrial/Cable input) Anynet+ (HDMI-CEC)		
		Multi-Purpose Geotagging Device		
		Chipset: Qualcomm SM8550-AC Snapdragon 8 Gen 2		
		Operating System: at least android 13 Screen Size: at least 6.8 inches		
		Screen Resolution: at least 1440 x 3088 pixels		
		Screen Brightness: at least 1750 nits		
GSITD-AFACI	13	Display Type: Dynamic AMOLED 2X, 120Hz RAM: at least 8GB	10	
PAN (10)	15	Storage: at least 128GB	10	
		Battery: at least 5000 mAh		
		Network Technology: GSM / CDMA / HSPA / EVDO / LTE / 5G		
		Camera:		
		at least 12MP Front Camera		
		at least 200MP Rear Camera	-	
		Multi-Purpose Geotagging Device CPU: at least Octa-Core		
		Display Type: TFT LCD		
		Screen Size: at least 12.4 inches		
00115		Screen Resolution: at least 1600 x 2560 pixels Screen Brightness: at least 522 nits		
SCMD- Manila Bay (1)		Operating System: at least Android 11		
SCMD-GEF6 (5)		Chipset: Qualcomm SM7225 Snapdragon 750G 5G (8		
SCMD-SLRMA	14	nm) - 5G RAM: at least 6GB	11	
(2)		Storage: at least 128GB		
SSD-LFP-NSHP (3)		Battery: at least LiPo 10090 mAh		
		Sim Type: Nano Camera:		
		at least 5MP Front Camera		
		at least 8MP Rear Camera		
		Positioning: GPS, GLONASS, BDS, GALILEO		
		with Precision pen and keyboard pack Network Printer (Basic)		
LSD-NSHP(16)		Printer Type: Inktank	_	
CPIT-PAEF Rice(16)	15	Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed)	32	
Mee(10)		Maximum Resolution: 4800 x 1200 dpi		
		· · · · · · · · · · · · · · · · · · ·	•	

		USB Type B: 1 (For Firmware Update, Copy OSD Settings) Wireless Projection: IEEE 802.11b (2.4GHz): 11 Mbps*2 IEEE 802.11n (2.4GHz): 72.2 Mbps*2 IEEE 802.11a (5GHz): 54Mbps*2 IEEE 802.11n (5GHz): 150 Mbps*2 IEEE 802.11g (2.4GHz): 54 Mbps*2		
Two-way Radio Type: Two-way Radio Dual Band (VHF/UHF) Channel Spacing: 25KHz (wide band)12.5KHz (narrow band) Sensitivity: =0.25μV (wide band) =0.35μV (narrow band) Battery capacity: at least 1800 mAh Channel: 128 channels Frequency range: TX 136 – 174MHz, 400 – 520MHz RX 136 – 174MHz, 400 – 520MHz, 68-108MHz (FM Broadcast) 2 Device			9	
Unit and it's compo	onent must r	ot be a clone		
Brand and model o	offered shoul	d be indicated on the technical proposal per line item		
Warranty: all equip	oment must	be at least 1 year warranty on parts and labor service		
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)				
Compliance with S	Section VI. Sc	hedule of Requirements		

Lot 3- ICT Peripherals and Supplies

PR #/Division/Fund Source	Item No.	Description	Quantity	Statement of Compliance and Offered Brand/Model
LSD-ASP-PSP, PD 1435	1	CMOS Battery Type: CMOS Battery Cell Composition: Lithium CR2032	10	
CPIT-PAEF Rice	2	Desktop Speaker Two satellite speakers Power Output (RMS): 2.5W+2.5W Peak Power Output: 5W + 5W Cable Length: 1.5m Connectivity: 3.5 mm input: 1 USB Cable: 1 Bluetooth at least v5.3 Controls: at least Power and volume controls on right speaker	20	
SCMD-GEF6	3	Drone Batteries for DJI Phantom 4	4	
SCMD-GEF6	4	Drone Propellers for JI Phantom RTK 4	2	
GSITD-AFACI PAN (10) SCMD-Manila Bay (4) SSD-LFP-NSHP (5)	5	External Storage Type: Solid State Drive (SSD) Capacity: 1 TB Interface: USB Gen 3.2 Sequential Read: Up to 1,050MB/sec Sequential Write: Up to 1,000 MB/sec Encryption: AES 256-bit hardware encryption	19	
SCMD-GEF6 (10)	6	External Storage Type: Solid State Drive (SSD)	10	

		Capacity: 2 TB		
		USB 3.2 Gen 2 x2		
		Sequential Read: Up to 2,000MB/sec		
		Sequential Write: Up to 2,000 MB/sec		
		Encryption: AES 256-bit hardware encryption with USB-C to USB-C Cable		
		with USB-C to USB-A Cable		
WRMD-INS		External Storage		
Various 2024		Type:Hard Disk Drive (HDD)		
(10)	7	Capacity: 1 TB	20	
NSWRRD-	7	Interface: USB Gen 3.0	28	
HillPEZ-LFP-		Speed: Up to 5400 RPM		
NSHP-VEG (2)				
		Headphone Torres Organization and Albania		
		Type: Over-ear Headphone Frequency response: at least 20Hz – 20kHz		
		Max input power: at least 20mW		
		Sensitivity: at least 96dB SPL @1kHz/1mW		
CPIT-PAEF Rice	8	Impedance: at least 32 ohm	24	
(24)		Microphone frequency response: at least 100Hz –		
		10kHz		
		Microphone pickup pattern: Directional		
		Microphone Type: Detachable		
I CD ACD DCD DD		Connection: 3.55mm jack		
LSD-ASP-PSP, PD 1435 (10)		HDMI Cable 5M HDMI (Male) to HDMI (Male)		
NSWRRD-	9	IIDMI (Male) to IIDMI (Male)	13	
HillPEZ-LFP-	,		15	
NSHP-VEG (3)				
		Internal Storage		
NSWRRD-		Type: Solid State Drive (SSD)		
HillPEZ-LFP-	10	Capacity: 500 GB	7	
NSHP-VEG (7)		Interface: SATA 6 GB/S Sequential Read: Up to 560 MB/s		
		Sequential Write: Up to 530 MB/s		
CCUTD NCLID (15)		Internal Storage		
GSITD-NSHP (15) GSITD- Regular		Type: Solid State Drive (SSD)		
(3)	11	Capacity: 1 TB	19	
WRMD-INS	11	Interface: SATA 6 GB/S	17	
Various 2024 (1)		Sequential Read: Up to 560 MB/s Sequential Write: Up to 530 MB/s		
		Internal Storage		
		Type: Solid State Drive (SSD)		
WRMD-INS	12	Capacity: 2 TB	2	
Various 2024	12	Interface: SATA 6 GB/S	2	
		Sequential Read: Up to 560 MB/s		
		Sequential Write: Up to 530 MB/s Internal Storage		
		Type: Solid State Drive (SSD) M.2		
		Capacity: 1 TB		
GSITD-NSHP (11)	13	Form Factor: M.2 2280	11	
		Interface: PCIe Gen4 x4		
		Sequential Read Performance: At least 5000MB/s		
		Sequential Write Performance: At least 4000MB/s Internal Storage		
		Type: Solid State Drive (SSD) M.2		
		Capacity: 2 TB		
GSITD-NSHP (5)	14	Form Factor: M.2 2280	5	
		Interface: PCIe Gen4 x4		
		Sequential Read Performance: At least 7000MB/s		
GSITD-AFACI PAN		Sequential Write Performance: At least 5000MB/s Memory Card		
(2)		Capacity: 128GB		
WRMD-INS		Type: MicroSDXC		
Various 2024-		Read Speed: Up to 200 MB/s		
Rice ESETS (7)	15	Write Speed: Up to 90MB/s	14	
NSWRRD-	13		17	
HillPEZ-LFP-				
NSHP-VEG (2) LSD- ASP-PSP, PD				
1435 (3)				
NSWRRD-		Memory Card		
HillPEZ-LFP-	16	Capacity: 32GB	2	
NSHP-VEG (2)		Type: MicroSDHC		

		Read Speed: Up to 100 MB/s		
		Write Speed: Up to 60MB/s		
		Monitor 24"		
		Size: at least 23.8"		
		Resolution: 1920 x 1080 FHD		
		Panel Type: IPS Panel		
		Curvature: Flat		
CPIT-PAEF Rice		Refresh Rate: 75hz		
(7)	4.5	Speaker: 2 x 2W	4.5	
2024-07-1212-	17	Response Time: 5ms	17	
LSD-NSHP (10)		Tilt Adjustment: -5° ~ 23°		
(Ports:		
		HDMI 1.4		
		D-Sub (VGA)		
		Mic-in		
		Headphone-out		
		OTG USB Flash Drive		
GSITD-Trust		Capacity: 256GB		
Fund-AFACI (10)		Speed: USB 3.2 Gen.1 up to 400MB/s read		
WRMD-INS	18	Interface:	20	
Various 2024-		USB-A		
Rice ESETS(5)		Type-C		
		OTG Flash Drive		
		OTG USB Flash Drive		
GSITD-AFACI PAN				
(10)	19	Capacity: 128GB Speed: USB 3.2 Gen.1 up to 300MB/s read	15	
WRMD-INS	19		15	
Various 2024 (5)		Interface:		
, ,		USB-A		
		Type-C		
GSITD-AFACI PAN		OTG USB Flash Drive		
(10)		Capacity: 64GB		
NSWRRD-	20	Speed: USB 3.1 Gen.1 up to 150MB/s read	20	
HillPEZ-LFP-		Interface:		
NSHP-VEG (10)		USB-A		
Nom vid (10)		Type-C		
SCMD-GEF6 (10)		Power Bank		
LSD-ASP-PSP, PD		Battery Capacity: at least 20000 mAh		
1435 (20)		Input ports:		
NSWRRD-	21	Lightning	40	
HillPEZ-LFP-		Micro-USB		
NSHP-VEG (10)		Output ports: USB Type-A (2)		
NSIII -VLU (10)		I/O: DC 5V – 2.1A		
NSWRRD-		Power Cord for CPU		
HillPEZ-LFP-	22	Length 3M	3	
NSHP-VEG (3)				
		Projector Laser Pointer		
WRMD-INS		Laser Class: Class 2		
Various 2024 (5)		Max laser output: Less than 1m W		
LSD-ASP-PSP, PD		Laser Color: Green		
1435 (5)	23	Wireless technology: 2.4 GHz	11	
NSWRRD-		Operating distance: up to 30m		
HillPEZ-LFP-		Battery Type: 2 AAA		
NSHP-VEG (1)		LCD Display for Timer, Battery power and Reception		
		level		
		Processor		
WRMD-INS	2.	I7-11th gen		
Various 2024 (3)	24	With intel UHD Graphics	3	
		Compatible with H510M Pro-E		
GSITD-AFACI PAN		Power Supply Unit		
(2)		Watts: at least 1000 watts		
GSITD-NSHP (2)	25	Rating: 80+ Gold	9	
LSD-ASP-PSP, PD	23	Type: Full Modular		
1435 (5)		Form Factor: ATX		
1100 (0)		Power Supply Unit		+
		Watts: at least 650		
		Rating: 80+ Bronze		
GSITD-NSHP	26	Type: Non-Modular	10	
		Fan Size: 120mm		
		Form Factor: ATX Padom Access Momenty (PAM)		
		Radom Access Memory (RAM)		
COURD MOUR (40)	25	DDR4	4.0	
GSITD-NSHP (10)	27	16GB (16x1)	10	
		3600 MHz		
		LoDimm	l	1

		Radom Access Memory (RAM) DDR4		
WRMD-INS Various 2024 (2)	28	32GB (16x2) 3600 MHz LoDimm	2	
CPIT-PAEF Rice (1)	29	Signal Booster Frequency Range Uplink: Up to 890~2570MHz Frequency Range Downlink: Up to 935~2690MHz Gain: 70dB Output Power: 23dBm Power Adapter: EU/US/AU/UK Plug Power supply: AC:110~220V; DC:12V 2A Connector Type: N Female Coverage: Up to 500 sqm without barrier Improve Network Type: 2G Voice and 3G 4G Internet Data	1	
GSITD-AFACI PAN (1) WRMD-INS Various 2024 (2) LSD-ASP-PSP, PD 1435 (2)	30	Payload Capacity: 8.8 lb / 4kg 60mm flat base with a 3/8"-16 thread 1-2 steps of counterbalance Fixed pan and tilt drag Independent pan and tilt locks +90/-75° tilt range 360° pan range Made of magnesium and aluminum Sliding camera plate with safety lock 1/4"-20 and 3/8"-16 camera screws included Low-angle minimum height of 22" Spiked and rubber feet Flip leg locks Center Column and Leveling Adapter Convertible to Full-Function Monopod	5	
GSITD-Regular	31	Thermal Paste Weight: 10 Grams Volume: 3.6 mL Density: 2.81 g/cm3 Thermal Conductivity: 3.9 W/mk	2	
LSD-ASP-PSP, PD 1435 (5) NSWRRD- HillPEZ-LFP- NSHP-VEG (5)	32	USB Hub Output Interface: 4 USB 3.0 Ports Input Interface: USB 3.0 Type-A Data transfer up to 5Gbps	10	
NSWRRD- HillPEZ-LFP- NSHP-VEG (5)	33	VGA Cable VGA to HDMI Full HD 1080P Converter Adapter Cable With Audio Output Adapter (3.5 mm audio jack)	2	
SCMD-Manila Bay (5) LSD-NSHP (3)	34	Uninterruptible Power Supply (UPS) Type: Uninterruptible Power Supply (UPS) Input Capacity: 650w/1200 VA Universal Socket: 4 Sockets Nominal Output Voltage: 230V Nominal Input Voltage: 230V Battery Type: Lead-acid battery Typical Charge Time: 8 hour(s)	37	
SCMD- Manila Bay (1)	35	Video/Camera Stabilizer (Basic) Compatible Weight: at least 170-290 g Compatible Thickness: at least 6.9-10 mm Compatible Width: at least 67-84 mm Battery Type: Li-Po 2S Capacity: 1000 mAh Gimbal Charging Port: USB-C Mechanical Range Pan: -161.64° to 173.79° Roll: -120.30° to 211.97° Tilt: -101.64° to 78.55° Max Control Speed: 120°/s Wireless: Bluetooth 5.1	1	
2024-07-1212- LSD-NSHP (3)		Video/Camera Stabilizer (Advance) DSLR Gimbal Tested Payload: at least 3 kg (6.6 lbs) Maximum Controlled Rotation Speed: Pan: 360°/s Tilt: 360°/s Roll: 360°/s	3	

NSWRRD- HillPEZ-LFP-	36	Mechanical Endpoint Range: Pan axis control: 360° continuous rotation Roll axis control: -95° to +240° Tilt axis control: -112° to +214° Battery Type: LiPo 2S Battery Capacity: at least 3000 mAh Connections: Bluetooth 5.1 & USB-C (Charging Port) Accesories Connections: (RSA)/NATO Ports 1/4"-20 Mounting Hole Cold Shoe Video Transmission Port (USB-C) RSS Camera Control Port (USB-C) Focus Motor Port (USB-C) Voice Recorder Battery Type: Dry Battery (AAA x 2) Built-In Memory: at least 4 GB Built-In Microphone: Stereo (S-Mic)	1	
NSHP-VEG (10)		Playback Format: MP3/WMA/AAC-LC/L-PCM Recording Format: MP3/L-PCM With Calendar Search & PC Connectivity		
SSD-LFP-NSHP (4) ADMIN-Regular (3-BGA; 3- Budget) CPIT-PAEF Rice (15)	37	Webcam Max Resolution: 1080p/30 fps - 720p/ 60 fps Camera mega pixel: at least 3mp Focus type: Autofocus Built-in mic: Stereo Autofocus: Yes Lens type: Glass Connection: USB-A plug-and-play Tripod-ready universal mounting clip fits laptops, LCD or monitors Tripod included	25	
CPIT-PAEF Rice(15)	38	Wi-Fi Adapter Interface: USB 3.0 Signal: 5GHz (up to 867Mbps) 2.4GHz (up to 400Mbps) 2 External High Gain Antenna Features: MU-MIMO	15	
SCMD-GEF6 (10) LSD-ASP-PSP, PD 1435 (10)	39	Wireless mouse and keyboard Keyboard 3 Zone-Layout Adjustable height -tilt legs Special Keys: Music Controls Palm Rest 10-Key Number pad Key type: Deep profile On/Off power switch Mouse Sensor technology: High-precision Optical tracking Number of buttons: 3 (Left/Right-click, Middle click) Scrolling: line-by-line Scroll Wheel: Yes, 2D, mechanical Connect/Power: On/Off power button	20	
LSD-ASP-PSP, PD 1435 (10)	40	Wireless mouse Type: Wireless Connection Type: Bluetooth® Smart and 2.4GHz wireless connection Wireless range: 10 m Battery Details: 1 x AA DPI (Min/Max): 1000± Sensor resolution: 1000 dpi Scroll Wheel: 3G Core Number of buttons: 8	10	
Bidder must submit (submit during post	Suppliers Po qual)	be indicated on the technical proposal per line item erformance Evaluation with at least Satisfactory Rating edule of Requirements		
•		•		

Lot 4- Toner Cartridge

ITEM	PR Fund	Item	Item Description	Quantity	Statement of Compliance
No.		item	·	Quantity	Statement of Compilance
1	Rice ESETS 2024(1),		Compatible w/ HP Color Laserjet MFP E87650	5	
	Regular(4)	Toner Cartridge	HP MFP E87640 Cyan		
	Rice ESETS		Compatible w/ HP Color Laserjet		
2	2024(1),		MFP E87650	5	
	Regular(4)	Toner Cartridge	HP MFP E87640 Magenta		
	Rice ESETS		Compatible w/ HP Color Laserjet		
3	2024(1),		MFP E87650	5	
	Regular(4)	Toner Cartridge	HP MFP E87640 Yellow		
	Rice ESETS		Compatible w/ HP Color Laserjet		
4	2024(1),		MFP E87650	5	
	Regular(4)	Toner Cartridge	HP MFP E87640 Black		
	LFP-NSHP-		HP MFP E87640 Cyan		
5	SSD(1),		HP MFP E87640 Magenta	2	
,	STO-REG-		HP MFP E87640 Yellow	2	
	SSD(1)	Toner Cartridge	HP MFP E87640 Black		
6	NSHP(30),	Toner Cartridge-Canon		32	
Ů	Regular(2)	ImageClass (MF756Cx)	Yellow Cartridge (069)	J2	
7	NSHP(30),	Toner Cartridge-Canon		32	
,	Regular(2)	ImageClass (MF756Cx)	Magenta Cartridge (069)	32	
8	NSHP(30),	Toner Cartridge-Canon		32	
٥	Regular(2)	ImageClass (MF756Cx)	Cyan Cartridge (069)	32	
9	NSHP(26),	Toner Cartridge-Canon		28	
9	Regular(2)	ImageClass (MF756Cx)	Black Cartridge (069)	28	
10			LaserJet Imaging Drum, HP 126A	2	
10	REGULAR	Imaging Drum	(CE314A)	3	
			Compatible w/ HP LaserJet		
11			E87650	1	
	REGULAR	Toner Cartridge	HP W9050MC-Black		
			Compatible w/ ApeosPort-V		
12			C2276	1	
	REGULAR	Toner Cartridge	DCC 2270 -Black Toner		
			Compatible w/ ApeosPort-V		
13			C2276	1	
	REGULAR	Toner Cartridge	DCC 2270 -Cyan Toner		
			Compatible w/ ApeosPort-V		
14			C2276	1	
	REGULAR	Toner Cartridge	DCC 2270-Magenta Toner		
			Compatible w/ ApeosPort-V		
15			C2276	1	
	REGULAR	Toner Cartridge	DCC 2270-Yellow Toner		
	LFP-NSHP-				
16	VEGETABLE-		Toner Cartridge for Brother	3	
	HILLPEZ	Toner Brother	Printer (TN-1000)		
			Genuine Ink Toner for HP Color		
17		T 0 111	Laserjet Pro M252n, HP 201X,	7	
	Manila Bay	Toner Cartridge	CF400X, Black		
_			Genuine Ink Toner for HP Color	_	
18			Laserjet Pro M252n, HP 201X,	6	
	Manila Bay	Toner Cartridge	CF400X, Cyan		
			Genuine Ink Toner for HP Color	_	
19			Laserjet Pro M252n, HP 201X,	5	
	Manila Bay	Toner Cartridge	CF400X, Yellow		
			Genuine Ink Toner for HP Color	_	
20		T 0 111	Laserjet Pro M252n, HP 201X,	5	
	Manila Bay	Toner Cartridge	CF400X, Magenta		
21			High-Yield Toner (TN269XL)	8	
	GEF 6	Toner Cartridge	Black		
22			High-Yield Toner (TN269XL)	4	
-	GEF 6	Toner Cartridge	Magenta		
23	CEE C	T C	High-Yield Toner (TN269XL)	4	
ļ	GEF 6	Toner Cartridge	Cyan		
24	CEE C	T C ! ! !	High-Yield Toner (TN269XL)	4	
	GEF 6	Toner Cartridge	Yellow		

25 NSHP Toner Cartridge C5576 , Yellow Toner 26 NSHP Toner Cartridge C5576, Magenta Toner 27 NSHP Toner Cartridge C5576, Black Toner 28 C5576, Magenta Toner C5576, Magenta Toner 29 C5576, Black Toner 20 C5576, Black Toner	
26 NSHP Toner Cartridge Compatible w/ ApeosPort-V C5576, Magenta Toner Compatible w/ ApeosPort-V	
NSHP Toner Cartridge C5576, Magenta Toner 15 Compatible w/ ApeosPort-V 25	
NSHP Toner Cartridge C5576, Black Toner	
28 NSHP Toner Cartridge Compatible w/ ApeosPort-V C5576, Cyan Toner 15	
Compatible w/ ApeosPort-V	
NSHP Toner Cartridge C5576, Waste Toner 15	
30 Compatible w/ ApeosPort-V	
NSHP Toner Cartridge C55/6, Drum Cartridge	
Compatible w/ ApeosPort-V C5576	
31 C5576 2 Fuji Xerox Cartridge Black 2	
Regular Toner Cartridge (CT201370)	
Compatible w/ ApeosPort-V	
32 C5576, Fuji Xerox Cartridge 2	
Regular Toner Cartridge Cyan (CT201371)	
Compatible w/ ApeosPort-V	
33 C5576,Fuji Xerox Cartridge 2 Regular Toner Cartridge Magenta (CT201372)	
Compatible w/ ApeosPort-V	
34 C5576,Fuji Xerox Cartridge 1	
Regular Toner Cartridge Yellow (CT201373)	
Compatible w/ ApeosPort-V	
35 C5576,Fuji Xerox Waste Toner 6	
Regular Toner Cartridge Bottle R5 CWAA 0751	
36 Regular Imaging Drum HP MFP E87640 Drum 2	
37 Regular Toner Cartridge Black Toner - Apeosport-IV 3065 8	
Drum Cartridge- Apeosport-IV 4	
Regular Toner Cartridge 3065	
Compatible w/ Toshiba E-studio	
2500AC Toner TFC200UC-Black	
39 TFC200UC-Cyan 1	
LFP-NSHP- TFC200UM-Magenta	
SSD Toner Cartridge TFC200UY-Yellow	
Compliance with Section VI. Schedule of Requirements	

Lot 5- Ink Cartridge

Item No.	PR Fund	Item	Item Description	Quantity	Statement of Compliance
1	LFP-NSHP(3), SWRRD-LFP- NSHP- PHILREC SOIL (1) RD-OAP- SES(2), Regular(60)	Ink Cartridge	HP 680-Black	66	
2	LFP-NSHP(3), SWRRD-LFP- NSHP- PHILREC SOIL (1) RD-OAP- SES(1), Regular(60)	Ink Cartridge	HP 680-Color	65	
3	NSHP(11), Regular(5)		Epson T9481 Orginal Black Ink Pack	16	
4	NSHP(11), Regular(5)	Ink Cartridge	Epson T9482 Orginal Cyan Ink Pack	16	
5	NSHP(11), Regular(5)	Ink Cartridge	Epson T9483 Orginal Magenta Ink Pack	16	
6	NSHP(11), Regular(5)	Ink Cartridge	Epson T9484 Orginal Yellow Ink Pack	16	

	1	,			
	BUDGET- Regular(2),				
7	CASHIER- Regular(8),	Ink Cartridge	Compatible with WF-C5790,T948	19	
,	ACCOUNTING- Regular(8)	link Cartriage	Yellow	19	
	RD-REG-				
	HIGHPEZ(1)				
	BUDGET- Regular(2),				
	CASHIER-				
8	Regular(8), ACCOUNTING-	Ink Cartridge	Compatible with WF-C5790,T948	19	
	Regular(8)		Magenta		
	RD-REG-				
	HIGHPEZ(1) BUDGET-				
	Regular(2),				
	CASHIER- Regular(8),				
9	ACCOUNTING-	Ink Cartridge	Compatible with WF-C5790,T948 Cyan	19	
	Regular(8)				
	RD-REG- HIGHPEZ(1)				
	BUDGET-				
	Regular(2), CASHIER-				
10	Regular(7),	Ink Cortridge	Compatible with WF-C5790,T948 Black	28	
10	ACCOUNTING-	llik Caruluge	Compandie with WF-C3/90,1946 Black	20	
	Regular(18) RD-REG-				
	HIGHPEZ(1)				
11	REGULAR	Ink Cartridge	HP 730 300-ml Magenta DesignJet Original Ink Cartridge	1	
12	REGULAR	Ink Cartridge	HP 730 300-ml Yellow DesignJet Original Ink Cartridge	1	
13	REGULAR	Ink Cartridge	HP 730 300-ml Cyan DesignJet Original Ink Cartridge, P2V68A	1	
14	REGULAR	Ink Cartridge	HP 730 300-ml Photo Black DesignJet Original Ink Cartridge, P2V72A	2	
15	REGULAR	Ink Cartridge	HP 730 300-ml Gray DesignJet Original Ink Cartridge P2V72A	1	
16	REGULAR	Ink Cartridge	HP 730 300-ml Matte Black DesignJet	1	
17	REGULAR	Ink Cartridge	HP 416A (W2040A), Black	2	
18	REGULAR	Ink Cartridge	HP 416A (W2043A), Magenta	2	
19	REGULAR	Ink Cartridge	HP 416A (W2042A), Yellow	2	
20	REGULAR	Ink Cartridge	HP 416A (W2041A), Cyan	2	
21	REGULAR	Ink Cartridge	HP Black 63	2	
22	REGULAR	Ink Cartridge	HP Tri-Color 63	2	
23	Manila Bay	Ink Cartridge	Genuine Ink Cartridge HP 682, Tri-	27	
24	Manila Bay	Ink Cartridge	Color Genuine Ink Cartridge HP 682, black	27	
25	LFP-NSHP	Ink Cartridge	Canon 745-Black	8	
26	RD-OAP-SES	Ink Cartridge	Canon Pixma 47 (Black)	1	
27	RD-OAP-SES	Ink Cartridge	Canon Pixma 57 (Color)	1	
28	RD-ISO-	Ink Cartridge	HP 704 Black Ink	1	
29	SWRRD RD-ISO-	Ink Cartridge	HP 704 Tri Color Ink	1	
	SWRRD	_			
30	Regular	Ink Cartridge	Compatible with Epson L120, Ink-Black Compatible with Epson L120, Ink-	13	
31	Regular	Ink Cartridge	Colored	10	
		Ink	Compatible w/ HP LaserJet E87650, Yellow W9052MC, Magenta		
32	Regular	Cartridge-HP	W9053MC, Cyan W9051MC, Black	1	
		Laser Jet	W9050MC		
33	Regular	Ink Cartridge	Laserjet Cartridge 17A Black	4	
	Compli	ance to Section	VI. Schedule of Requirements		

Lot 6- Ink Tank

Item No.	PR Fund	Item	Item Description	Quantity	Statement of Compliance
1	REGULAR(GSITD(6) ADMIN- PERSONNEL(2), ADMIN-CASHIER(3) ADMIN- ACCOUNTING(4), ADMIN- RECORDS(4), ADMIN-BGA)(4), LFP- NSHP(SWRRD)(3) RD-REG- HIGHPEZ(9)	Ink Tank	Brother Eco Tank Brother HL- T4000DW (Printer) BT5000M, Magenta	35	
2	REGULAR(GSITD(6) ADMIN- PERSONNEL(2), ADMIN-CASHIER(3) ADMIN- ACCOUNTING(4), ADMIN- RECORDS(4), ADMIN-BGA)(4), LFP- NSHP(SWRRD)(2) RD-REG- HIGHPEZ(9)	Ink Tank	Brother Eco Tank Brother HL- T4000DW (Printer) BT5000C, Cyan	34	
3	REGULAR(GSITD(6) ADMIN- PERSONNEL(2), ADMIN-CASHIER(3) ADMIN- ACCOUNTING(4), ADMIN- RECORDS(4), ADMIN-BGA)(4), LFP- NSHP(SWRRD)(3) RD-REG- HIGHPEZ(9)	Ink Tank	Brother Eco Tank Brother HL- T4000DW (Printer) BT5000Y, Yellow	35	
4	REGULAR(GSITD(6) ADMIN- PERSONNEL(2), ADMIN-CASHIER(4) ADMIN- ACCOUNTING(8), ADMIN- RECORDS(7), ADMIN-BGA)(4), LFP- NSHP(SWRRD)(3) RD-REG- HIGHPEZ(17)	Ink Tank	Brother Eco Tank Brother HL- T4000DW (Printer) BTD60BK, Black	51	
5	LFP-NSHP- VEGETABLE- HILLPEZ	Ink for Brother Printer for A3 size	Brother Eco Tank Brother HL- T4000DW (Printer) BTD60BK, Black, BT5000Y, Yellow, BT5000C, Cyan, BT5000M, Magenta	4	
6	SCMD-Outscaling of SLRMA(DA BAR Trust)(30), SWRRD-LFP- NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-RD-OAP- SES(3), SWRRD-RD-ISO- SWRRD(3), ADMIN-RECORDS- Regular(7),	Ink Tank	Epson 003-Cyan	54	

	ADMIN INFO	ĺ			
	ADMIN-INFO- Regular(7)				
7	SCMD-Outscaling of SLRMA(DA BAR Trust)(30), SWRRD-LFP- NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-RD-OAP- SES(4), SWRRD-RD-ISO- SWRRD(1), ADMIN-RECORDS- Regular(7), ADMIN-INFO- Regular(7)	Ink Tank	Epson 003-Magenta	53	
8	SCMD-Outscaling of SLRMA(DA BAR Trust)(30), SWRRD-LFP- NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-RD-OAP- SES(4), SWRRD-RD-ISO- SWRRD(1), ADMIN-RECORDS- Regular(7), ADMIN-INFO- Regular(7)	Ink Tank	Epson 003-Yellow	53	
9	SCMD-Outscaling of SLRMA(DA BAR Trust)(10), SWRRD-LFP-NSHP(9), SWRRD-LFP-NSHP-PHILREC SOIL (1) SWRRD-RD-ISO-SWRD(5), ADMIN-RECORDS-Regular(7), ADMIN-INFO-Regular(12), WRMD-Rice ESETS 2024(8), WRMD-INS Various 2024(24)	Ink Tank	Epson 003-Black	80	
10	INS Various 2024	Ink Tank	Epson 003-(Black, Cyan, Magenta,	10	
11	Rice ESETS 2024	Ink Tank	Yellow) Epson 003-(Black, Cyan, Magenta, Yellow)	5	
12	SWRRD-LFP- NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-RD-OAP- SES(7), WRMD-INS Various 2024(20), WRMD-Rice ESETS 2024(8), ADMIN-BUDGET- Regular(12)	Ink Tank	GT53-Black	51	
13	SWRRD-LFP- NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) SWRRD-OAP- SES(3), ADMIN-BUDGET-	Ink Tank	GT52-Magenta	13	

	Regular(6)				
14	LFP-NSHP(3), SWRRD-LFP-NSHP- PHILREC SOIL (1) RD-OAP-SES(3), Regular(6)	Ink Tank	GT52-Cyan	13	
15	LFP-NSHP(3) SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	GT52-Yellow	4	
16	Rice ESETS 2024	Ink Tank	GT53 (Black, Cyan, Magenta, Yellow)	5	
17	SWRRD-RD-ISO- SWRRD(5), WRMD-INS Various 2024(26), ADMIN-INFO- Regular(9) RD-REG- HIGHPEZ(4) SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	Epson 664-Black	45	
18	SWRRD-RD-ISO- SWRRD(2), WRMD-INS Various 2024(20), ADMIN-INFO- Regular(7) RD-REG- HIGHPEZ(1) SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	Epson 664-Magenta	31	
19	SWRRD-RD-ISO- SWRRD(2), WRMD-INS Various 2024(20), ADMIN-INFO- Regular(7) RD-REG- HIGHPEZ(1) SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	Epson 664-Cyan	31	
20	WRMD-INS Various 2024(20), ADMIN-INFO- Regular(7) RD-REG- HIGHPEZ(1) SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	Epson 664-Yellow	29	
21	REGULAR	Pigment Ink	GI-790-Black, 135ml	6	
22	REGULAR	Pigment Ink	GI-790-Cyan, 70ml	6	
23	REGULAR	Pigment Ink	GI-790-Magenta, 135ml	6	
24	REGULAR	Pigment Ink	GI-790-Yellow, 135ml	6	
25	REGULAR	Pigment Ink	Compatible w/ Epson EcoTank L15150 A3 008-Black, 127ml EPSON	4	
26	REGULAR	Pigment Ink	Compatible w/ Epson EcoTank L15150 A3 008-Cyan, 70ml EPSON	5	
27	REGULAR	Pigment Ink	Compatible w/ Epson EcoTank L15150 A3 008-Magenta, 70ml EPSON	5	
28	REGULAR	Pigment Ink	Compatible w/ Epson EcoTank L15150 A3 008-Yellow, 70ml	5	
29	Regular	Ink Tank- Epson L3150	Compatible with Epson L3150, Yellow	5	
30	Regular	Ink Tank-	Compatible with Epson L3150,	5	

		Epson L3150	Magenta		
31	Regular	Ink Tank- Epson L3150	Compatible with Epson L3150, Cyan	5	
32	Regular	Ink Tank- Epson L3150	Compatible with Epson L3150, Black	5	
33	STO-REG-SSD	Ink Tank- Brother Ink	DCP-T300 Black	4	
34	STO-REG-SSD	Ink Tank- Brother Ink	DCP-T500 Magenta	4	
35	STO-REG-SSD	Ink Tank- Brother Ink	DCP-T700W Yellow	4	
36	STO-REG-SSD	Ink Tank- Brother Ink	DCP-T800W Cyan	4	
37	LFP-NSHP- (PHILREC SOIL)	Ink Tank	Epson 001-Black	1	
38	LFP-NSHP- (PHILREC SOIL)	Ink Tank	Epson 001-Cyan	1	
39	LFP-NSHP- (PHILREC SOIL)	Ink Tank	Epson 001-Yellow	1	
40	LFP-NSHP- (PHILREC SOIL)	Ink Tank	Epson 001-Magenta	1	
41	LFP-NSHP- (PHILREC SOIL)	Ink Tank	Epson T7741	1	
	Compliance with Secti	on VI. Sched	lule of Requirements		

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
LSD-NSHP (8)	No.	Desktop Computer (Office Document Advance) Processor: Core: at least 6; Threads: at least 12; Cache: at least 32; Max/Boost Frequency (GHz): at least 5.1 GPU: at least 6GB VRAM, GDDR6 GPU Output: at least DisplayPort 1.4a x 2 & HDMI 2.1a x 2 RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Form Factor: Form Factor: Mid Tower (atleast H:15in by W:6in) Motherboard: at least 2 x M.2 Slot, 4 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 500 GB m.2 NVMe Gen 4 Internal Storage: 1TB HDD Power Supply: Rating at least 500 watts 80+ Bronze Display: at least 27-inch Monitor Display Refresh Rate: at least 75hz Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)"	8		70,000.00	560,000.00
ALMED-LFP-NSHP (3) SCMD-SLRMA (1) CPIT-PAEF Rice & FPMA HVCDP(20) WRMD-INS Various Continuing(2) WRMD-Rice ESETS Continuing (3)	2	Desktop Computer (Office Document BASIC) Processor: Core: at least 12; Threads: at least 20; Cache: at least 25; Max/Boost Frequency (GHz): at least 4.9 GPU: on-board/shared RAM: 8GB DDR4 3200MHz, upgradable up to 16gb Form Factor: Form Factor: Mid Tower (atleast H:15in by W:6in) Motherboard: at least 1 x M.2 Slot, 2 x RAM Slot: Interface: 1xHDMI, 1xVGA Internal Storage: 256 GB m.2 NVMe Gen 4 Internal Storage: 1TB HDD Power Supply: Rating at least 500 watts 80+ Bronze Display: at least 24-inch Monitor Display Panel Type: IPS Display Response Time: up to 5 ms Combo Wireless Keyboard & Mouse: 2.4Ghz wireless connection; Wireless Range: at least 30ft; keyboard Type: Full size; 3-zone layout; Mouse: at least 3 buttons	29	unit	49,900.00	1,447,100.00

		Operating System: Should be licensed (Perpetual) and latest professional edition,				
		Productivity Suites: Should be licensed (Perpetual), latest and compatible with the existing productivity suites (MS Office - at least Word, Excel, Powerpoint, etc)				
ALMED-LFP-NSHP (5) WRMD-INS Various 2024- Rice ESETS (4) Manila Bay (1) SCMD-SLRMA (1) SWRRD-HillPEZ- Continuing Fund (3) NSWRRD-HillPEZ-RD- VERMI (1) NSWRRD-LUPEZ-RD- Lysimeter-Current(1) WRMD-Rice ESETS Continuing (12)	3	Laptop Computer (Office Document BASIC) Processor: Core: at least 8; Threads: at least 16; Cache: at least 16MB; Max Turbo Frequency (GHz): at least 4.6 Storage: at least 512GB M.2 NVMe SSD Memory: at least 16GB, DDR4 Camera: at least 720p Screen size: at least 15.6-inch Display Type: FHD Battery Type: at least 53 WH; at least 3 cell battery Battey Charger: Must be same brand with the offered unit Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed and compatible with the existing productivity suites (MS Office)	28	unit	49,900.00	1,397,200.00
SCMD-GEF6 (4)	4	Laptop (Office Document Advance) Processor: Core: at least 10; Threads: at least 12; Cache: at least 12MB; Max Turbo Frequency (GHz): at least 5.0 Storage: at least 512GB SSD M.2 2242 PCIe 4.0x4 NVMe Memory: at least 16GB, DDR4 3200MHz (upgradable) Camera: at least 720p Screen size: at least 16 inch Display Type: IPS Battery Type: at least 50WH; at least 3 cell battery Battey Charger: Must be same brand with the offered unit Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)	4	unit	70,000.00	280,000.00
GSITD-ICT-STO Current (3) LSD-NSHP (8)	5	Laptop (Executive) Processor: Core: at least 16; Threads: at least 22; Cache: at least 24MB; Max Turbo Frequency (GHz): at least 5.1 Storage: at least 1TB NVMe Gen4 Memory: at least 16GB DDR5 GPU: at least 6GB dedicated Camera: at least 720p FHD Screen size: at least 14.5 inch Display Type: IPS, at least 90Hz Battery Type: at least 73WH Battery Charger: Must be same brand with the offered unit Weight: up to 1.49kg/3.28lbs	11	unit	100,000.00	1,100,000.00

		Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)				
SCMD-GEF6 (1)	6	Laptop (Mapping/CAD/System Dev't - Advance) Processor: Core: at least 24; Threads: at least 32; Cache: at least 36MB; Max Turbo Frequency (GHz): at least 5.8 Storage: at least 1TB NVMe Gen4 Memory: at least 16GB, DDR5 (upgradable using two soDIMM modules) GPU: at least 8GB dedicated Camera: at least 720p Screen size: at least 16 inch Display Type: IPS, at least 165Hz Battery Type: at least 90WH; at least 4 cell battery Battey Charger: Must be same brand with the offered unit Operating System: Should be licensed and latest professional edition, 64-bit Productivity Suites: Should be licensed, latest and compatible with the existing productivity suites (MS Office)	2	unit	120,000.00	240,000.00
Accessories for laptop-						
Laptop Sleeve						
Unit and it's component must not be a clone						
Brand and model offered should be indicated on the technical proposal per line item						
Warranty: all equipment must be at least 1 year warranty on parts and labor service						
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)						

TOTAL 5,024,300.00

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
2024-07-1212-LSD-NSHP		Barcode Printer Print Technology: Direct Thermal Print labels up to 36mm in width Maximum print height: 32mm print resolution: 360dpi Minimum label length: 4mm Maximum label length: 1m Connectivity: USB: Windows® (USB1.1, 2.0, 3.0 protocol) Wired Network: 10 Base-T/100 Base-TX Serial: RS-232C (For printing with ESC/P commands only. Requires an optional serial adapter.) Wireless Direct: IEEE 802.11n Ad-Hoc mode: IEEE802.11b/g/n WPS 2.0 Bluetooth 2.1 Barcode Supported: 1D: CODE39, CODE128, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128 (UCC/EAN128) QR Code Supported: 2D: QR Code, PDF417, Data Matrix, Aztec Code, RSS-14 (Standard, Truncated, Stacked, StackedOmni), RSS-Limited, RSS Expanded (Standard, Stacked) Features: Built in Automatic label cutter	20		35,000.00	700,000.00
	2	Barcode/QR Scanner Form Factor: Handheld Connectivity: Wireless / Cable Connection: 2.4 GHz mini Wireless USB Dongle / 2.0 USB Cable Scanner Capability: 1D Barcodes: Codabar, Code 11, Code93, MSI, Code 128, UCC/EAN-128, Code 39, EAN-8, EAN-13, UPC-A, ISBN, Industrial 25, Interleaved 25, Standard 25, Matrix, + more. 2D Barcodes: QR, DataMatrix, PDF417, Aztec, Hanxin, Micro PDF417, + more. Scan Pattern: Linear + QR Codes Scanner Type: CMOS Battery Capacity: 2000mAh	20	unit	5,500.00	110,000.00
GSITD-ICT-STO Current	3	Camera (Advance) Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: APS-C CMOS sensor Image Processor: DIGIC X Effective Pixels: 24.2MP Focus Type: Dual Pixel CMOS AF II AF Mode: One Shot Servo AF Auto Switch (only in A+ mode) Built-in Flash GN (ISO 100, meters): 6 Video Quality: 4K30 Video, 4K60 with Crop; HDR-PQ Brightness Adjustment:	1	unit	100,000.00	100,000.00

		Manual: Adjustable to one of seven levels Colour Tone Adjustment: 4 settings Viewfinder: 0.39 inch OLED colour EVF LCD Type: 7.5 cm (2.95") TFT colour LCD monitor Interface: USB 2.0 to USB Type-C Wireless Lan (2.4GHz) Bluetooth 4.2 HDMI Micro out (Type D, HDMI-CEC not supported) External Microphone In (3.5mm Stereo mini jack) Storage Type: SD/SDHC/SDXC and UHS-II With 18-150mm f/3.5-6.3 IS STM Lens, Camera Strap, Battery Pack, Battery Charger				
SSD-LFP-NSHP (2) NSWRRD- HighPEZ-RD-LTR (1) CPIT-PAEF Rice(3) SCMD-SLRMA (1) WRMD-INS Various Continuing(1)	4	Camera (Basic) Type: Digital single-lens mirrorless (Interchangeable Lens Camera) Image Sensor: 24.1 megapixels; APS-C CMOS Processor Type: DIGIC 8 Autofocus: 143 Focus points Autofocus Modes: One-Shot AF, Servo AF / Movie Servo AF Image Resolution: up to 6000x4000 Video Shooting: 4K at 23.98 fps 1920 x 1080 at 59.94 fps [60 Mb/s] 1920 x 1080 at 23.98/29.97 fps [30 Mb/s] Memory Card Slot: Single Slot - SD/SDHC/SDXC Wireless: 2.4 GHz Wi-Fi (802.11b/g), Bluetooth 4.2 Display Type: Fixed Non-Touchscreen LCD Battery Type: 1x LP-E17 Rechargeable Lithium-Ion Display Size: 3" Peripheral Connections: USB Type-C (Hi-Speed USB (USB 2.0) equivalent External microphone IN Terminal HDMI micro (Type D) Remote control Terminal(E3) Accessory shoe	8	unit	48,000.00	384,000.00

LSD-NSHP(20) SWRRD-LUPEZ-RD-Soil Tank (1)	5	Communication Device CPU: at least Octa-Core Display Type: Super AMOLED Screen Size: at least 6.6 inches Screen Resolution: at least 1080 x 2340 pixels Screen Brightness: at least 1000 nits Operating System: at least Android 14 Chipset:Exynos 1480 RAM: at least 8GB Storage: at least 256GB Battery: at least Li-Ion 5000 mAh Camera: at least 32MP Front Camera at least 32MP Rear Camera Positioning: GPS, GALILEO, GLONASS, BDS, QZSS Bluetooth Version: 5.3	21	unit	30,000.00	630,000.00
SWRRD-LUPEZ-RD-Continuing	6	Document Scanner (Portable) Technology: Dual CIS Resolution: up to 1200 x 1200 dpi Scanning Width: up to 215.9 mm Scanning Length: up to 1,828 mm Power Source: USB Type-B Battery: Lithium 1200 mAh Interface: USB 3.0 Micro SD: 2GB – 32GB Wireless LAN: IEEE 802.11b/g/n, IEEE 802.11g (Wi-Fi Direct) Features: Duplex scanning ID Card scanning (up to 1 mm) LED display	1	unit	16,500.00	16,500.00
ADMIN-Regular (2 Records) CPIT-PAEF Rice(1)	7	Document Scanner (Advance) Type: Sheetfed Scanner Sensor Type: Colour Contact Image Sensor Resolution: up to 600 DPI x 600 DPI ADF Paper Capacity: up to 50 Sheets Duplex Scan: Yes Document Sizes: Paper size Minimum: 50.8 x 50.8 mm Paper size Maximum: 215.9 x 6096 mm Interface: USB 3.2 Gen 1 USB 3.2 Gen 1, Wi-Fi (802.11 b/g/n)	3	unit	35,000.00	105,000.00

SCMD- Manila Bay (1) SCMD-GEF6(2) SCMD-SLRMA (1) 2024-07-1212-LSD-NSHP (1)	8	Handheld Action Camera Camera type: Handheld/Action Camera Microphones: 3 Screen Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits Controllable Range: Pan: -235° to 58°; Tilt: -120° to 70° Roll: -45° to 45° Mechanical Range: Pan: -240° to 63°; Tilt: -180° to 98° Roll: -220° to 63° Max Controllable Speed: 180.0°/s Sensor: 1-inch CMOS Aperture: f/2.0 ISO Range: Photo: 50-6400 Video: 50-6400 Low-Light Video: 50-16000 Slow Motion: 50-6400 Max Image Size: 16:9, 3840×2160 1:1, 3072×3072 Max Video Resolution: 4k Max Video Bitrate: 130 Mbps Battery Type: LiPo Battery Capacity: 1300 mAh Wireless Connection: Bluetooth 5.2 & Wi-Fi	5	unit	36,000.00	180,000.00
GSITD-ICT-STO Current	9	Print Technology: Colour dye sublimation, Monochrome thermal printing and Rewritable technology Feed System: Manual/Automatic Card Capacities: Card input: at least 100 Card output: at least 70 Connectivity: USB 2.0 Type A Ethernet Interface (100-Base TX/ 10-Base-Tc) Card Thickness: 0.50mm to 1.27mm (20mil to 50mil) Features: Dual Sided Printing Edge to edge print Digital shredding	1	unit	150,000.00	150,000.00
GSITD-ICT-STO Current	10	Multi-Media Display Smart TV Screen Size: at least 70 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz Operating System: WebOS Wireless: Wi-Fi 802.11ac, Bluetooth 5.1 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF (Antenna/Cable) x 2	1	unit	92,000.00	92,000.00

		With TV Cart Stand				
LSD-NSHP (3)	11	Multi-Media Display Type: Smart TV Screen Size: at least 50 inch TV Resolution: at least 4K Panel Type: QLED Refresh Rate: 60Hz Operating System: Tizen SmartTV Wireless: Wi-Fi 802.11ac, Bluetooth 5.2 Audio Output: at least 20W I/O Ports: HDMI x 3 USB 2.0 x 2 Ethernet LAN x 1 Digital Audio Out(Optical) x 1 RF In (Terrestrial / Cable input) x 1	3	unit	60,000.00	180,000.00
CPIT-PAEF FPMA HVCDP (2)	12	Multi-Media Display Type: Smart TV Screen Size: at least 50 inch TV Resolution: at least 4K Panel Type: LED Refresh Rate: 60Hz Bluetooth: 5.2 Speaker: at least 20w Wi-Fi 5: 2.4G & 5G 3-Side Bezel-less I/O Ports: HDMI 2.1 x 3 USB-A x 1 Ethernet Lan x 1 Digital Audio out (optical) RF in (Terrestrial/Cable input) Anynet+ (HDMI-CEC)	2	unit	35,000.00	70,000.00
GSITD-AFACI PAN (10)	13	Multi-Purpose Geotagging Device Chipset: Qualcomm SM8550-AC Snapdragon 8 Gen 2 Operating System: at least android 13 Screen Size: at least 6.8 inches Screen Resolution: at least 1440 x 3088 pixels Screen Brightness: at least 1750 nits Display Type: Dynamic AMOLED 2X, 120Hz RAM: at least 8GB Storage: at least 128GB Battery: at least 5000 mAh Network Technology: GSM / CDMA / HSPA / EVDO / LTE / 5G Camera: at least 12MP Front Camera at least 200MP Rear Camera	10	unit	49,900.00	499,000.00
SCMD- Manila Bay (1) SCMD-GEF6 (5) SCMD-SLRMA (2) SSD-LFP-NSHP (3)	14	Multi-Purpose Geotagging Device CPU: at least Octa-Core Display Type: TFT LCD Screen Size: at least 12.4 inches	11	unit	49,000.00	539,000.00

		Screen Resolution: at least 1600 x 2560				
		pixels				
		Screen Brightness: at least 522 nits				
		Operating System: at least Android 11				
		Chipset: Qualcomm SM7225 Snapdragon				
		750G 5G (8 nm) - 5G				
		RAM: at least 6GB				
		Storage: at least 128GB				
		Battery: at least LiPo 10090 mAh				
		Sim Type: Nano				
		Camera:				
		at least 5MP Front Camera				
		at least 8MP Rear Camera				
		Positioning: GPS, GLONASS, BDS,				
		GALILEO				
		with Precision pen and keyboard pack				
		Network Printer (Basic)				
		· · · · · · · · · · · · · · · · · · ·				
		Printer Type: Inktank Printer Function: Print, Scan, Copy & Fax				
		1				
		(With ADF and Flatbed)				
I SD NSHD(16)		Maximum Resolution: 4800 x 1200 dpi				
LSD-NSHP(16)	15	Paper Sizes: A4, Letter, Legal and A3	32	unit	33,000.00	1,056,000.00
CPIT-PAEF Rice(16)		Number of Paper Trays: 2				
		Automatic 2-Sided Printing (up to				
		A4/Letter)				
		Interface: USB 2.0				
		Network: Wireless, Mopria, AirPrint, Direct				
		Wireless, Ethernet				
		Network Printer (Advance)				
		Printer Type: Inktank				
		Printer Function: Print, Scan, Copy & Fax				
		(With ADF and Flatbed)				
		Maximum Copy Size: A3				
		Copy Resolution: At least 600 x 600 dpi				
		Scanning Resolution: At least 1200 x 2400				
		dpi				
		Scanner Sensor Type: CIS				
		Maximum Printing Resolution: At least				
		4800 x 1200 dpi				
		Paper Sizes: A3, Super B (13 x 19"), Indian				
		Legal, Letter, A4, 16K (195 x 270mm), 8K				
		(270 x 390mm), Executive (7.25 x 10.5"),				
		B4, B5, A5, B6, A6, 8.5 x 13", 5 x 7", 4 x				
		6", 8 x 10", Legal (8.5 x 14"), 16:9 wide,				
GSITD-ICT-STO Current	16	Envelopes: #10, DL, C6, C4	1	unit	75,000.00	75,000.00
		Number of Paper Trays: 3 (2 Front, 1 Rear)				
		Automatic 2-Sided Printing (up to A3)				
		Printing Speed:				
		Draft, A4 (Black / Colour): Up to 32.0 ppm				
		/ 32.0 ppm *2				
		ISO 24734, A4 Simplex (Black / Colour):				
		Up to 25.0 ipm / 25.0 ipm *2				
		ISO 24734, A4 Duplex (Black / Colour): Up				
		to 21.0 ipm / 21.0 ipm *2				
		ISO 24734, A3 Simplex (Black / Colour):				
		Up to 13.5 ipm / 13.5 ipm *2				
		ISO 24734, A3 Duplex (Black / Colour): Up				
		to 10.0 ipm / 10.0 ipm *2				
		LCD Screen: at least 4.3" Colour LCD				
		Touch Screen				
		Interface: USB 2.0				
<u> </u>	<u> </u>	1	<u> </u>	1	1	1

		Network: Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct				
		LCD Screen: 4.3" Colour LCD Touch Screen				
		Printer (Portable)				
		Print Method: Micro Piezo Print Type: InkJet				
WRMD-RICE PSS (6) ADMIN-Regular (2		Printer Function: Print Maximum Resolution: At least 5760 x 1440				
Personnel & Planning) WRMD-INS Various Continuing(1)	17	dpi Paper Sizes: Legal, Letter, A4, B5, A5, A6, 8x10", 5x7", 4x6", Envelopes: #10, DL, C6	12	unit	20,000.00	240,000.00
WRMD-Rice ESETS Continuing (3)		Number of Paper Trays: 1 Interface: USB 2.0				
3(0)		Network: Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct				
		Built-in Battery Printer (Desktop)				
		Printer Type: Inktank Printer Function: Print, Scan, Copy & Fax (With ADF and Flatbed)				
NSWRRD- HighPEZ-RD-		Maximum Printing Resolution: 4800 x 1200 dpi				
LTR (2) ADMIN-PMU-Regular	18	Number of Paper Trays: 1 Interface: USB 2.0	4	unit	17,000.00	68,000.00
Fund (2)		Network: Wireless, Mopria, AirPrint, Direct Wireless				
		Borderless Printing (A4 / Letter / 4 x 6" / 5 x 7" / 8 x 10" / Square (5 x 5") / Business				
SSD-LFP-NSHP (2)	10	Card) Projector Light Source Type: LCD	2	nn:4	43,200.00	120 600 00
NSWRRD- HighPEZ-RD- LTR (1)	19	Light Source Type: LCD Native Resolution: WXGA (1280 x 800)	3	unit	45,200.00	129,600.00

		Brightness: at least 2000 Lumens Lamp Life: (Normal / Eco): 6,000 / 12,000 hours Contrast Ratio: 16,000:1 Analog Input Composite: 1 RCA D-Sub (VGA): 1 Digital Input: HDMI x 1 Audio Input: 2RCA (White & Red): 1 USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Wireless Projection: IEEE 802.11b (2.4GHz): 11 Mbps*2 IEEE 802.11a (5GHz): 54Mbps*2 IEEE 802.11n (5GHz): 150 Mbps*2				
		IEEE 802.11g (2.4GHz): 54 Mbps*2				
WRMD-INS Various 2024 (3) SSD-LFP-NSHP (6)	20	Two-way Radio Type: Two-way Radio Dual Band (VHF/UHF) Channel Spacing: 25KHz (wide band)12.5KHz (narrow band) Sensitivity: =0.25μV (wide band) =0.35μV (narrow band) Battery capacity: at least 1800 mAh Channel: 128 channels Frequency range: TX 136 – 174MHz, 400 – 520MHz RX 136 – 174MHz, 400 – 520MHz, 68-108MHz (FM Broadcast) 2 Device	9	unit	2,400.00	21,600.00
Unit and it's component						
must not be a clone						
Brand and model offered should be indicated on the technical proposal per line item						
Warranty: all equipment must be at least 1 year warranty on parts and labor service						
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)						
TOTAL						5.345.700.00

TOTAL 5,345,700.00

PR #/Division/Fund Source	Item No.	Description	Quantity	Unit	Unit Cost	Total
ICT PERIPHERALS & SUPPLI						
LSD-ASP-PSP, PD 1435	1	CMOS Battery Type: CMOS Battery Cell Composition: Lithium CR2032	10	pc	50.00	500.00
CPIT-PAEF Rice	2	Desktop Speaker Two satellite speakers Power Output (RMS): 2.5W+2.5W Peak Power Output: 5W + 5W Cable Length: 1.5m Connectivity: 3.5 mm input: 1 USB Cable: 1 Bluetooth at least v5.3 Controls: at least Power and volume controls on right speaker	20	рс	3,600.00	72,000.00
SCMD-GEF6	3	Drone Batteries for DJI Phantom 4	4	pc	6,000.00	24,000.00
SCMD-GEF6	4	Drone Propellers for JI Phantom RTK 4	2	рс	1,800.00	3,600.00
GSITD-AFACI PAN (10) SCMD-Manila Bay (4) SSD-LFP-NSHP (5)	5	External Storage Type: Solid State Drive (SSD) Capacity: 1 TB Interface: USB Gen 3.2 Sequential Read: Up to 1,050MB/sec Sequential Write: Up to 1,000 MB/sec Encryption: AES 256-bit hardware encryption	19	pc	6,200.00	117,800.00
SCMD-GEF6 (10)	6	External Storage Type: Solid State Drive (SSD) Capacity: 2 TB USB 3.2 Gen 2 x2 Sequential Read: Up to 2,000MB/sec Sequential Write: Up to 2,000 MB/sec Encryption: AES 256-bit hardware encryption with USB-C to USB-C Cable with USB-C to USB-A Cable	10	рс	13,000.00	130,000.00
WRMD-INS Various 2024 (10) NSWRRD-HillPEZ-LFP-NSHP- VEG (2)	7	External Storage Type:Hard Disk Drive (HDD) Capacity: 1 TB Interface: USB Gen 3.0 Speed: Up to 5400 RPM	28	рс	3,600.00	100,800.00
CPIT-PAEF Rice (24)	8	Headphone Type: Over-ear Headphone Frequency response: at least 20Hz – 20kHz Max input power: at least 20mW Sensitivity: at least 96dB SPL @1kHz/1mW Impedance: at least 32 ohm Microphone frequency response: at least 100Hz – 10kHz	24	pc	3,000.00	72,000.00

LSD-ASP-PSP, PD 1435 (10)		Microphone pickup pattern: Directional Microphone Type: Detachable Connection: 3.55mm jack HDMI Cable 5M				
NSWRRD-HillPEZ-LFP-NSHP- VEG (3)	9	HDMI (Male) to HDMI (Male)	13	pc	700.00	9,100.00
NSWRRD-HillPEZ-LFP-NSHP- VEG (7)	10	Internal Storage Type: Solid State Drive (SSD) Capacity: 500 GB Interface: SATA 6 GB/S Sequential Read: Up to 560 MB/s Sequential Write: Up to 530 MB/s	7	pc	3,600.00	25,200.00
GSITD-NSHP (15) GSITD- Regular (3) WRMD-INS Various 2024 (1)	11	Internal Storage Type: Solid State Drive (SSD) Capacity: 1 TB Interface: SATA 6 GB/S Sequential Read: Up to 560 MB/s Sequential Write: Up to 530 MB/s	19	pc	6,600.00	125,400.00
WRMD-INS Various 2024	12	Internal Storage Type: Solid State Drive (SSD) Capacity: 2 TB Interface: SATA 6 GB/S Sequential Read: Up to 560 MB/s Sequential Write: Up to 530 MB/s	2	pc	10,800.00	21,600.00
GSITD-NSHP (11)	13	Internal Storage Type: Solid State Drive (SSD) M.2 Capacity: 1 TB Form Factor: M.2 2280 Interface: PCIe Gen4 x4 Sequential Read Performance: At least 5000MB/s Sequential Write Performance: At least 4000MB/s	11	рс	6,000.00	66,000.00
GSITD-NSHP (5)	14	Internal Storage Type: Solid State Drive (SSD) M.2 Capacity: 2 TB Form Factor: M.2 2280 Interface: PCIe Gen4 x4 Sequential Read Performance: At least 7000MB/s Sequential Write Performance: At least 5000MB/s	5	рс	14,500.00	72,500.00
GSITD-AFACI PAN (2) WRMD-INS Various 2024-Rice ESETS (7) NSWRRD-HillPEZ-LFP-NSHP- VEG (2) LSD- ASP-PSP, PD 1435 (3)	15	Memory Card Capacity: 128GB Type: MicroSDXC Read Speed: Up to 200 MB/s Write Speed: Up to 90MB/s	14	pc	2,400.00	33,600.00
NSWRRD-HillPEZ-LFP-NSHP- VEG (2)	16	Memory Card Capacity: 32GB Type: MicroSDHC Read Speed: Up to 100 MB/s Write Speed: Up to 60MB/s	2	pc	1,000.00	2,000.00
CPIT-PAEF Rice (7) 2024-07-1212-LSD-NSHP (10)	17	Monitor 24" Size: at least 23.8" Resolution: 1920 x 1080 FHD	17	pc	7,500.00	127,500.00

		Danel Types IDC Densi				
		Panel Type: IPS Panel Curvature: Flat				
		Refresh Rate: 75hz				
		Speaker: 2 x 2W				
		Response Time: 5ms				
		Tilt Adjustment: -5° ~ 23°				
		Ports:				
		HDMI 1.4				
		D-Sub (VGA)				
		Mic-in				
		Headphone-out				
		OTG USB Flash Drive				
		Capacity: 256GB				
GSITD-Trust Fund-AFACI (10)		Speed: USB 3.2 Gen.1 up to				
WRMD-INS Various 2024-Rice	18	400MB/s read	20	pc	1,450.00	29,000.00
ESETS(5)		Interface:		r	,	, , , , , , , , , ,
		USB-A				
		Type-C				
	1	OTG Flash Drive				
		OTG USB Flash Drive				
CCITD AEACIDAN (10)		Capacity: 128GB				
GSITD-AFACI PAN (10)	19	Speed: USB 3.2 Gen.1 up to 300MB/s read	15	pc	850.00	12,750.00
WRMD-INS Various 2024 (5)						
		Interface:				
		USB-A				
		Type-C				
		OTG USB Flash Drive				
		Capacity: 64GB				
GSITD-AFACI PAN (10)		Speed: USB 3.1 Gen.1 up to				
NSWRRD-HillPEZ-LFP-NSHP-	20	150MB/s read	20	pc	450.00	9,000.00
VEG (10)		Interface:				
		USB-A				
		Type-C				
		Power Bank				
		Battery Capacity: at least 20000				
SCMD-GEF6 (10)		mAh				
LSD-ASP-PSP, PD 1435 (20)		Input ports:				
NSWRRD-HillPEZ-LFP-NSHP-	21	Lightning	40	pc	2,000.00	80,000.00
VEG (10)		Micro-USB				
VEG (10)		Output ports: USB Type-A (2)				
		I/O: DC 5V – 2.1A				
		Power Cord for CPU	+		+	
NSWRRD-HillPEZ-LFP-NSHP-	22		2		250.00	1 050 00
VEG (3)	22	Length 3M	3	pc	350.00	1,050.00
		D 1 1 7 7 7 1				
		Projector Laser Pointer				
		Laser Class: Class 2				
WRMD-INS Various 2024 (5)		Max laser output: Less than 1m W				
LSD-ASP-PSP, PD 1435 (5)		Laser Color: Green				
NSWRRD-HillPEZ-LFP-NSHP-	23	Wireless technology: 2.4 GHz	11	pc	4,600.00	50,600.00
		Operating distance: up to 30m				
VEG (1)		Battery Type: 2 AAA				
		LCD Display for Timer, Battery				
		power and Reception level				
		Processor				
		I7-11th gen				60.000.00
WRMD-INS Various 2024 (3)	24	With intel UHD Graphics	3	pc	20,000.00	60,000.00
		Compatible with H510M Pro-E				
1		Power Supply Unit			+	
GSITD-AFACI PAN (2)		Watts: at least 1000 watts				
GSITD-NSHP (2)	25	Rating: 80+ Gold	9	pc	12,000.00	108,000.00
LSD-ASP-PSP, PD 1435 (5)						
		Type: Full Modular			1	

		Form Factor: ATX				
GSITD-NSHP	26	Power Supply Unit Watts: at least 650 Rating: 80+ Bronze Type: Non-Modular Fan Size: 120mm Form Factor: ATX	10	pc	3,800.00	38,000.00
GSITD-NSHP (10)	27	Radom Access Memory (RAM) DDR4 16GB (16x1) 3600 MHz LoDimm	10	pc	4,000.00	40,000.00
WRMD-INS Various 2024 (2)	28	Radom Access Memory (RAM) DDR4 32GB (16x2) 3600 MHz LoDimm	2	pc	5,400.00	10,800.00
CPIT-PAEF Rice (1)	29	Signal Booster Frequency Range Uplink: Up to 890~2570MHz Frequency Range Downlink: Up to 935~2690MHz Gain: 70dB Output Power: 23dBm Power Adapter: EU/US/AU/UK Plug Power supply: AC:110~220V; DC:12V 2A Connector Type: N Female Coverage: Up to 500 sqm without barrier Improve Network Type: 2G Voice and 3G 4G Internet Data	1	pc	3,500.00	3,500.00
GSITD-AFACI PAN (1) WRMD-INS Various 2024 (2) LSD-ASP-PSP, PD 1435 (2)	30	Tripod Payload Capacity: 8.8 lb / 4kg 60mm flat base with a 3/8"-16 thread 1-2 steps of counterbalance Fixed pan and tilt drag Independent pan and tilt locks +90/-75° tilt range 360° pan range Made of magnesium and aluminum Sliding camera plate with safety lock 1/4"-20 and 3/8"-16 camera screws included Low-angle minimum height of 22" Spiked and rubber feet Flip leg locks Center Column and Leveling	5	рс	15,000.00	75,000.00
		Adapter Convertible to Full-Function Monopod				
GSITD-Regular	31		2	pc	1,800.00	3,600.00

NSWRRD-HillPEZ-LFP-NSHP- VEG (5)		Output Interface: 4 USB 3.0 Ports Input Interface: USB 3.0 Type-A Data transfer up to 5Gbps				
NSWRRD-HillPEZ-LFP-NSHP- VEG (5)	33	VGA Cable VGA to HDMI Full HD 1080P Converter Adapter Cable With Audio Output Adapter (3.5 mm audio jack)	2	pc	450.00	900.00
SCMD-Manila Bay (5) LSD-NSHP (3)	34	Uninterruptible Power Supply (UPS) Type: Uninterruptible Power Supply (UPS) Input Capacity: 650w/1200 VA Universal Socket: 4 Sockets Nominal Output Voltage: 230V Nominal Input Voltage: 230V Battery Type: Lead-acid battery Typical Charge Time: 8 hour(s)	37	pc	8,500.00	314,500.00
SCMD- Manila Bay (1)	35	Video/Camera Stabilizer (Basic) Compatible Weight: at least 170- 290 g Compatible Thickness: at least 6.9-10 mm Compatible Width: at least 67-84 mm Battery Type: Li-Po 2S Capacity: 1000 mAh Gimbal Charging Port: USB-C Mechanical Range Pan: -161.64° to 173.79° Roll: -120.30° to 211.97° Tilt: -101.64° to 78.55° Max Control Speed: 120°/s Wireless: Bluetooth 5.1	1	pc	10,000.00	10,000.00
2024-07-1212-LSD-NSHP (3)		Video/Camera Stabilizer (Advance) DSLR Gimbal Tested Payload: at least 3 kg (6.6 lbs) Maximum Controlled Rotation Speed: Pan: 360°/s Tilt: 360°/s Roll: 360°/s Mechanical Endpoint Range: Pan axis control: 360° continuous rotation Roll axis control: -95° to +240° Tilt axis control: -112° to +214° Battery Type: LiPo 2S Battery Capacity: at least 3000 mAh Connections: Bluetooth 5.1 & USB-C (Charging Port) Accesories Connections: (RSA)/NATO Ports 1/4"-20 Mounting Hole Cold Shoe Video Transmission Port (USB-C) RSS Camera Control Port (USB-C) Focus Motor Port (USB-C)	3	pcs	31,000.00	93,000.00

NSWRRD-HillPEZ-LFP-NSHP- VEG (10)	36	Voice Recorder Battery Type: Dry Battery (AAA x 2) Built-In Memory: at least 4 GB Built-In Microphone: Stereo (S-Mic) Playback Format: MP3/WMA/AAC-LC/L-PCM Recording Format: MP3/L-PCM With Calendar Search & PC Connectivity	1	рс	6,600.00	6,600.00
SSD-LFP-NSHP (4) ADMIN-Regular (3-BGA; 3-Budget) CPIT-PAEF Rice (15)	37	Webcam Max Resolution: 1080p/30 fps – 720p/ 60 fps Camera mega pixel: at least 3mp Focus type: Autofocus Built-in mic: Stereo Autofocus: Yes Lens type: Glass Connection: USB-A plug-and-play Tripod-ready universal mounting clip fits laptops, LCD or monitors Tripod included	25	рс	7,400.00	185,000.00
CPIT-PAEF Rice(15)	38	Wi-Fi Adapter Interface: USB 3.0 Signal: 5GHz (up to 867Mbps) 2.4GHz (up to 400Mbps) 2 External High Gain Antenna Features: MU-MIMO	15	рс	1,200.00	18,000.00
SCMD-GEF6 (10) LSD-ASP-PSP, PD 1435 (10)	39	Wireless mouse and keyboard Keyboard 3 Zone-Layout Adjustable height -tilt legs Special Keys: Music Controls Palm Rest 10-Key Number pad Key type: Deep profile On/Off power switch Mouse Sensor technology: High-precision Optical tracking Number of buttons: 3 (Left/Right- click, Middle click) Scrolling: line-by-line Scroll Wheel: Yes, 2D, mechanical Connect/Power: On/Off power button	20	pc	2,100.00	42,000.00
LSD-ASP-PSP, PD 1435 (10)	40	Wireless mouse Type: Wireless Connection Type: Bluetooth® Smart and 2.4GHz wireless connection Wireless range: 10 m Battery Details: 1 x AA DPI (Min/Max): 1000± Sensor resolution: 1000 dpi Scroll Wheel: 3G Core Number of buttons: 8	10	рс	3,000.00	30,000.00

Brand and model offered should be indicated on the technical proposal			
per line item			
Bidder must submit Suppliers Performance Evaluation with at least Satisfactory Rating (submit during post qual)			
TOTAL			2,233,400.00

ITEM No.		PR Fund	Item	Item Description	Unit	Quantity	Unit Cost	Total
1	WRMD ADMIN-	Rice ESETS 2024(1),	Toner	Compatible w/ HP Color Laserjet MFP E87650 HP MFP				
	PROCUREMENT	Regular(4)	Cartridge	E87640 Cyan	pc	5	₱15,000.00	₱75,000.00
2	WRMD ADMIN- PROCUREMENT	Rice ESETS 2024(1), Regular(4)	Toner Cartridge	Compatible w/ HP Color Laserjet MFP E87650 HP MFP E87640 Magenta	рс	5	₱15,000.00	₱75,000.00
3	WRMD ADMIN- PROCUREMENT	Rice ESETS 2024(1), Regular(4)	Toner Cartridge	Compatible w/ HP Color Laserjet MFP E87650 HP MFP E87640 Yellow	рс	5	₱15,000.00	₽ 75,000.00
4	WRMD ADMIN- PROCUREMENT	Rice ESETS 2024(1), Regular(4)	Toner Cartridge	Compatible w/ HP Color Laserjet MFP E87650 HP MFP E87640 Black	рс	5	₱15,000.00	₱75,000.00
5	SSD	LFP-NSHP- SSD(1), STO-REG- SSD(1)	Toner Cartridge	HP MFP E87640 Cyan HP MFP E87640 Magenta HP MFP E87640 Yellow HP MFP E87640 Black	set	2	₱121 000 00	₱242,000.00
6	LSD ADMIN- CASHIER	NSHP(30), Regular(2)	Toner Cartridge- Canon ImageClass (MF756Cx)	Yellow Cartridge (069)	рс	32	₱8,500.00	₱272,000.00
7	LSD ADMIN- CASHIER	NSHP(30), Regular(2)	Toner Cartridge- Canon ImageClass (MF756Cx)	Magenta Cartridge (069)	рс	32	₱8,500.00	₱272,000.00
8	LSD ADMIN- CASHIER	NSHP(30), Regular(2)	Toner Cartridge- Canon ImageClass (MF756Cx)	Cyan Cartridge (069)	рс	32	₱8,500.00	₱272,000.00
9	LSD ADMIN- CASHIER	NSHP(26), Regular(2)	Toner Cartridge- Canon ImageClass (MF756Cx)	Black Cartridge (069)	рс	28	₱8,500.00	₱238,000.00
10	GSITD	REGULAR	Imaging Drum	LaserJet Imaging Drum, HP 126A (CE314A)	pc	3	₱12,000.00	₱36,000.00

				Compatible w/				
				HP LaserJet				
11				E87650				
			Toner	HP W9050MC-				
	GSITD	REGULAR	Cartridge	Black	pc	1	₱9,000.00	₱9,000.00
	OSITE	KLOULAK	Cartriage	Compatible w/	рс	1	1 7,000.00	1 7,000.00
10				ApeosPort-V				
12				C2276				
			Toner	DCC 2270 -				
	GSITD	REGULAR	Cartridge	Black Toner	pc	1	₱10,000.00	₱10,000.00
				Compatible w/				
				ApeosPort-V				
13				C2276				
			Toner	DCC 2270 -				
	GSITD	REGULAR	Cartridge	Cyan Toner	pc	1	₱10,000.00	₱10,000.00
	GSITE	REGCEIR	Curtriage	Compatible w/	PC	1	110,000.00	110,000.00
1.4				ApeosPort-V C2276				
14			m.					
	COMP	DEGIN AD	Toner	DCC 2270-			D10 000 00	D1000000
	GSITD	REGULAR	Cartridge	Magenta Toner	pc	1	₱10,000.00	₱10,000.00
				Compatible w/				
				ApeosPort-V				
15				C2276				
			Toner	DCC 2270-				
	GSITD	REGULAR	Cartridge	Yellow Toner	pc	1	₱10,000.00	₱10,000.00
				Toner Cartridge	1		.,	.,
		LFP-NSHP-		for Brother				
16	SWRRDC-	VEGETABLE-	Toner	Printer (TN-				
						2	B2 000 00	B (000 00
	HILLPEZ	HILLPEZ	Brother	1000)	pc	3	₱2,000.00	₱6,000.00
				Genuine Ink				
				Toner for HP				
17				Color Laserjet				
1 /				Pro M252n, HP				
			Toner	201X, CF400X,				
	SCMD	Manila Bay	Cartridge	Black	pc	7	₱ 7,700.00	₱53,900.00
				Genuine Ink				
				Toner for HP				
				Color Laserjet				
18				Pro M252n, HP				
			Toner	201X, CF400X,				
	SCMD	Manila Bay	Cartridge	Cyan	no	6	₱8,360.00	₱50,160.00
	SCIVID	Wiaiiiia Day	Cartiluge	Genuine Ink	pc	U	1 8,300.00	130,100.00
				Toner for HP				
19				Color Laserjet				
				Pro M252n, HP				
			Toner	201X, CF400X,				
	SCMD	Manila Bay	Cartridge	Yellow	pc	5	₱8,360.00	₱41,800.00
				Genuine Ink				
				Toner for HP				
20				Color Laserjet				
20				Pro M252n, HP				
			Toner	201X, CF400X,				
	SCMD	Manila Bay	Cartridge	Magenta	pc	5	₱8,360.00	₱41,800.00
	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	I.I. Duj	2	High-Yield	122	1	2 3,2 0 0 .00	1,555.65
				Toner				
21			Toner					
	CCM	CEE C	Toner	(TN269XL)		0	B C 200 00	B 40 (00 00
	SCMD	GEF 6	Cartridge	Black	pc	8	₱6,200.00	₱49,600.00
				High-Yield				
22				Toner				
			Toner	(TN269XL)				
	SCMD	GEF 6	Cartridge	Magenta	pc	4	₱6,200.00	₱24,800.00

				III als Wilald	1			
				High-Yield Toner				
23			Toner	(TN269XL)				
	SCMD	GEF 6	Cartridge	Cyan	рс	4	₱6,200.00	₱24,800.00
	SCMD	GEI 0	Cartriage	High-Yield	рс	4	10,200.00	1 24,800.00
				Toner				
24			Toner	(TN269XL)				
	SCMD	GEF 6	Cartridge	Yellow	рс	4	₱6,200.00	₱24,800.00
	SCIVIE	GLI 0	Cararage	Compatible w/	РС		1 0,200.00	121,000.00
				ApeosPort-V				
25			Toner	C5576				
	LSD	NSHP	Cartridge	, Yellow Toner	рс	15	₱17,000.00	₱255,000.00
				Compatible w/	1	_	. ,	,
2.5				ApeosPort-V				
26			Toner	C5576, Magenta				
	LSD	NSHP	Cartridge	Toner	рс	15	₱17,000.00	₱255,000.00
				Compatible w/				,
27				ApeosPort-V				
27			Toner	C5576, Black				
	LSD	NSHP	Cartridge	Toner	pc	25	₱12,000.00	₱300,000.00
				Compatible w/				
28				ApeosPort-V				
26			Toner	C5576, Cyan				
	LSD	NSHP	Cartridge	Toner	pc	15	₱17,000.00	₱255,000.00
				Compatible w/				
29				ApeosPort-V				
2)			Toner	C5576, Waste				
	LSD	NSHP	Cartridge	Toner	pc	15	₱3,500.00	₱52,500.00
				Compatible w/				
30				ApeosPort-V				
	I ab	NGIND	Toner	C5576, Drum		1.5	D1 7 000 00	P225 000 00
	LSD	NSHP	Cartridge	Cartridge	pc	15	₱15,000.00	₱225,000.00
				Compatible w/				
				ApeosPort-V				
31				C5576				
			Toner	Fuji Xerox				
	ADMIN-DO/ADO	Dagular	Cartridge	Cartridge Black (CT201370)	рс	2	₱12,000.00	₱24,000.00
	ADMIN-DO/ADO	Regulai	Cartriage	Compatible w/	рс	<u> </u>	12,000.00	1 24,000.00
				ApeosPort-V				
				C5576, Fuji				
32				Xerox Cartridge				
			Toner	Cyan				
	ADMIN-DO/ADO	Regular	Cartridge	(CT201371)	рс	2	₱17,000.00	₱34,000.00
	1121/111 (2 0/112 0	1108.0101	Cururuge	Compatible w/	P	_	117,000.00	12.,000.00
				ApeosPort-V				
22				C5576,Fuji				
33				Xerox Cartridge				
			Toner	Magenta				
	ADMIN-DO/ADO	Regular	Cartridge	(CT201372)	рс	2	₱17,000.00	₱34,000.00
				Compatible w/				
				ApeosPort-V				
34				C5576,Fuji				
J4				Xerox Cartridge				
			Toner	Yellow				
	ADMIN-DO/ADO	Regular	Cartridge	(CT201373)	pc	1	₱17,000.00	₱17,000.00
				Compatible w/				
				ApeosPort-V				
35				C5576,Fuji				
			Toner	Xerox Waste			D0 500 55	D21 000 00
	ADMIN-DO/ADO	Regular	Cartridge	Toner Bottle R5	pc	6	₱3,500.00	₱21,000.00

				CWAA 0751				
36	ADMIN- PROCUREMENT	Regular	Imaging Drum	HP MFP E87640 Drum	рс	2	₱13,000.00	₱26,000.00
37	ADMIN- PROPERTY	Regular	Toner Cartridge	Black Toner - Apeosport-IV 3065	рс	8	₱15,000.00	₱120,000.00
38	ADMIN- PROPERTY	Regular	Toner Cartridge	Drum Cartridge- Apeosport-IV 3065	рс	4	₱20,000.00	₱80,000.00
39	SSD	LFP-NSHP- SSD	Toner Cartridge	Compatible w/ Toshiba E- studio 2500AC Toner TFC200UC- Black TFC200UC- Cyan TFC200UM- Magenta TFC200UY- Yellow	set	1	₱50,000.00	₱50,000.00
								₱3,747,160.00

Item				1				
No.	Division	PR Fund	Item	Item Description	Unit	Quantity	Unit Cost	Total
		LFP-NSHP(3), SWRRD-LFP-						
1	SWRRD	NSHP-PHILREC SOIL (1)						
	ADMIN-	RD-OAP-SES(2),	Ink					
	PROCUREMENT	Regular(60)	Cartridge	HP 680-Black	рс	66	₱700.00	₱46,200.00
		LFP-NSHP(3),			r		- , , , , , ,	
		SWRRD-LFP-						
2		NSHP-PHILREC						
_	SWRRD	SOIL (1)	T 1					
	ADMIN-	RD-OAP-SES(1),	Ink	HP 680-Color		65	₱700.00	₽45 500 00
	PROCUREMENT LSD	Regular(60) NSHP(11),	Cartridge Ink	Epson T9481 Orginal Black	pc	03	P / 00.00	₱45,500.00
3	ADMIN-INFO	Regular(5)	Cartridge	Ink Pack	рс	16	₱4,700.00	₱75,200.00
	LSD	NSHP(11),	Ink	Epson T9482 Orginal Cyan	РС	10	1 1,700.00	175,200.00
4	ADMIN-INFO	Regular(5)	Cartridge	Ink Pack	рс	16	₱ 4,700.00	₱75,200.00
-	LSD	NSHP(11),	Ink	Epson T9483 Orginal			,	
5	ADMIN-INFO	Regular(5)	Cartridge	Magenta Ink Pack	pc	16	₱4,700.00	₱75,200.00
6	LSD	NSHP(11),	Ink	Epson T9484 Orginal				
Ü	ADMIN-INFO	Regular(5)	Cartridge	Yellow Ink Pack	pc	16	₱ 4,700.00	₱75,200.00
		BUDGET-						
	ADMIN DUDGET	Regular(2),						
	ADMIN-BUDGET ADMIN-CASHIER	CASHIER- Regular(8),						
7	ADMIN-CASTILER ADMIN-	ACCOUNTING-						
	ACCOUNTING	Regular(8)						
	SWRRDC-	RD-REG-	Ink	Compatible with WF-				
	HIGHPEZ	HIGHPEZ(1)	Cartridge	C5790,T948 Yellow	pc	19	₱4,000.00	₱76,000.00
		BUDGET-						
		Regular(2),						
	ADMIN-BUDGET	CASHIER-						
8	ADMIN-CASHIER ADMIN-	ACCOUNTING-						
	ACCOUNTING	Regular(8)						
	SWRRDC-	RD-REG-	Ink	Compatible with WF-				
	HIGHPEZ	HIGHPEZ(1)	Cartridge	C5790,T948 Magenta	рс	19	₱4,000.00	₱76,000.00
		BUDGET-						
		Regular(2),						
	ADMIN-BUDGET	CASHIER-						
9		Regular(8),						
	ADMIN- ACCOUNTING	ACCOUNTING- Regular(8)						
	SWRRDC-	RD-REG-	Ink	Compatible with WF-				
	HIGHPEZ	HIGHPEZ(1)	Cartridge	C5790,T948 Cyan	рс	19	₱4,000.00	₱76,000.00
		BUDGET-						
		Regular(2),						
	ADMIN-BUDGET	CASHIER-						
10	ADMIN-CASHIER							
	ADMIN- ACCOUNTING	ACCOUNTING- Regular(18)						
	SWRRDC-	RD-REG-	Ink	Compatible with WF-				
	HIGHPEZ	HIGHPEZ(1)	Cartridge	C5790,T948 Black	рс	28	₱4,000.00	₱112,000.00
		` ′		HP 730 300-ml Magenta				
11			Ink	DesignJet Original Ink				
	GSITD	REGULAR	Cartridge	Cartridge	pc	1	₱10,500.00	₱10,500.00
				HP 730 300-ml Yellow				
12	CCITD	DECHI AD	Ink	DesignJet Original Ink		1	₱10 5 00 00	₱10 5 00 00
	GSITD	REGULAR	Cartridge	Cartridge	pc	1	P10,500.00	₱10,500.00
13			Ink	HP 730 300-ml Cyan DesignJet Original Ink				
13	GSITD	REGULAR	Cartridge	Cartridge, P2V68A	рс	1	₱10.500 00	₱10,500.00
			Ink	HP 730 300-ml Photo Black	1		- 10,200.00	- 10,000.00
14			i .			i .	i	

				Cartridge, P2V72A				
				HP 730 300-ml Gray				
15			Ink	DesignJet Original Ink				
	GSITD	REGULAR	Cartridge	Cartridge P2V72A	рс	1	₱10,500.00	₱10,500.00
16			Ink	HP 730 300-ml Matte Black				
10	GSITD	REGULAR	Cartridge	DesignJet	pc	1	₱10,500.00	₱10,500.00
17			Ink					
1,	GSITD	REGULAR	Cartridge	HP 416A (W2040A), Black	pc	2	₱8,000.00	₱16,000.00
18	COMED	DECLU AD	Ink	HP 416A (W2043A),			P O 000 00	P 10 000 00
	GSITD	REGULAR	Cartridge	Magenta	pc	2	₱9,000.00	₱18,000.00
19	CCITD	DECLII AD	Ink	HP 416A (W2042A),			B 0 000 00	B10 000 00
	GSITD	REGULAR	Cartridge	Yellow	pc	2	₱9,000.00	₱18,000.00
20	GSITD	DECLII AD	Ink	LID 416A (W2041A) Crop		2	₱9,000.00	₽ 10 000 00
	GSTID	REGULAR	Cartridge Ink	HP 416A (W2041A), Cyan	pc	2	P9,000.00	₱18,000.00
21	GSITD	REGULAR	Cartridge	HP Black 63	20	2	₱1,900.00	₱3,800.00
	GSIID	KEGULAK	Ink	HF Black 03	pc	<i>L</i>	F 1,900.00	13,800.00
22	GSITD	REGULAR	Cartridge	HP Tri-Color 63	no	2	₱2,500.00	₱ 5,000.00
	USITD	KEGULAK	Ink	Genuine Ink Cartridge HP	pc	<i>L</i>	1 2,300.00	1 3,000.00
23	SCMD	Manila Bay	Cartridge	682, Tri-Color	рс	27	₱800.00	₱21,600.00
	DCIVID	Wama Bay	Ink	Genuine Ink Cartridge HP	РС	21	1 000.00	121,000.00
24	SCMD	Manila Bay	Cartridge	682, black	рс	27	₱800.00	₱21,600.00
	BENIE	Triuma Buy	Ink	002, 51461	PC	-	1000.00	121,000.00
25	SWRRD	LFP-NSHP	Cartridge	Canon 745-Black	рс	8	₱800.00	₱ 6,400.00
2.5			Ink					
26	SWRRD	RD-OAP-SES	Cartridge	Canon Pixma 47 (Black)	рс	1	₱1,500.00	₱1,500.00
27			Ink	,				
27	SWRRD	RD-OAP-SES	Cartridge	Canon Pixma 57 (Color)	pc	1	₱1,500.00	₱1,500.00
28			Ink					
28	SWRRD	RD-ISO-SWRRD	Cartridge	HP 704 Black Ink	pc	1	₱700.00	₱ 700.00
29			Ink					
23	SWRRD	RD-ISO-SWRRD	Cartridge	HP 704 Tri Color Ink	pc	1	₱700.00	₱ 700.00
30			Ink	Compatible with Epson				
30	LSD	Regular	Cartridge	L120, Ink-Black	pc	13	₱500.00	₱6,500.00
31			Ink	Compatible with Epson				
31	LSD	Regular	Cartridge	L120, Ink-Colored	pc	10	₱500.00	₱5,000.00
				Compatible w/ HP LaserJet				
				E87650, Yellow W9052MC,				
32			Ink	Magenta W9053MC, Cyan				
	ADMINI DUDGET	D 1	Cartridge-	W9051MC, Black		1	P25 000 00	B25 000 00
	ADMIN-BUDGET	Regular	HP Laser Jet		set	1	₱35,000.00	₱35,000.00
33	ADMINI CACITIED	Depules	Ink	Laserjet Cartridge 17A		1	1 2 500 00	₱14 000 00
	ADMIN-CASHIER	Keguiar	Cartridge	Black	pc	4	₱3,500.00	₱14,000.00
								₱999,300.00

Τ.	Ī	T						
Item No.	Division	PR Fund	Item	Item Description	Unit	Ouantity	Unit Cost	Total
INO.	GSITD	1 IX 1 UIIU	Itelli	rem Description	OIIII	Qualitity	Omt Cost	1 Utal
	SWRRD							
	SWRRDC-							
	HIGHPEZ	REGULAR(GSITD(6)						
	ADMIN-	ADMIN-						
	PERSONNEL	PERSONNEL(2),						
1	ADMIN-	ADMIN-CASHIER(3)						
	CASHIER	ADMIN-		_				
	ADMIN-	ACCOUNTING(4),		Brother Eco Tank				
	ACCOUNTING	ADMIN-RECORDS(4),		Brother HL-				
	ADMIN- RECORDS	ADMIN-BGA)(4), LFP-NSHP(SWRRD)(3)		T4000DW (Printer) BT5000M,				
	ADMIN-BGA	RD-REG-HIGHPEZ(9)		,	bottle	35	₱600.00	₱21,000.00
	GSITD	1O IIIOIII L/L(7)	I WIIN		Jour		2 000.00	,000.00
	SWRRD							
	SWRRDC-							
	HIGHPEZ	REGULAR(GSITD(6)						
	ADMIN-	ADMIN-						
	PERSONNEL	PERSONNEL(2),						
2	ADMIN-	ADMIN-CASHIER(3)						
	CASHIER	ACCOUNTING(4)						
	ADMIN- ACCOUNTING	ACCOUNTING(4), ADMIN-RECORDS(4),		Brother Eco Tank				
	ADMIN-	ADMIN-RECORDS(4), ADMIN-BGA)(4),		Brother Eco Tank Brother HL-				
	RECORDS	LFP-NSHP(SWRRD)(2)		T4000DW (Printer)				
	ADMIN-BGA	RD-REG-HIGHPEZ(9)	Ink Tank	` ,	bottle	34	₱600.00	₱20,400.00
	GSITD	(/)		, - , - , - , - , - , - , - , - , - , -				, , , , , , ,
	SWRRD							
	SWRRDC-							
	HIGHPEZ	REGULAR(GSITD(6)						
	ADMIN-	ADMIN-						
2	PERSONNEL	PERSONNEL(2),						
3	ADMIN- CASHIER	ADMIN-CASHIER(3) ADMIN-] [
	ADMIN-	ADMIN- ACCOUNTING(4),] [
	ACCOUNTING	ACCOUNTING(4), ADMIN-RECORDS(4),		Brother Eco Tank				
	ADMIN-	ADMIN-BGA)(4),		Brother HL-				
	RECORDS	LFP-NSHP(SWRRD)(3)		T4000DW (Printer)				
	ADMIN-BGA	RD-REG-HIGHPEZ(9)		BT5000Y, Yellow	bottle	35	₱600.00	₱21,000.00
	GSITD				-			
	SWRRD							
	SWRRDC-	DECLII AD/COMP						
	HIGHPEZ ADMIN-	REGULAR(GSITD(6) ADMIN-						
	PERSONNEL	PERSONNEL(2),						
4	ADMIN-	ADMIN-CASHIER(4)						
[CASHIER	ADMIN-CASTILER(4) ADMIN-						
	ADMIN-	ACCOUNTING(8),						
1	ACCOUNTING	ADMIN-RECORDS(7),		Brother Eco Tank				
1	ADMIN-	ADMIN-BGA)(4),		Brother HL-				
	RECORDS	LFP-NSHP(SWRRD)(3)		T4000DW (Printer)		ا ۔۔ ا	D.CCC.	DCO CT
	ADMIN-BGA	RD-REG-HIGHPEZ(17)	Ink Tank	/	bottle	51	₱600.00	₱30,600.00
				Brother Eco Tank				
			Ink for	Brother HL- T4000DW (Printer)				
5			Brother	BTD60BK, Black,] [
		LFP-NSHP-	Printer	BT5000Y, Yellow,				
	SWRRDC-	VEGETABLE-	for A3	BT5000C, Cyan,				
	HILLPEZ	HILLPEZ	size		set	4	₱2,500.00	₱10,000.00

				Magenta				
-		SCMD Outgoding of						
		SCMD-Outscaling of SLRMA(DA BAR						
		`						
		Trust)(30),						
		SWRRD-LFP-NSHP(3), SWRRD-LFP-NSHP-						
		PHILREC SOIL (1)						
6		SWRRD-RD-OAP-						
		SES(3), SWRRD-RD-ISO-						
	SCMD	SWRRD(3),						
	SWRRD	ADMIN-RECORDS-						
	ADMIN-	Regular(7),						
	RECORDS	ADMIN-INFO-						
	ADMIN-INFO	Regular(7)	Ink Tank	Epson 003-Cyan	bottle	54	₱500.00	₱27,000.00
	ADMINITO	SCMD-Outscaling of	IIIK Talik	Lpson 003-Cyan	bottic	J -1	1 300.00	127,000.00
		SLRMA(DA BAR						
		Trust)(30),						
		SWRRD-LFP-NSHP(3),						
		SWRRD-LFP-NSHP-						
		PHILREC SOIL (1)						
		SWRRD-RD-OAP-						
7		SES(4),						
		SWRRD-RD-ISO-						
	SCMD	SWRRD(1),						
	SWRRD	ADMIN-RECORDS-						
	ADMIN-	Regular(7),						
	RECORDS	ADMIN-INFO-		Epson 003-				
	ADMIN-INFO	Regular(7)	Ink Tank	Magenta	bottle	53	₱500.00	₱26,500.00
		SCMD-Outscaling of						
		SLRMA(DA BAR						
		Trust)(30),						
		SWRRD-LFP-NSHP(3),						
		SWRRD-LFP-NSHP-						
		PHILREC SOIL (1)						
8		SWRRD-RD-OAP-						
0		SES(4),						
		SWRRD-RD-ISO-						
	SCMD	SWRRD(1),						
	SWRRD	ADMIN-RECORDS-						
	ADMIN-	Regular(7),						
	RECORDS	ADMIN-INFO-						
	ADMIN-INFO	Regular(7)	Ink Tank	Epson 003-Yellow	bottle	53	₱500.00	₱26,500.00
		SCMD-Outscaling of						
		SLRMA(DA BAR						
		Trust)(10),						
		SWRRD-LFP-NSHP(9),						
		SWRRD-LFP-NSHP-						
		PHILREC SOIL (1)						
		SWRRD-RD-OAP-						
		SES(4),						
9		SWRRD-RD-ISO-						
		SWRRD(5),						
		ADMIN-RECORDS-						
	SCMD	Regular(7), ADMIN-INFO-						
	SWRRD							
	ADMIN-	Regular(12), WRMD-Rice ESETS						
	RECORDS	2024(8),						
	ADMIN-INFO	WRMD-INS Various						
	WRMD	2024(24)	Ink Tank	Epson 003-Black	bottle	80	₱500.00	₱ 40,000.00
	W KWID	2024(24)	THE LAHE	Lepson ood-black	Dome	00	1 200.00	11 40,000.00

				Epson 003-(Black,				
10				Cyan, Magenta,				
	WRMD	INS Various 2024	Ink Tank	Yellow)	set	10	₱2,000.00	₱20,000.00
11				Epson 003-(Black, Cyan, Magenta,				
11	WRMD	Rice ESETS 2024	Ink Tank	Yellow)	set	5	₱2.000.00	₱10,000.00
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SWRRD-LFP-NSHP(3),		1 cms)	500		2,000.00	110,000.00
		SWRRD-LFP-NSHP-						
		PHILREC SOIL (1)						
		SWRRD-RD-OAP-						
12		SES(7), WRMD-INS Various						
12		2024(20),						
	SWRRD	WRMD-Rice ESETS						
	WRMD	2024(8),						
	ADMIN-	ADMIN-BUDGET-						
	BUDGET	Regular(12)	Ink Tank	GT53-Black	bottle	51	₱500.00	₱25,500.00
		SWRRD-LFP-NSHP(3),						
		SWRRD-LFP-NSHP- PHILREC SOIL (1)						
13	SWRRD	SWRRD-OAP-SES(3),						
	ADMIN-	ADMIN-BUDGET-						
	BUDGET	Regular(6)	Ink Tank	GT52-Magenta	bottle	13	₱500.00	₱6,500.00
		LFP-NSHP(3),						
		SWRRD-LFP-NSHP-						
14	SWRRD	PHILREC SOIL (1)						
	ADMIN- BUDGET	RD-OAP-SES(3), Regular(6)	Ink Tank	GT52-Cyan	bottle	13	₱500.00	₱6,500.00
	BUDGET	LFP-NSHP(3)	IIIK Talik	U132-Cyan	bottle	13	1 300.00	10,300.00
15		SWRRD-LFP-NSHP-						
	SWRRD	PHILREC SOIL (1)	Ink Tank	GT52-Yellow	bottle	4	₱500.00	₱2,000.00
				GT53 (Black,				
16	WID I (D	D: EGEEG 2024		Cyan, Magenta,		_	D2 000 00	D10 000 00
	WRMD	Rice ESETS 2024	Ink Tank	Yellow)	set	5	₹2,000.00	₱10,000.00
		SWRRD-RD-ISO- SWRRD(5),						
		WRMD-INS Various						
		2024(26),						
17	SWRRD	ADMIN-INFO-						
	WRMD	Regular(9)						
	ADMIN-INFO	RD-REG-HIGHPEZ(4)						
	SWRRDC- HIGHPEZ	SWRRD-LFP-NSHP- PHILREC SOIL (1)	Ink Tank	Epson 664-Black	bottle	15	₱450.00	₱20,250.00
	IIIOIII LZ	SWRRD-RD-ISO-	IIIK Talik	Lpson 004-Diack	bottic	73	1 730.00	1 20,230.00
		SWRRD(2),						
		WRMD-INS Various						
		2024(20),						
18	SWRRD	ADMIN-INFO-						
	WRMD	Regular(7)						
	ADMIN-INFO SWRRDC-	RD-REG-HIGHPEZ(1) SWRRD-LFP-NSHP-		Epson 664-				
	HIGHPEZ	PHILREC SOIL (1)	Ink Tank	Magenta	bottle	31	₱450.00	₱13,950.00
		SWRRD-RD-ISO-					2.0.00	-)= = = = =
		SWRRD(2),						
		WRMD-INS Various						
10	CAMBER	2024(20),						
19	SWRRD	ADMIN-INFO-						
	WRMD ADMIN-INFO	Regular(7) RD-REG-HIGHPEZ(1)						
	SWRRDC-	SWRRD-LFP-NSHP-						
	HIGHPEZ	PHILREC SOIL (1)	Ink Tank	Epson 664-Cyan	bottle	31	₱450.00	₱13,950.00

2024(20)							ı	1	
ADMIN-INFO Regular REGULAR Ink Epson 664-Yellow bottle 29			WRMD-INS Various						
20									
ADMIN-INFO SWRRDC SWRRDC SWRRDC SWRRDC SWRDC SWR			ADMIN-INFO-						
SWRRDC-	20	WRMD	Regular(7)						
HighPez		ADMIN-INFO	RD-REG-HIGHPEZ(1)						
Pigment Ink		SWRRDC-	SWRRD-LFP-NSHP-						
21 GSTTD		HIGHPEZ	PHILREC SOIL (1)	Ink Tank	Epson 664-Yellow	bottle	29	₱450.00	₱13,050.00
April				Pigment					
Pigment Ink Pigment	21	GSITD	REGULAR			bottle	6	₱500.00	₱3,000.00
Compatible w Figner L3150 Figne									-)
Pigment Ink	22	GSITD	REGULAR		GI-790-Cvan 70ml	bottle	6	₱500.00	₱3.000.00
Compatible w/ Epson EcoTank ListSo A3 Digment ListSo A3 Digm		OSITE	TEE CENT		•	oottie		1200.00	12,000.00
Pigment Ink Pigment Ink In	23	GSITD	REGIII AR			hottle	6	₱ 500 00	₱ 3 000 00
SITD REGULAR Ink I35m bottle 6 P500.00 P3,000.00		GSITD	REGUEFIK			bottic	U	1 300.00	1 3,000.00
Compatible w Epson EcoTank L15150 A3 Double 4 P1,100.00 P4,400.00	24	CSITD	DECIH AD			bottla	6	∌ 500 00	₱2 000 00
Epson EcoTank L15150 A3 O08-Black, 127ml EPSON EcoTank L15150 A3 O08-Black EPSON EcoTank L15150 A3 O08-Black EPSON EcoTank EPSON EPSON EcoTank EPSON EPSON ECOTank EPSON EPS		USITD	REGUEAR	IIIK		bottle	U	1 300.00	1 3,000.00
Compatible w/ Epson EcoTank L15150 A3 Pigment Ink Pi									
GSITD REGULAR Pigment EPSON bottle 4 P1,100.00 P4,400.00	25				1				
CSITD REGULAR Ink EPSON bottle 4	23			Di ama ama					
Compatible w/ Epson EcoTank L15150 A3 008-Cyan, 70ml EPSON bottle 5 P900.00 P4,500.00		CCITD	DECLU AD	_		1441-	1	1 1 100 00	B 4 400 00
Epson EcoTank L15150 A3 Dose Peson EcoTank	<u> </u>	GSIID	KEUULAK	IIIK		υσια	4	11,100.00	£4,400.00
Compatible w/Epson EcoTank L15150 A3 Double 5 P900.00 P4,500.00					•				
REGULAR	2.5								
GSITD REGULAR Ink EPSON Compatible w/ Epson EcoTank L15150 A3 O08-Magenta, 70ml Epson EcoTank L15150 A3 O08-Magenta, 70ml Epson EcoTank Epson EcoTan	26			.					
Compatible w/Epson EcoTank L15150 A3 008-Magenta, 70ml EPSON Eotal Epson EcoTank Epson EcoTank Epson EcoTank L15150 A3 008-Magenta, 70ml Epson EcoTank Epson EcoTank L15150 A3 008-Yellow, 70ml bottle 5 P900.00 P4,500.00							_		
Epson EcoTank L15150 A3 Wolf-Magenta, 70ml Epson EcoTank L15150 A3 Wolf-Magenta, 70ml Epson EcoTank Epson EcoTank Epson EcoTank Epson EcoTank L15150 A3 Wolf-Magenta, 70ml Epson EcoTank L15150 A3 Wolf-Magenta Wolf-M		GSITD	REGULAR	Ink		bottle	5	₱900.00	₱4,500.00
Compatible with Epson Compatible with									
REGULAR									
GSITD REGULAR Ink EPSON bottle 5 P900.00 P4,500.00	27								
Compatible w/ Epson EcoTank L15150 A3 Molecular Molecular									
Pigment L15150 A3		GSITD	REGULAR	Ink		bottle	5	₱900.00	₱4,500.00
Pigment Ink 008-Yellow, 70ml bottle 5 P900.00 P4,500.00									
Compatible with Epson L3150 Epson L3150 Epson L3150 Epson Ep	28								
Ink Tank- Epson L3150 Yellow pc 5 P1,300.00 P6,500.00	20				L15150 A3				
Epson L3150, Yellow Pc S P1,300.00 P6,500.00		GSITD	REGULAR	Ink	008-Yellow, 70ml	bottle	5	₱900.00	₱ 4,500.00
BUDGET Regular L3150 Yellow pc 5				Ink Tank-					
Ink Tank- Epson L3150, Magenta pc 5 ₱1,300.00 ₱6,500.00	29	ADMIN-		Epson	Epson L3150,				
ADMIN-BUDGET Regular Epson Epson L3150, Magenta pc 5 ₱1,300.00 ₱6,500.00		BUDGET	Regular	L3150	Yellow	pc	5	₱1,300.00	₱6,500.00
BUDGET Regular L3150 Magenta pc 5 ₱1,300.00 ₱6,500.00				Ink Tank-	Compatible with				
ADMIN- BUDGET Regular Regular Compatible with Epson L3150, Cyan pc 5 ₱1,300.00 ₱6,500.00	30	ADMIN-		Epson	Epson L3150,				
ADMIN- BUDGET Regular Regular Compatible with Epson L3150, Cyan pc 5 ₱1,300.00 ₱6,500.00		BUDGET	Regular	L3150	Magenta	рс	5	₱1,300.00	₱6,500.00
ADMIN- BUDGET Regular Regular Compatible with Epson L3150, Cyan pc 5 ₱1,300.00 ₱6,500.00				Ink Tank-					
BUDGET Regular L3150 Epson L3150, Cyan pc 5 ₱1,300.00 ₱6,500.00 Ink Tank- Epson	31	ADMIN-			Compatible with				
Ink Tank- Epson Epson L3150,			Regular		•	рс	5	₱1,300.00	₱6,500.00
ADMIN-BUDGET Regular Epson L3150, Black pc 5						1			,
BUDGET Regular L3150 Black pc 5 ₱1,300.00 ₱6,500.00 Ink Tank-Brother DCP-T300 Black pc 4 ₱500.00 ₱2,000.00 Ink Tank-Brother DCP-T500 Ink Magenta pc 4 ₱500.00 ₱2,000.00 Ink Tank-Brother DCP-T700W Ink Tank-Brother DCP-T800W Cyan pc 4 ₱500.00 ₱2,000.00 □2	32	ADMIN-							
SSD STO-REG-SSD Ink Tank-Brother Ink Tank-Brother Ink Tank-Brother DCP-T300 Black pc 4 ₱500.00 ₱2,000.00			Regular			рс	5	₱1,300.00	₱6,500.00
SSD STO-REG-SSD Brother Ink DCP-T300 Black pc 4 ₱500.00 ₱2,000.00						•		,	,
SSD STO-REG-SSD Ink DCP-T300 Black pc 4 ₱500.00 ₱2,000.00	33								
SSD		SSD	STO-REG-SSD		DCP-T300 Black	рс	4	₱500.00	₱2,000.00
SSD STO-REG-SSD Brother DCP-T500						I .		- 3	,
SSD STO-REG-SSD Ink Magenta pc 4 ₱500.00 ₱2,000.00	34				DCP-T500				
Ink Tank- Brother DCP-T700W pc 4 ₱500.00 ₱2,000.00		SSD	STO-REG-SSD			nc	4	₱500 00	₽ 2,000,00
SSD		202	~10 ILLO DDD		1.145011111	۲-		2 2 3 0 . 0 0	2,000.00
SSD STO-REG-SSD Ink Yellow pc 4 ₱500.00 ₱2,000.00	35				DCP-T700W				
SSD		SSD	STO-REG SSD			nc	1	₽ 500 00	₱2 000 00
36 SSD STO-REG-SSD Ink DCP-T800W Cyan pc 4 ₱500.00 ₱2,000.00 LFP-NSHP-(PHILREC	<u> </u>	യാ	910-KEO-99D		1 CHOW	ρc	+	1 200.00	1 4,000.00
SSD STO-REG-SSD Ink DCP-T800W Cyan pc 4 ₱500.00 ₱2,000.00	26								
LFP-NSHP-(PHILREC	30	CCD	STO DEC SSD		DCD TOOMY C	nc	1	₱500.00	∌ 2 000 00
3 /	<u> </u>	രാഗ		IIIK	DCF-1800W Cyan	pc	+	r 200.00	r2,000.00
SWKKD SUIL) INK TANK Epson UUT-Black bottle T P600.00 P600.00	37	CMADD	· ·	Late Trie 1	E	1. c.u.1	1	B (00.00	B (00 00
	<u> </u>	2 M K K D	SOIL)	ink Lank	Epson UU1-Black	pottle	1	P000.00	1000.00

38		LFP-NSHP-(PHILREC						
30	SWRRD	SOIL)	Ink Tank	Epson 001-Cyan	bottle	1	₱600.00	₱600.00
20		LFP-NSHP-(PHILREC						
39	SWRRD	SOIL)	Ink Tank	Epson 001-Yellow	bottle	1	₱600.00	₱600.00
40		LFP-NSHP-(PHILREC		Epson 001-				
40	SWRRD	SOIL)	Ink Tank	Magenta	bottle	1	₱600.00	₱600.00
11		LFP-NSHP-(PHILREC						
41	SWRRD	SOIL)	Ink Tank	Epson T7741	bottle	1	₱1,200.00	₱1,200.00
								₱432,200.00

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or

Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

	Class "A" Documents
<u>Legal</u>	<u>Documents</u>
(;	valid PhilGEPS Registration Certificate (Platinum Membership) (all pages in accordance with Section 8.5.2 of the IRR;
<u>Techr</u>	nical Documents
(1	contracts, including contracts awarded but not yet started, if any, wheth similar or not similar in nature and complexity to the contract to be bid; and
((Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
(d	Original copy of Bid Security. If in the form of a Surety Bond, submit also certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and
(e	Conformity with the Technical Specifications, which may inclu production/delivery schedule, manpower requirements, and/or after sales/parts, if applicable; and
(1	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authori to its officer to sign the OSS and do acts to represent the Bidder.
<u>Finan</u>	<u>cial Documents</u>
(§	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

(h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

or


duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; and
- (b) Original of duly signed and accomplished Price Schedule(s).



Annex A: Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of Bid Security]

REPUBLIC OF TH	E PHILIPPINES)	
CITY OF) S.S	

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- I/We shall furnish the required performance security within ten (10) calendar days in/ Case of receipt of Notice of Award (pursuant to GPPB Circular No. 04-2020 and GPPB Resolution No. 16-2020).
- 3. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 4. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
- Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
- b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
- c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have	hereunto set my/our	r hand/s this	day
of [month] [year] at [place of executi	on].		

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

REFERENCE: GPPB RESOLUTION NO. 16-2020 / GPPB CIRCULAR NO. 04-2020

Download from: https://www.gppb.gov.ph/downloadables.php

1 2 3 4 5 6 7 8 9 Item Description Country of origin Quantity of origin Cipport of entry (specify port) or Cip named place (specify border point or place of destination) (specify border point or place of destination) (specify border point or place of destination)	For Goods Offered from Abroad								
Item Description Country of origin Quantity of origin Quantity of origin Quantity (specify port) or CIP named place (specify bord or point or place of destination) (col. 4 x 5)	Name of Bidder Project ID No Page of								of
item Description Country of origin Condition of origin Country of origin Country of origin Country (specify port) or CIP paned place (specify border point or place or destination) Country of origin Country of origin Country (specify border point or place or destination) Country CIP paned (place or destination) Country									
of origin port of entry (specify port) or CIP price per Item place (col. 4 x s) Delivered Duty Paid (DDU) (DDU) (col. 4 x s)	1	2	3	4	5	6	7	8	9
egal Capacity:ignature:	Item	Description		Quantity	port of entry (specify port) or CIP named place (specify border point or place of	or CIP price per item	Delivered Duty Unpaid	Delivered Duty Paid	delivered DDP
egal Capacity:ignature:									
egal Capacity:ignature:									
egal Capacity:ignature:									
egal Capacity:ignature:									
ignature:									
	ianatı								
		ithorized to							
		ithorized to							
		ithorized to							
		ithorized to							
		ithorized to							
		ithorized to							

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name	e of Bidder				Project ID No Pageof						
1	2	3	4	5	6	7	8	9	10		
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per Item	Total Price, per unit (col 5+6+7+ 8)	Total Price delivered Final Destination (col 9) x (col 4)		
	e:										

Duly authorized to sign the Bid for and behalf of: ______

Contract Agreement Form for the Procurement of Goods (Revised)

[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT made the _____ day of ______ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:
 - Philippine Bidding Documents (PBDs);
 - Schedule of Requirements:
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.

GPPB Resolution No. 16-2020, dated 16 September 2020

Page 26 of 39

 The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for: for:

[Insert Procuring Entity] [Insert Name of Supplier]

<u>Acknowledgment</u>
[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF	S.S

ΔFFIDΔVIT

- [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

[Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

GPPB Resolution No. 16-2020, dated 16 September 2020

Page 30 of 39

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree:

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- [Name of Bidder] complies with existing labor laws and standards; and
- [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - Carefully examining all of the Bidding Documents;
 - Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract:
 - Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or
 any form of consideration, pecuniary or otherwise, to any person or official, personnel or
 representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I have	hereunto	set	my	hand	this	_	day	of	,	20	at
		. Philippines.												

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	155	

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]
To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- I/We accept that: I/we will be automatically disqualified from bidding for any
 procurement contract with any procuring entity for a period of one (1) year for the first
 offense, or two (2) years for the second offense, upon receipt of your Blacklisting
 Order if I/We have violated my/our obligations under the Contract;
- I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee:
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

SAMPLE FORMS

Business Name: Business Addres		-								
Name of	а	Owner's Name		Bidders Ro	ole	a.	Date Awarded	% of Accon	nplishment	Value of
Contract/ Project Cost	b.	Address Telephone Nos.	Nature of Work	Description	%	b. c.	Date Started Date of Completion	Planned	Actual	Outstanding Works / Undelivered Portion
Government							•			
						+				
						+				
Private_										
						+				
					<u> </u>			Total Cost		
Submitted by:		:	-4- d N	d Cit\			_			
Designation:		· (Pfi	nted Name	and Signature)						
Date:		:					_			

/alue of Work		b. Date Starte c. Date of Co	%		Nature of		
			20010	Description	Work	b. Address c. Telephone Nos.	Name of Contract/ Project Cost
			*		5 51		
		Total	above	verification of the	presented for	documents shall be	Note: The following statement during Po
	1	4	lent;	d user OR its equiva	issued by the En	rd OR Notice to Proceed	
				Droof of normant			
				R Proof of payment	s Acceptance Or	completion OR End-user:	Certificate of C
						<i>D</i>)	Submitted by:
				ire)	ame and Signatu	(Printed Na	
						20	Designation:
	1		lent;	R Proof of payment	nt; and s Acceptance Of	rd OR Notice to Proceed contract OR its equivale completion OR End-user's	Notice of Awar Copy of actual

