



Republic of the Philippines
 Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
 SRDC Bldg., Elliptical Road corner Visayas Avenue,
 Diliman, Quezon City 1101

REQUEST FOR QUOTATION

INSTRUCTIONS:

- Bidder shall read the instructions and fill all the blanks properly.
- Prospective Bidder shall submit its bid proposal using this form or official quotation with Company's letterhead.
- Any specifications other than required/stated in this form shall not be considered in the evaluation of bid.
- Quotation must be the lowest and responsive price, taxes included for the item/services listed hereunder, including delivery charges unless otherwise specified.
- If applicable, offered brand name and model shall be specified.
- Bid proposal shall be valid for one hundred twenty (120) calendar days from the date submitted.
- Bid proposal shall be **submitted manually on or before the deadline to the Bids and Awards Committee Secretariat office at BSWM, SRDC Bldg., Elliptical Road corner Visayas Avenue., Quezon City or electronically through procurement@bswm.da.gov.ph.**
- Late Bids will not be accepted.
- The documentary requirements shall be submitted with the quotation. Non attachment is a ground for disqualification.**

FOR SHOPPING:

- PhilGEPS registration number or Certificate
- Mayor's Permit

FOR DIRECT CONTRACTING:

- PhilGEPS registration number or Certificate
- Mayor's Permit
- Latest ITR (for total ABC above PhP500K)

FOR SMALL VALUE PROCUREMENT:

- PhilGEPS registration number or Certificate
- Mayor's Permit
- Revised Omnibus Sworn Statement (for total ABC above PhP500K)
- Latest ITR (for total ABC above PhP500K)
- PCAB License (for Infrastructure Project)
- Curriculum Vitae and Professional Licenses (for Consulting Services)
- Copy of LTFRB (Franchise) for Vehicle Rental

FOR OTHER MODES OF PROCUREMENT: PLEASE REFER TO RA 9184 AND ITS IRR AND ANNEX H

TERMS OF REFERENCE:			
Type of Procurement:	Goods/Services	Structure Project	Consulting Services
Mode of Procurement:	Small Value		
Deadline for Submission of Bids (Date and Time):	October 25, 2022 at 12:00PM		
PR No.	2022-10- 1589, 1529	End-User:	SWRRD Total ABC: 307,830.00
		Schedule of Delivery: 15 calendar days upon receipts of PO	

Source of Fund: RD- OTHER-NUE

Mode of Award: Per Line Lot Terms of Payment: Upon Completion of Delivery

Qty	Unit	Item (Description and Specification)	ABC	Offered Brand	Bid	
			Unit Cost		Unit Price	Total Price
PR-2022-10-1529 - RD-Other NUE						
2	bottle	Quartz Wool Very Fine 10g	2,700.00			
2	bottle	Silver Wool Very Fine Wire Unreeled 89 sqzn/h 10g	5,900.00			
2	bottle	Copper Oxide Fine Wires 100g UN307 - Cl:9 NOT RESTRICTED - Special Provision A197	1,800.00			
2	pack	Quartz Liner Sleeve Insert Open Both Ends 15 x 180mm PK/1	4,200.00			
2	pack	Reaction/Reduction Tube Transparent Heavy Wall PK/1	5,500.00			
2	pack	Chromium Oxide Granular 0.85 = 1.7 mm 25g	4,800.00			
6	pack	Tin Capsules Pressed Std Wt. 8 x 5 mm Pk/250	2,900.00			
5	pack	Tin Capsules Pressed Std Wt. 6 x 4 mm Pk/500	6,550.00			
PR-2022-10-1529 - NUE						
1	bottle	NIST Traceable - AAS Standard - Potassium 500mL (1000ppm) - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	6,500.00			

1	bottle	NIST Traceable - AAS Standard - Calcium 500mL (1000ppm) - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	6,500.00			
1	bottle	NIST Traceable - AAS Standard - Nitrate 500mL (1000ppm) - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	6,500.00			
1	bottle	NIST Traceable - AAS Standard - Sodium 500mL (1000ppm) - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	6,500.00			
1	bottle	NIST Traceable - AAS Standard - Calcium 500mL (1000ppm) - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	6,500.00			
1	bottle	NIST Traceable - AAS Standard - Zinc 500mL (1000ppm) - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	6,500.00			
1	bottle	NIST Traceable - AAS Standard - Manganese 500mL (1000ppm) - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	6,500.00			
1	bottle	NIST Traceable - AAS Standard - Phosphorus 500mL (1000ppm) - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	6,500.00			
1	bottle	NIST Traceable Standard - EC Standard, 1413 uS/cm, 500ml - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	6,500.00			
1	bottle	CRM for Agricultural Soil 175g/bottle For analysis of the ff: pH, Phosphorus, (Bray 1, Olsen) Total Organic Matter, Nitrogen, Na, K, Ca, Mg, Cu, Fe, Mn, Zn, with Certificate of Analysis Cat. No.: Ag-2/Brand: SCP Science	25,000.00			
1	bottle	Gum Acacia Analytical Grade 500g/bottle	2,000.00			
2	bottle	Barium Chloride Dihydrate 500g/bottle	700.00			
1	bottle	Ammonium Metavanadate AR grade 100grams/bottle	7,000.00			
7	bottle	Nitric Acid, AR, 2.5L/bottle > 68% - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	5,000.00			
4	bottle	Sulfuric Acid 98% 2.5L	3,000.00			
1	bottle	Potassium Dichromate AR Grade 500g	5,000.00			
1	bottle	Antimony Potassium Tartrate AR Grade 100g	3,000.00			
2	bottle	Hydrogen Peroxide, AR, 30-50%, 500ml/bottle - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life	5,000.00			
1	bottle	Triethanolamine AR Grade 2.5L	5,000.00			

2	bottle	Boric Acid AR grade 500g	2,000.00			
LABORATORY SUPPLIES						
1	pc	Balance draft shield Dimensions (L x W x H) : 18 x 18 x 21 in. Size: Large	14,900.00			
4	pc	Wash Bottle (500ml) Polythylene, easy to squeeze, leak-proof, 500ml	250.00			
4	pc	Wash Bottle (200-300ml) Polythylene, easy to squeeze, leak-proof;	200.00			
4	pc	Test Tube Brush Small Nylon bristle, galvanized wires	150.00			
4	pc	Test Tube Brush Medium Nylon bristle, galvanized wires	200.00			
4	pc	Test Tube Brush Big Nylon bristle, galvanized wires	220.00			
2	pc	Rectangular Secondary Containment Basin - Lab Tray made with high density polyethylene - EPA Compliant Secondary Containment for Bottles and Containers - Containment Capacity: not less than 15L - Dimension: approx. 15 x17 x 3" (W x L x H)	7,000.00			
1	pack	Chemical Absorbent Pads - 100 pads/pack - Size: approx 50 cm x 40cm - 100% polypropylene - Absorbency meets or exceeds industry standard. Color: Yellow pad - With dispenser box	7,000.00			
GRAND TOTAL						
NOTE: ALL PRICES ARE INCLUSIVE OF VAT AND CHARGES						
NOTE:	ACCOMPLISHED REQUEST FOR QUOTATION (RFQ) SHOULD BE SUBMITTED TO THE BAC SECRETARIAT'S OFFICE ON OR BEFORE THE DEADLINE FOR SUBMISSION OF BIDS. RFQ's SUBMITTED AFTER THE DEADLINE FOR SUBMISSION OF BIDS SHALL NO LONGER BE ACCEPTED.					

Reviewed by:

Procurement Coordinator
Signature Over Printed Name

For the Bids and Awards Committee:

(Sgd) DENISE A. SOLANO
Head, BAC Secretariat

Canvasser (Signature over Printed Name)

DBM-PhilGEPS Posted

Date of canvass:

Posted by:

(Sgd) GINA M. ALBERTO
DBM-PhilGEPS Posted

To: The BSWM Bids and Awards Committee (BAC)

Sir/Madam:

In connection with the above RFQ, I have carefully read and fully understand the minimum requirements and agree to furnish and/or deliver all awarded items in conformity with specifications and schedule of delivery.

Signature over Printer Name

Name of Company

TIN Number

Telephone Number(s)

Address

Date Accomplished



PhilGEPs

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

[Help](#)

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 9144952
Procuring Entity BUREAU OF SOILS AND WATER MANAGEMENT
Title Procurement of Chemical and Filtering Supplies
Area of Delivery Metro Manila

Solicitation Number:	BSWM PR 2022- 10 - 1589 & 1529	Status	In-Preparation
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	General Repair and Maintenance Services	Date Published	22/10/2022
Approved Budget for the Contract:	PHP 307,830.00	Last Updated / Time	21/10/2022 09:19 AM
Delivery Period:	15 Day/s	Closing Date / Time	25/10/2022 12:00 PM
Client Agency:			
Contact Person:	Gina Marzan Alberto Administrative Officer II SRDC Bldg., Elliptical Road corner Visayas Avenue, Diliman Quezon City Metro Manila Philippines 1101 63-2-9230420 63-2-3528012 procurement@bswm.da.gov.ph		

Description

PR-2022-10-1529 - RD-Other NUE
 2 bottle Quartz Wool Very Fine 10g
 2 bottle Silver Wool Very Fine Wire Unreeled 89 sqzn/h 10g
 2 bottle Copper Oxide Fine Wires 100g UN307 - Cl:9 NOT RESTRICTED - Special Provision A197
 2 pack Quartz Liner Sleeve Insert Open Both Ends 15 x 180mm PK/1
 2 pack Reaction/Reduction Tube Transparent Heavy Wall PK/1
 2 pack Chromium Oxide Granular 0.85 = 1.7 mm 25g
 6 pack Tin Capsules Pressed Std Wt. 8 x 5 mm Pk/250
 5 pack Tin Capsules Pressed Std Wt. 6 x 4 mm Pk/500

PR-2022-10-1529 - NUE

1 bottle "NIST Traceable - AAS Standard
 - Potassium 500mL (1000ppm)
 - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life"
 1 bottle "NIST Traceable - AAS Standard
 - Calcium 500mL (1000ppm)
 - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life"
 1 bottle "NIST Traceable - AAS Standard
 - Nitrate 500mL (1000ppm)
 - at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life"
 1 bottle "NIST Traceable - AAS Standard
 - Sodium 500mL (1000ppm)

- at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life"
- 1 bottle "NIST Traceable - AAS Standard
- Manganese 500mL (1000ppm)
- at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life"
- 1 bottle "NIST Traceable - AAS Standard
- Phosphorus 500mL (1000ppm)
- at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life"
- 1 bottle "NIST Traceable Standard
- EC Standard, 1413 uS/cm, 500ml
- at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life"
- 1 bottle CRM for Agricultural Soil 175g/bottle For analysis of the ff: pH, Phosphorus, (Bray 1, Olsen) Total Organic Matter, Nitrogen, Na, K, Ca, Mg, Cu, Fe, Mn, Zn, with Certificate of Analysis Cat. No.: Ag-2/Brand: SCP Science
- 1 bottle "Gum Acacia Analytical Grade
- 500g/bottle"
- 2 bottle "Barium Chloride Dihydrate
- 500g/bottle"
- 1 bottle "Ammonium Metavanadate
- AR grade
- 100grams/bottle"
- 7 bottle "Nitric Acid, AR, 2.5L/bottle > 68%
- at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life"
- 4 bottle "Sulfuric Acid
- 98%
- 2.5L"
- 1 bottle "Potassium Dichromate
- AR Grade
- 500g"
- 1 bottle "Antimony Potassium Tartrate
- AR Grade
- 100g"
- 2 bottle "Hydrogen Peroxide, AR, 30-50%, 500ml/bottle
- at least 1 year expiration date from date of delivery with certificate of analysis, safety data sheet, and expiry date/shelf life"
- 1 bottle "Triethanolamine
- AR Grade
- 2.5L"
- 2 bottle "Boric Acid AR grade
- 500g"
- LABORATORY SUPPLIES
- 1 pc "Balance draft shield
- Dimensions (L x W x H) : 18 x 18 x 21 in.
- Size: Large"
- 4 pc "Wash Bottle (500ml)
- Polythylene, easy to squeeze, leak-proof, 500ml"
- 4 pc "Wash Bottle (200-300ml)
- Polythylene, easy to squeeze, leak-proof;"
- 4 pc "Test Tube Brush
- Small
- Nylon bristle, galvanized wires"
- 4 pc "Test Tube Brush
- Medium
- Nylon bristle, galvanized wires"
- 4 pc "Test Tube Brush
- Big
- Nylon bristle, galvanized wires"
- 2 pc "Rectangular Secondary
- Containment Basin
- Lab Tray made with high density polyethylene
- EPA Compliant Secondary
- Containment for Bottles and Containers
- Containment Capacity: not less that 15L
- Dimension: approx. 15 x17 x 3"" (W x L x H)"
- 1 pack "Chemical Absorbent Pads
- 100 pads/pack
- Size: approx 50 cm x 40cm
- 100% polypropylene
- Absorbency meets or exceeds industry standard. Color: Yellow pad
- With dispenser box"

Enduser: SWRRD

Deadline for submission of bids: October 25, 2022 at 12:00PM

Please attach/submit the following documents with your quotation: copy of (1) PHILGEPS registration number or certificate; (2) mayor's permit, (3) Updated Ommibus Sworn Statement for ABC above Php 50K; (4) Latest Income/Business tax return for ABC above 500K; (5) PCAB license for Inf...

Created by Gina Marzan Alberto
Date Created 21/10/2022

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.