


REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF AGRICULTURE
**BUREAU OF SOILS AND
WATER MANAGEMENT**
Elliptical Road Cor.Visayas Ave.,Diliman,Quezon City

**FERTILIZER GUIDE MAP
(Key Rice Areas)**

PROVINCE OF SIKUIJOR



SCALE 1:80,000

1

0.5

0



1














2

3

Kilometers

Projection : Transverse Mercator
Datum : Luzon 1911
DISCLAIMER : All political boundaries are not authoritative



| CONVENTIONAL SIGNS | | |
|--|--|---|
| ROADS | BOUNDARY | HYDROLOGY |
|  Expressway |  Province |  Rivers / Lake |
|  Trunk line |  District | PLACES |
|  Primary |  Municipality |  Capital City / City |
|  Secondary |  Shoreline |  Capital Town / Town |
|  Tertiary | |  Barangay |

MISCELLANEOUS INFORMATION

SOURCES OF INFORMATION: Topographic information taken from NAMRIA Topographic Map at a scale of 1:50,000. Elevation data taken from SRTM 1 arc-second global dataset (2015). Bathymetry information taken from British Oceanographic Centre Fertility data gathered through the Soil Health Assessment-National Soil Sampling and Testing Project Phase II led by the Bureau of Soils and Water Management in partnership with the DA-Regional Field Offices (RFOs) and Local Government Units (LGUs).

Users noting errors or omissions in this publication are requested to inform the BSWM, SRDC Bldg., Elliptical Rd., cor.Visayas Avenue, Diliman, Quezon City, philippines or visit the BSWM website (<http://www.bswm.da.gov.ph>).

Copyright © 2017. All rights reserved to the Bureau of Soils and Water Management. No part of this publication may be reproduced, stored in a retrieval system or published without written consent from the BSWM.

Prepared and produced by the GEOMATICS AND SOIL INFORMATION TECHNOLOGY DIVISION, BSWM.

49

50

| LEGEND | | | | | | | | | | | | | | | | | | | |
|------------------|-------------|---|------------------|--|---|----------------------|----|--|--|----|--|------------------|---|-------------------------------|--|------|--|-----|-------|
| Mappng Symbol | Description | All options recommended to apply 10-20 bags/ha Organic Fertilizer | | | | | | | | | | | | | | AREA | | | |
| | | INBRED RICE | | | | | | | HYBRID RICE | | | | | | | | | | |
| | | WET SEASON | | | | DRY SEASON | | | WET SEASON | | | | DRY SEASON | | | ha | % | | |
| | | Nutrient Requirement | | Recommended Fertilizer Rate (bags/hectare) | | Nutrient Requirement | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | Recommended Fertilizer Rate (bags/hectare) | | Nutrient Requirement | | Recommended Fertilizer Rate (bags/hectare) | | | | |
| TEXTURE-N-P-K | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | | | | |
| 113 | M-H-L-L | 30 | 60 | 60 | Option 1: (1st Application): 2.25 (14-14-14-); 5.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60); | 40 | 60 | 60 | Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); | 50 | 70 | 70 | Option 1: (1st Application): 3.75 (14-14-14-); 5.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.50 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60); | 60 | 70 | 70 | Option 1: (1st Application): 4.50 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 2.50 (0-0-60); Option 2: (1st Application): 1.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60); | 3 | 0.23 |
| 114 | M-H-L-ML | 30 | 60 | 40 | Option 1: (1st Application): 2.25 (14-14-14-); 5.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 6.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); | 40 | 60 | 40 | Option 1: (1st Application): 3.00 (14-14-14-); 4.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 1.00 (46-0-0); 6.75 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); | 50 | 70 | 50 | Option 1: (1st Application): 3.75 (14-14-14-); 5.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 8.00 (0-18-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); | 60 | 70 | 50 | Option 1: (1st Application): 4.25 (14-14-14-); 4.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 0.75 (0-0-60); Option 2: (1st Application): 1.50 (46-0-0); 7.78 (0-18-0); (2nd Application): 0.65 (46-0-0); (3rd Application): 0.65 (46-0-0); 1.75 (0-0-60); | 76 | 5.35 |
| 121 | M-H-MH-L | 30 | 20 | 60 | Option 1: (1st Application): 2.25 (14-14-14-); 0.75 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (46-0-0); 2.25 (0-18-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60); | 40 | 20 | 60 | Option 1: (1st Application): 3.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 1.00 (46-0-0); 2.25 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); | 50 | 30 | 70 | Option 1: (1st Application): 3.75 (14-14-14-); 0.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.50 (0-0-60); Option 2: (1st Application): 1.25 (46-0-0); 3.50 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); | 60 | 30 | 70 | Option 1: (1st Application): 4.50 (14-14-14-); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 1.50 (46-0-0); 3.50 (0-18-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60); | 55 | 3.86 |
| 125 | M-H-H-L | 30 | 7 | 60 | Option 1: (1st Application): 1.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 0.75 (46-0-0); 1.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60); | 40 | 7 | 60 | Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 2.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); | 50 | 7 | 70 | Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); | 60 | 7 | 70 | Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 2.50 (0-0-60); | 129 | 9.01 |
| 126 | M-H-H-ML | 30 | 7 | 40 | Option 1: (1st Application): 1.00 (14-14-14-); (3rd Application): 1.00 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 0.75 (46-0-0); 1.00 (0-18-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); | 40 | 7 | 40 | Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.00 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); | 50 | 7 | 50 | Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); | 60 | 7 | 50 | Option 1: (1st Application): 1.00 (14-14-14-); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 1.75 (0-0-60); | 176 | 12.33 |
| TOTAL | | | | | | | | | | | | | | 4,428 | 100.00 | | | | |

| DESCRIPTION | | | |
|---------------------|----|-------------------|---|
| TEXTURE | N | P | K |
| L - Light | L | -Low | |
| | ML | - Moderately Low | |
| M - Medium to Heavy | MH | - Moderately High | |
| | H | - High | |

*5-10% Total NPK per PNS/ BAFS 183:2016
Area estimated based on actual field survey, other information from DA-RFO's, MA's NIA Service Area, NAMRIA Land Cover (2010) and BSWM Land Use System Map.

FERTILIZER GUIDE FOR RICE

ORGANIC FERTILIZER
Basal Application: After 2nd harrowing - 10-20 bags *Organic Fertilizer

INORGANIC FERTILIZER
1st Application: After last harrowing - Basal
2nd Application: 10-14 DAT/P (days after transplanting/planting) - Topdress
3rd Application: 20-25 DAT/P (days after transplanting/planting) - Topdress