



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF ZAMBALES

Barangay	Farmer Representative	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																							
				INBRED RICE						HYBRID RICE																	
		Number	Description Texture-N-P-K	Nutrient Requirement			WET SEASON Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			DRY SEASON Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			WET SEASON Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			DRY SEASON Recommended Fertilizer Rate (bags/hectare)		
				N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O
Municipality of SAN FELIPE																											
Apostol (Pob.)	_no interview_	080	M-L-H-H	90	7	7	Option 1: (1st Application: 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.25 (0-0-60);	100	7	7	Option 1: (1st Application: 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.25 (0-0-60);	110	7	7	Option 1: (1st Application: 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 4.75 (46-0-0); (3rd Application: 0.25 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.25 (0-0-60);	120	7	7	Option 1: (1st Application: 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 3.00 (46-0-0); (3rd Application: 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 0.25 (0-0-60);								
Apostol (Pob.)	_no interview_	079	M-L-H-MH	90	7	20	Option 1: (1st Application: 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.75 (0-0-60);	100	7	20	Option 1: (1st Application: 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 2.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.75 (0-0-60);	110	7	30	Option 1: (1st Application: 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 4.75 (46-0-0); (3rd Application: 1.00 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.00 (0-0-60);	120	7	30	Option 1: (1st Application: 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 3.00 (46-0-0); (3rd Application: 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.00 (0-0-60);								
Apostol (Pob.)	_no interview_	078	M-L-H-ML	90	7	40	Option 1: (1st Application: 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.50 (0-0-60);	100	7	40	Option 1: (1st Application: 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 2.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.50 (0-0-60);	110	7	50	Option 1: (1st Application: 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 4.75 (46-0-0); (3rd Application: 1.75 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.75 (0-0-60);	120	7	50	Option 1: (1st Application: 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 3.00 (46-0-0); (3rd Application: 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.75 (0-0-60);								
Apostol (Pob.)	_no interview_	075	M-L-MH-MH	90	20	30	Option 1: (1st Application: 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application: 2.00 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.00 (0-0-60);	100	20	30	Option 1: (1st Application: 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application: 2.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.00 (0-0-60);	110	30	30	Option 1: (1st Application: 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); Option 2: (1st Application: 3.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.00 (0-0-60);	120	30	30	Option 1: (1st Application: 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); Option 2: (1st Application: 3.00 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.00 (0-0-60);								
Apostol (Pob.)	_no interview_	074	M-L-MH-ML	90	20	40	Option 1: (1st Application: 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application: 2.00 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.50 (0-0-60);	100	20	40	Option 1: (1st Application: 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application: 2.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.50 (0-0-60);	110	30	50	Option 1: (1st Application: 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application: 3.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.75 (0-0-60);	120	30	50	Option 1: (1st Application: 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application: 3.00 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.75 (0-0-60);								

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF ZAMBALES

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																
			INBRED RICE						HYBRID RICE										
			WET SEASON			DRY SEASON			WET SEASON			DRY SEASON							
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O				
Apostol (Pob.)	_no interview_	072	M-L-ML-H	90	40	7	Option 1: (1st Application: 1.00 (14-14-14-); 1.75 (46-0-0); 3.75 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); Option 2: (1st Application: 4.00 (16-20-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.25 (0-0-60);	100	40	7	Option 1: (1st Application: 1.00 (14-14-14-); 1.87 (46-0-0); 3.67 (0-18-0); (2nd Application: 1.09 (46-0-0); (3rd Application: 1.09 (46-0-0); Option 2: (1st Application: 4.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.25 (0-0-60);	110	50	7	Option 1: (1st Application: 1.00 (14-14-14-); 2.25 (46-0-0); 5.00 (0-18-0); (2nd Application: 1.20 (46-0-0); (3rd Application: 1.20 (46-0-0); Option 2: (1st Application: 5.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.25 (0-0-60);	120	50	7	Option 1: (1st Application: 1.00 (14-14-14-); 2.50 (46-0-0); 5.00 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); Option 2: (1st Application: 5.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 0.25 (0-0-60);
Apostol (Pob.)	_no interview_	070	M-L-ML-ML	90	40	40	Option 1: (1st Application: 5.75 (14-14-14-); 0.25 (46-0-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); Option 2: (1st Application: 4.00 (16-20-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.50 (0-0-60);	100	40	40	Option 1: (1st Application: 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); Option 2: (1st Application: 4.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.50 (0-0-60);	110	50	50	Option 1: (1st Application: 7.25 (14-14-14-); 0.25 (46-0-0); (2nd Application: 1.20 (46-0-0); (3rd Application: 1.20 (46-0-0); Option 2: (1st Application: 5.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.75 (0-0-60);	120	50	50	Option 1: (1st Application: 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); Option 2: (1st Application: 5.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.75 (0-0-60);
Balinaguang	_no interview_	079	M-L-H-MH	90	7	20	Option 1: (1st Application: 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.75 (0-0-60);	100	7	20	Option 1: (1st Application: 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 2.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.75 (0-0-60);	110	7	30	Option 1: (1st Application: 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 4.75 (46-0-0); (3rd Application: 1.00 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.00 (0-0-60);	120	7	30	Option 1: (1st Application: 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application: 0.75 (16-20-0); (2nd Application: 3.00 (46-0-0); (3rd Application: 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.00 (0-0-60);
Balinaguang	_no interview_	076	M-L-MH-H	90	20	7	Option 1: (1st Application: 1.00 (14-14-14-); 1.75 (46-0-0); 1.50 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); Option 2: (1st Application: 2.00 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.25 (0-0-60);	100	20	7	Option 1: (1st Application: 1.00 (14-14-14-); 2.00 (46-0-0); 1.50 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); Option 2: (1st Application: 2.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.25 (0-0-60);	110	30	7	Option 1: (1st Application: 1.00 (14-14-14-); 2.25 (46-0-0); 2.75 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); Option 2: (1st Application: 3.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.25 (0-0-60);	120	30	7	Option 1: (1st Application: 1.00 (14-14-14-); 2.50 (46-0-0); 2.75 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); Option 2: (1st Application: 3.00 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 0.25 (0-0-60);
Balinaguang	_no interview_	075	M-L-MH-MH	90	20	30	Option 1: (1st Application: 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application: 2.00 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application: 1.00 (46-0-0); (3rd Application: 1.00 (46-0-0); 1.00 (0-0-60);	100	20	30	Option 1: (1st Application: 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application: 2.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.00 (0-0-60);	110	30	30	Option 1: (1st Application: 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); Option 2: (1st Application: 3.00 (16-20-0); (2nd Application: 2.00 (46-0-0); (3rd Application: 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application: 1.25 (46-0-0); (3rd Application: 1.25 (46-0-0); 1.00 (0-0-60);	120	30	30	Option 1: (1st Application: 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); Option 2: (1st Application: 3.00 (16-20-0); (2nd Application: 2.25 (46-0-0); (3rd Application: 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application: 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application: 1.50 (46-0-0); (3rd Application: 1.50 (46-0-0); 1.00 (0-0-60);

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF ZAMBALES

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																
			INBRED RICE						HYBRID RICE										
			WET SEASON			DRY SEASON			WET SEASON			DRY SEASON							
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement		
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O
Balincaguig	_no interview_	070	M-L-ML-ML	90	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	100	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	120	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);
Fara (Pop.)	_no interview_	079	M-L-H-MH	90	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);
Feria (Pop.)	_no interview_	079	M-L-H-MH	90	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);
Feria (Pop.)	_no interview_	078	M-L-H-ML	90	7	40	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	100	7	40	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110	7	50	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	120	7	50	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);
Feria (Pop.)	_no interview_	075	M-L-MH-MH	90	20	30	Option 1: (1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);	100	20	30	Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	110	30	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	30	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF ZAMBALES

Barangay	Farmer Representative	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																							
				INBRED RICE						HYBRID RICE																	
		Number	Description Texture-N-P-K	Nutrient Requirement			WET SEASON Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			DRY SEASON Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			WET SEASON Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			DRY SEASON Recommended Fertilizer Rate (bags/hectare)		
				N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O
Feria (Pob.)	_no interview_	074	M-L-MH-ML	90	20	40	Option 1: (1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	100	20	40	Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110	30	50	Option 1: (1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	120	30	50	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);								
Feria (Pob.)	_no interview_	072	M-L-ML-H	90	40	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); 3.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	40	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.87 (46-0-0); 3.67 (0-18-0); (2nd Application): 1.09 (46-0-0); (3rd Application): 1.09 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	50	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	50	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 5.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);								
Feria (Pob.)	_no interview_	070	M-L-ML-ML	90	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	100	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	120	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);								
Maloma	_no interview_	080	M-L-H-H	90	7	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	7	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	7	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	7	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);								
Maloma	_no interview_	079	M-L-H-MH	90	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);								

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF ZAMBALES

Barangay	Farmer Representative	Fertilizer-Guide Group	Additional 10-20 bags/ha Organic Fertilizer is recommended for all options																
			INBRED RICE						HYBRID RICE										
			WET SEASON			DRY SEASON			WET SEASON			DRY SEASON							
			Number	Description	Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement			Recommended Fertilizer Rate (bags/hectare)			Nutrient Requirement		
N	P ₂ O ₅	K ₂ O			N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O
Maloma	_no interview_	076	M-L-MH-H	90	20	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	20	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	30	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	30	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);
Maloma	_no interview_	075	M-L-MH-MH	90	20	30	Option 1: (1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60);	100	20	30	Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	110	30	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	30	30	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);
Manglicmot (Pop.)	_no interview_	079	M-L-H-MH	90	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);
Manglicmot (Pop.)	_no interview_	065	M-L-L-L	90	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);	100	60	60	Option 1: (1st Application): 8.75 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60);	110	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);	120	70	70	Option 1: (1st Application): 10.00 (14-14-14-); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);
Manglicmot (Pop.)	_no interview_	073	M-L-MH-L	90	20	60	Option 1: (1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 2.00 (0-0-60);	100	20	60	Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.00 (0-0-60);	110	30	70	Option 1: (1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 2.50 (0-0-60);	120	30	70	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 2.50 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 2.50 (0-0-60);

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF ZAMBALES

Barangay	Farmer Representative	Fertilizer-Guide Group		Additional 10-20 bags/ha Organic Fertilizer is recommended for all options															
				INBRED RICE						HYBRID RICE									
		Number	Description	WET SEASON			DRY SEASON			WET SEASON			DRY SEASON						
				Recommended Fertilizer Rate (bags/hectare)			Recommended Fertilizer Rate (bags/hectare)			Recommended Fertilizer Rate (bags/hectare)			Recommended Fertilizer Rate (bags/hectare)						
		Nutrient Requirement			Nutrient Requirement			Nutrient Requirement			Nutrient Requirement			Nutrient Requirement					
		N P ₂ O ₅ K ₂ O			N P ₂ O ₅ K ₂ O			N P ₂ O ₅ K ₂ O			N P ₂ O ₅ K ₂ O			N P ₂ O ₅ K ₂ O					
Manglicmot (Pob.)	_no interview_	074	M-L-MH-ML	90	20	40	Option 1: (1st Application): 3.00 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	100	20	40	Option 1: (1st Application): 3.00 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110	30	50	Option 1: (1st Application): 4.50 (14-14-14-); 1.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	120	30	50	Option 1: (1st Application): 4.50 (14-14-14-); 1.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.75 (0-0-60); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);
Manglicmot (Pob.)	_no interview_	070	M-L-ML-ML	90	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60);	100	40	40	Option 1: (1st Application): 5.75 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 4.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 4.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60);	110	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.25 (46-0-0); (2nd Application): 1.20 (46-0-0); (3rd Application): 1.20 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 5.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60);	120	50	50	Option 1: (1st Application): 7.25 (14-14-14-); 0.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 5.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 5.25 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60);
Sindol	_no interview_	079	M-L-H-MH	90	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60);	100	7	20	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60);	110	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60);	120	7	30	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60);
Sindol	_no interview_	076	M-L-MH-H	90	20	7	Option 1: (1st Application): 1.00 (14-14-14-); 1.75 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60);	100	20	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.00 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	110	30	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.25 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60);	120	30	7	Option 1: (1st Application): 1.00 (14-14-14-); 2.50 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60);

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

after second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)