



BUREAU OF SOILS AND WATER MANAGEMENT		Reference Code:	BSWM_DO_FR_0406
REQUEST FOR QUOTATION (GOODS)		Control No.:	
		Effective date:	May 4, 2020
Rev. No.	3	Page No.:	_ of _

(Date)

REQUEST FOR QUOTATION-PMS Use

INSTRUCTION:

1	Bidders are required to read the instructions and fill all the blanks properly. Prospective Bidders/Suppliers are required to use this official canvass form in accomplishing their bid proposals/quotations.
2	Any specifications other than those required/stated in this form shall not be considered in the evaluation of bid.
3	Quotation/s must be the lowest price(s), taxes included for the item(s)/services listed hereunder, including delivery charges.
4	Always indicate the brand name of the offered item(s) or product.
5	Price quotation(s) shall be valid for one hundred twenty (120) calendar days from the date submitted.
6	Terms of payment – Thirty (30) days from delivery of item(s) subject to accounting and auditing rules.
7	Quotation(s)/Proposal(s) shall be submitted to the Procurement Management Section, Bureau of Soils and Water Management, Elliptical Road cor Visayas Ave., Diliman, Quezon City. Submission through Email (bswmpms@gmail.com) is accepted provided that the original quotation will be submitted prior to award if winning bidder.
8	Awarded per item.
9	Please attach the following documents: For Shopping: Copy of (1) PhilGEPS registration number or certificate; (2) mayor's permit, Additional Documents For Small Value Procurement (3) updated Omnibus Sworn Statement for ABC above PhP50K; (4) latest income/business tax return for ABC above PhP500K; (5) PCAB License for Infrastructure Project; and (6) Curriculum Vitae and/or Professional License for Consulting Services.

DEADLINE FOR SUBMISSION OF BIDS: June 18, 2021 12:00PM

PR No. **2021-05-0885**

End-User: **WRMD**

ABC: **692,700.00**

Source of Fund: **ESETS RICE**

Qty	Unit	Item/Description	ABC	Offered Brand	Unit Price	Total Price
To be delivered in the techno-demo site in Fulgosino SWIP, Barangay Fulgosino, Umingan, Pangasina						
1	unit	Grasscutter	14,900			
		Engine type: air - cooled , four - stroke , single cylinder Fuel: Gasoline , Fuel tank capacity : 1000 ml Displacement : 35 cc, Idling speed: 2600 - 2800r/min Engine N.M. 4.7 kg , Machine weight : 7.88 kg carrying type: side - attached with one year warranty				
1	unit	Power Sprayer	14,900			
		6.5 hp gasoline engine with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame with one year warranty				
1	pc	Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)	7,500			
2	pcs	Totebin (white, plastic, square drum, 1000 ltrs capacity)	6,000			
2	pcs	HDPE SDR 17 (1 inch diameter, 100m/roll)	5,500			
2	pc	Drum (blue, plastic, with cover, 200 liters Capacity)	1,000			
32	roll	Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)	2,000			
4	kg	U-nail (1 1/4 inch)	200			
4	kg	Tie Wire (Gauge #16)	100			
2	pc	Turn Buckle (6 inches)	200			
To be delivered in the techno-demo site in Cabra SWIP, Barangay Poblacion, Diadi, Nueva Ecija						
1	unit	Grasscutter	14,900			
		Engine type: air - cooled , four - stroke , single cylinder Fuel: Gasoline , Fuel tank capacity : 1000 ml Displacement : 35 cc, Idling speed: 2600 - 2800r/min Engine N.M. 4.7 kg , Machine weight : 7.88 kg carrying type: side - attached with one year warranty				
1	unit	Power sprayer	14,900			
		6.5 hp gasoline engine with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame with one year warranty				
1	pc	Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)	7,500			
2	pc	Capacity)	6,000			
2	pcs	HDPE SDR 17 (1 inch diameter, 100m/roll)	5,500			



BUREAU OF SOILS AND WATER MANAGEMENT

**REQUEST FOR QUOTATION
(GOODS)**

Reference Code: BSWM_DO_FR_0406

Control No.:

Effective date: May 4, 2020

Rev. No.

3

Page No.:

_ of _

2	pc	Drum (blue, plastic, with cover, 200 liters Capacity)	1,000			
20	roll	Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)	2,000			
2	kg	U-nail (1 1/4 inch)	200			
4	kg	Tie Wire (Gauge #16)	100			
2	pc	Turn Buckle (6 inches)	200			
To be delivered in the techno-demo site in Barcing SWIP, Barangay Bacring, Amulong, Cagayan						
1	unit	Grasscutter	14,900			
		Engine type: air - cooled , four - stroke , single cylinder Fuel: Gasoline , Fuel tank capacity : 1000 ml Displacement : 35 cc, Idling speed: 2600 - 2800r/min Engine N.M. 4.7 kg , Machine weight : 7.88 kg carrying type: side - attached with one year warranty				
1	unit	Power sprayer	14,900			
		6.5 hp gasonline engine with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame with one year warranty				
1	unit	Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)	7,500			
2	pc	Capacity)	6,000			
2	pcs	HDPE SDR 17 (1 inch diameter, 100m/roll)	5,500			
2	pc	Drum (blue, plastic, with cover, 200 liters Capacity)	1,000			
32	roll	Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)	2,000			
4	kg	U-nail (1 1/4 inch)	200			
4	kg	Tie Wire (Gauge #16)	100			
2	pc	Turn Buckle (6 inches)	200			
To be delivered in the techno-demo site in Anibong SWIP, Barangay Aulo, Palayan City, Nueva Ecija						
1	unit	Grasscutter	14,900			
		Engine type: air - cooled , four - stroke , single cylinder Fuel: Gasoline , Fuel tank capacity : 1000 ml Displacement : 35 cc, Idling speed: 2600 - 2800r/min Engine N.M. 4.7 kg , Machine weight : 7.88 kg carrying type: side - attached with one year warranty				
1	unit	Power sprayer	14,900			
		6.5 hp gasonline engine with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame with one year warranty				
1	unit	with fittings)	7,500			
2	pc	Capacity)	6,000			
2	pcs	HDPE SDR 17 (1 inch diameter, 100m/roll)	5,500			
2	pc	Drum (blue, plastic, with cover, 200 liters Capacity)	1,000			
32	roll	Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)	2,000			
4	kg	U-nail (1 1/4 inch)	200			
4	kg	Tie Wire (Gauge #16)	100			
2	pc	Turn Buckle (6 inches)	200			
To be delivered in the techno-demo site in Masalipit SWIP, Barangay Masalipit, San Miguel, Bulacan						
1	unit	Grasscutter	14,900			
		Fuel: Gasoline , Fuel tank capacity : 1000 ml Displacement : 35 cc, Idling speed: 2600 - 2800r/min Engine N.M. 4.7 kg , Machine weight : 7.88 kg carrying type: side - attached with one year warranty				
1	unit	Power sprayer	14,900			
		6.5 hp gasonline engine with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame with one year warranty				
1	unit	Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)	7,500			



IGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

elp

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 7763270
Procuring Entity BUREAU OF SOILS AND WATER MANAGEMENT
Title Agricultural Materials
Area of Delivery Metro Manila

Solicitation Number:	BSWM PR 2021-05-0885	Status	In-Preparation
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Agricultural Products (Seeds, Seedlings, Plants..)	Date Published	12/06/2021
Approved Budget for the Contract:	PHP 692,700.00	Last Updated / Time	11/06/2021 14:26 PM
Delivery Period:	30 Day/s	Closing Date / Time	18/06/2021 12:00 PM
Client Agency:			
Contact Person:	Gina Marzan Alberto Administrative Officer II SRDC Bldg., Elliptical Road corner Visayas Avenue, Diliman Quezon City Metro Manila Philippines 1101 63-2-9230420 Ext. 63-2-3528012 bswmpms@gmail.com		

Description

1 unit Grasscutter
 "Engine type: air - cooled , four - stroke , single cylinder
 Fuel: Gasoline , Fuel tank capacity : 1000 ml
 Displacement : 35 cc, Idling speed: 2600 - 2800r/min
 Engine N.M. 4.7 kg , Machine weight : 7.88 kg
 carrying type: side - attached
 with one year warranty"
 1 unit Power Sprayer
 "6.5 hp gasoline engine
 with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame
 with one year warranty"
 1 pc Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)
 2 pcs Totebin (white, plastic, square drum, 1000 ltrs capacity)
 2 pcs HDPE SDR 17 (1 inch diameter, 100m/roll)
 2 pc Drum (blue, plastic, with cover, 200 liters Capacity)
 32 roll Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)
 4 kg U-nail (1 1/4 inch)
 4 kg Tie Wire (Gauge #16)
 2 pc Turn Buckle (6 inches)
 To be delivered in the techno-demo site in Cabra SWIP, Barangay Poblacion, Diadi, Nueva Ecija
 1 unit Grasscutter
 "Engine type: air - cooled , four - stroke , single cylinder
 Fuel: Gasoline , Fuel tank capacity : 1000 ml

Displacement : 35 cc, Idling speed: 2600 - 2800r/min
 Engine N.M. 4.7 kg , Machine weight : 7.88 kg
 carrying type: side - attached
 with one year warranty"
 1 unit Power sprayer
 "6.5 hp gasoline engine
 with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame
 with one year warranty"
 1 pc Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)
 2 pc Totebin (white, plastic, square drum, 1000 liters Capacity)
 2 pcs HDPE SDR 17 (1 inch diameter, 100m/roll)
 2 pc Drum (blue, plastic, with cover, 200 liters Capacity)
 20 roll Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)
 2 kg U-nail (1 1/4 inch)
 4 kg Tie Wire (Gauge #16)
 2 pc Turn Buckle (6 inches)
 To be delivered in the techno-demo site in Barcing SWIP, Barangay Bacring, Amulong, Cagayan
 1 unit Grasscutter
 "Engine type: air - cooled , four - stroke , single cylinder
 Fuel: Gasoline , Fuel tank capacity : 1000 ml
 Displacement : 35 cc, Idling speed: 2600 - 2800r/min
 Engine N.M. 4.7 kg , Machine weight : 7.88 kg
 carrying type: side - attached
 with one year warranty"
 1 unit Power sprayer
 "6.5 hp gasonline engine
 with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame
 with one year warranty"
 1 unit Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)
 2 pc Totebin (white, plastic, square drum, 1000 liters Capacity)
 2 pcs HDPE SDR 17 (1 inch diameter, 100m/roll)
 2 pc Drum (blue, plastic, with cover, 200 liters Capacity)
 32 roll Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)
 4 kg U-nail (1 1/4 inch)
 4 kg Tie Wire (Gauge #16)
 2 pc Turn Buckle (6 inches)
 To be delivered in the techno-demo site in Anibong SWIP, Barangay Aulo, Palayan City, Nueva Ecija
 1 unit Grasscutter
 "Engine type: air - cooled , four - stroke , single cylinder
 Fuel: Gasoline , Fuel tank capacity : 1000 ml
 Displacement : 35 cc, Idling speed: 2600 - 2800r/min
 Engine N.M. 4.7 kg , Machine weight : 7.88 kg
 carrying type: side - attached
 with one year warranty"
 1 unit Power sprayer
 "6.5 hp gasonline engine
 with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame
 with one year warranty"
 1 unit Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)
 2 pc Totebin (white, plastic, square drum, 1000 liters Capacity)
 2 pcs HDPE SDR 17 (1 inch diameter, 100m/roll)
 2 pc Drum (blue, plastic, with cover, 200 liters Capacity)
 32 roll Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)
 4 kg U-nail (1 1/4 inch)
 4 kg Tie Wire (Gauge #16)
 2 pc Turn Buckle (6 inches)
 To be delivered in the techno-demo site in Masalipit SWIP, Barangay Masalipit, San Miguel, Bulacan
 1 unit Grasscutter
 "Engine type: air - cooled , four - stroke , single cylinder
 Fuel: Gasoline , Fuel tank capacity : 1000 ml
 Displacement : 35 cc, Idling speed: 2600 - 2800r/min
 Engine N.M. 4.7 kg , Machine weight : 7.88 kg
 carrying type: side - attached
 with one year warranty"
 1 unit Power sprayer
 "6.5 hp gasonline engine
 with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame
 with one year warranty"
 1 unit Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)
 2 pc Totebin (white, plastic, square drum, 1000 liters Capacity)
 1 pcs HDPE SDR 17 (1 inch diameter, 100m/roll)
 2 pc Drum (blue, plastic, with cover, 200 liters Capacity)
 10 roll Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)
 2 kg U-nail (1 1/4 inch)
 4 kg Tie Wire (Gauge #16)
 To be delivered in the techno-demo site in Lanipga SWIP, Barangay Lanipga, Bula, Camarines Sur
 1 unit Grasscutter
 "Engine type: air - cooled , four - stroke , single cylinder

Fuel: Gasoline , Fuel tank capacity : 1000 ml
 Displacement : 35 cc, Idling speed: 2600 - 2800r/min
 Engine N.M. 4.7 kg , Machine weight : 7.88 kg
 carrying type: side - attached
 with one year warranty"
 1 unit Power sprayer
 "6.5 hp gasonline engine
 with the ff accessories: discharge hose, suction hose, return hose, stick gun, and base frame
 with one year warranty"
 1 unit Power sprayer hose (100m/roll, 2 ply power spray hose with fittings)
 2 pc Totebin (white, plastic, square drum, 1000 liters Capacity)
 2 pcs HDPE SDR 17 (1 inch diameter, 100m/roll)
 2 pc Drum (blue, plastic, with cover, 200 liters Capacity)
 32 roll Hog Wire (H-#14,V-#16, H=47", 40yards/roll, 9 Hole)
 4 kg U-nail (1 1/4 inch)
 4 kg Tie Wire (Gauge #16)
 2 pc Turn Buckle (6 inches)
 xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
 (DELIVERY ON-SITE)

Enduser: WRMD

Deadline for submission of bids: June 18, 2021 at 12:00pm

Please attach/submit the following documents with your quotation: copy of (1) PHILGEPS registration number or certificate; (2) mayor's permit, (3) Updated Ommibus Sworn Statement for ABC above Php 50K; (4) Latest Income/Business tax return for ABC above 500K; (5) PCAB License for Infrastructure Project; and (6) Curriculum Vitae and/or Professional License for Consulting Services.

The Bureau of Soils and Water Management (BSWM) invites interested parties to bid/quote for the above listed item/s.

Kindly submit your quotation for the purchase of the above requirement, (indicating our Solicitation Number) address to GINA P. NILO, Ph.D., BAC Chairperson.

The drop box for your Bids/Quotations is located at the BSWM Lobby.

The BSWM reserves the right to reject any or all bids to declare the bidding a failure or waive any or all information or to award such bids to the supplier whose bid is considered most advantageous to the government.

Created by Gina Marzan Alberto

Date Created 11/06/2021

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.