



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAPIZ
District II

| Mapping Unit Symbol | Nutrient Status Group | Barangay | Nutrient Requirements (kg./ha.) | | | | | | | | | | | | FERTILIZER RECOMMENDATION (bags/ha) | | | | | | | | | |
|------------------------|--------------------------|----------|---------------------------------|----|---|------------|----|---|------------|----|---|------------|----|---|---|---|---|--|------------|--|------------|--|--|--|
| | | | Inbred | | | | | | Hybrid | | | | | | Inbred | | | | Hybrid | | | | | |
| | | | Wet Season | | | Dry Season | | | Wet Season | | | Dry Season | | | Wet Season | | Dry Season | | Wet Season | | Dry Season | | | |
| | | | N | P | K | N | P | K | N | P | K | N | P | K | | | | | | | | | | |
| MUNICIPALITY OF SIGMA | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | ML-H-H | Acbo | 60 | 7 | 7 | 70 | 7 | 7 | 80 | 7 | 7 | 100 | 7 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 bags 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 bags 21-0-0 or 2 3/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 7 bags 21-0-0 or 3 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 3/4 bags 21-0-0 or 4 bags 46-0-0 | | | | | | |
| 12 | ML-ML-H | Acbo | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 | | | | | | |
| 12 | ML-ML-H | Acbo | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 | | | | | | |
| 2 | ML-H-H | Amaga | 60 | 7 | 7 | 70 | 7 | 7 | 80 | 7 | 7 | 100 | 7 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 bags 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 bags 21-0-0 or 2 3/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 7 bags 21-0-0 or 3 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 3/4 bags 21-0-0 or 4 bags 46-0-0 | | | | | | |
| 12 | ML-ML-H | Amaga | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 | | | | | | |
| 7 | ML-MH-H | Balocuan | 60 | 20 | 7 | 70 | 20 | 7 | 80 | 20 | 7 | 100 | 20 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 4 bag 21-0-0 or 1 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 5 bag 21-0-0 or 2 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 6 bag 21-0-0 or 2 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 8 bag 21-0-0 or 3 1/2 bag 46-0-0 | | | | | | |

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0)Amphosphos
(16-20-0)Solophos (0-18-0)
Muriate of Potash (0-0-60)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAPIZ
District II

| Mapping Unit Symbol | Nutrient Status Group | Barangay | Nutrient Requirements (kg./ha.) | | | | | | | | | | | | FERTILIZER RECOMMENDATION (bags/ha) | | | |
|---------------------|-----------------------|---------------|---------------------------------|----|----|------------|----|----|------------|----|----|------------|----|----|---|---|---|--|
| | | | Inbred | | | | | | Hybrid | | | | | | Inbred | | Hybrid | |
| | | | Wet Season | | | Dry Season | | | Wet Season | | | Dry Season | | | Wet Season | Dry Season | Wet Season | Dry Season |
| | | | N | P | K | N | P | K | N | P | K | N | P | K | | | | |
| 14 | L-ML-H | Balocuan | 80 | 40 | 7 | 90 | 40 | 7 | 100 | 40 | 7 | 120 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 21-0-0 or 2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/2 bags 21-0-0 or 2 1/2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 1/4 bags 21-0-0 or 3 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 1/4 bags 21-0-0 or 3 3/4 bags 46-0-0 |
| 24 | L-ML-MH | Balocuan | 80 | 40 | 30 | 90 | 40 | 30 | 100 | 40 | 30 | 120 | 40 | 30 | 10 bgs Organic Fert 1 bag 0-0-60 4 bags 16-20-0 4 1/4 bags 21-0-0 or 2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 0-0-60 4 bags 16-20-0 5 1/2 bags 21-0-0 or 2 1/2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 0-0-60 4 bags 16-20-0 6 1/2 bags 21-0-0 or 3 bags 46-0-0 | 10 bgs Organic Fert 1 bag 0-0-60 4 bags 16-20-0 8 1/2 bags 21-0-0 or 3 bags 46-0-0 |
| 24 | L-ML-MH | Balocuan | 80 | 40 | 30 | 90 | 40 | 30 | 100 | 40 | 30 | 120 | 40 | 30 | 10 bgs Organic Fert 1 bag 0-0-60 4 bags 16-20-0 4 1/4 bags 21-0-0 or 2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 0-0-60 4 bags 16-20-0 5 1/2 bags 21-0-0 or 2 1/2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 0-0-60 4 bags 16-20-0 6 1/2 bags 21-0-0 or 3 bags 46-0-0 | 10 bgs Organic Fert 1 bag 0-0-60 4 bags 16-20-0 8 1/2 bags 21-0-0 or 3 bags 46-0-0 |
| 12 | ML-ML-H | Bangon-bangon | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| 12 | ML-ML-H | Capuyhan | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| 7 | ML-MH-H | Cogon | 60 | 20 | 7 | 70 | 20 | 7 | 80 | 20 | 7 | 100 | 20 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 4 bag 21-0-0 or 1 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 5 bag 21-0-0 or 2 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 6 bag 21-0-0 or 2 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 8 bag 21-0-0 or 3 1/2 bag 46-0-0 |

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0) Ammophos
(16-20-0) Solophos (0-18-0)
Muriate of Potash (0-0-60)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAPIZ
District II

| Mapping Unit Symbol | Nutrient Status Group | Barangay | Nutrient Requirements (kg./ha.) | | | | | | | | | | | | FERTILIZER RECOMMENDATION (bags/ha) | | | |
|---------------------|-----------------------|----------|---------------------------------|----|---|------------|----|---|------------|----|---|------------|----|---|---|---|---|--|
| | | | Inbred | | | | | | Hybrid | | | | | | Inbred | | Hybrid | |
| | | | Wet Season | | | Dry Season | | | Wet Season | | | Dry Season | | | Wet Season | Dry Season | Wet Season | Dry Season |
| | | | N | P | K | N | P | K | N | P | K | N | P | K | | | | |
| 2 | ML-H-H | Dayhagon | 60 | 7 | 7 | 70 | 7 | 7 | 80 | 7 | 7 | 100 | 7 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 bags 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 bags 21-0-0 or 2 3/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 7 bags 21-0-0 or 3 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 3/4 bags 21-0-0 or 4 bags 46-0-0 |
| 12 | ML-ML-H | Dayhagon | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| 12 | ML-ML-H | Dayhagon | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| 12 | ML-ML-H | Guintas | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| 12 | ML-ML-H | Guintas | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| 11 | L-MH-H | Mangaso | 80 | 20 | 7 | 90 | 20 | 7 | 100 | 20 | 7 | 120 | 20 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 6 bag 21-0-0 or 2 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 7 bag 21-0-0 or 3 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 8 bag 21-0-0 or 3 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 9 3/4 bag 21-0-0 or 4 1/2 bag 46-0-0 |

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0)Amphosphos
(16-20-0)Solophos (0-18-0)
Muriate of Potash (0-0-60)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAPIZ
District II

| Mapping Unit Symbol | Nutrient Status Group | Barangay | Nutrient Requirements (kg./ha.) | | | | | | | | | | | | FERTILIZER RECOMMENDATION (bags/ha) | | | |
|---------------------|-----------------------|------------|---------------------------------|----|----|------------|----|----|------------|----|----|------------|----|----|---|---|---|---|
| | | | Inbred | | | | | | Hybrid | | | | | | Inbred | | Hybrid | |
| | | | Wet Season | | | Dry Season | | | Wet Season | | | Dry Season | | | Wet Season | Dry Season | Wet Season | Dry Season |
| | | | N | P | K | N | P | K | N | P | K | N | P | K | | | | |
| | MH-L-H | Mangoso | 40 | 60 | 7 | 50 | 60 | 7 | 60 | 60 | 7 | 80 | 60 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/4 bags 0-20-0 3 1/4 bag 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/4 bags 0-20-0 4 bag 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/4 bags 0-20-0 5 bag 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/4 bags 0-20-0 7 bags 21-0-0 or 3 1/4 bag 46-0-0 |
| 7 | ML-MH-H | Mangoso | 60 | 20 | 7 | 70 | 20 | 7 | 80 | 20 | 7 | 100 | 20 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 4 bag 21-0-0 or 1 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 5 bag 21-0-0 or 2 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 6 bag 21-0-0 or 2 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 8 bag 21-0-0 or 3 1/2 bag 46-0-0 |
| 12 | ML-ML-H | Mangoso | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| 1 | MH-H-H | Mansacul | 40 | 7 | 7 | 50 | 7 | 7 | 60 | 7 | 7 | 100 | 7 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 21-0-0 or 1 1/2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 4 bags 21-0-0 or 2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 5 bags 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 7 bags 21-0-0 or 3 1/4 bags 46-0-0 |
| 27 | ML-ML-ML | Mansacul | 60 | 40 | 45 | 70 | 40 | 45 | 80 | 40 | 45 | 100 | 40 | 45 | 10 bgs Organic Fert 6 1/2 bags 14-14-14 or 1 1/2 bag 0-0-60 4 bags 16-20-0 2 3/4 bags 21-0-0 or | 10 bgs Organic Fert 6 1/2 bags 14-14-14 or 1 1/2 bag 0-0-60 4 bags 16-20-0 3 1/4 bags 21-0-0 or | 10 bgs Organic Fert 6 1/2 bags 14-14-14 or 1 1/2 bag 0-0-60 4 bags 16-20-0 4 bags 21-0-0 or | 10 bgs Organic Fert 6 1/2 bags 14-14-14 or 1 1/2 bag 0-0-60 4 bags 16-20-0 6 1/2 bags 21-0-0 or |
| 12 | ML-ML-H | Matangcong | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0)Amphophos
(16-20-0)Solophos (0-18-0)
Muriate of Potash (0-0-60)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAPIZ
District II

| Mapping Unit Symbol | Nutrient Status Group | Barangay | Nutrient Requirements (kg./ha.) | | | | | | | | | | | | FERTILIZER RECOMMENDATION (bags/ha) | | | |
|---------------------|-----------------------|------------|---------------------------------|----|---|------------|----|---|------------|----|---|------------|----|---|---|---|---|--|
| | | | Inbred | | | | | | Hybrid | | | | | | Inbred | | Hybrid | |
| | | | Wet Season | | | Dry Season | | | Wet Season | | | Dry Season | | | Wet Season | Dry Season | Wet Season | Dry Season |
| | | | N | P | K | N | P | K | N | P | K | N | P | K | | | | |
| 12 | ML-ML-H | Matinabus | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| 12 | ML-ML-H | Matinabus | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| 14 | L-ML-H | Matinabus | 80 | 40 | 7 | 90 | 40 | 7 | 100 | 40 | 7 | 120 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 21-0-0 or 2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/2 bags 21-0-0 or 2 1/2 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 1/4 bags 21-0-0 or 3 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 1/4 bags 21-0-0 or 3 3/4 bags 46-0-0 |
| 2 | ML-H-H | Mianay | 60 | 7 | 7 | 70 | 7 | 7 | 80 | 7 | 7 | 100 | 7 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 bags 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 bags 21-0-0 or 2 3/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 7 bags 21-0-0 or 3 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 3/4 bags 21-0-0 or 4 bags 46-0-0 |
| 2 | ML-H-H | Mianay | 60 | 7 | 7 | 70 | 7 | 7 | 80 | 7 | 7 | 100 | 7 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 bags 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 bags 21-0-0 or 2 3/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 7 bags 21-0-0 or 3 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 3/4 bags 21-0-0 or 4 bags 46-0-0 |
| 7 | ML-MH-H | Pagbunitan | 60 | 20 | 7 | 70 | 20 | 7 | 80 | 20 | 7 | 100 | 20 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 4 bag 21-0-0 or 1 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 5 bag 21-0-0 or 2 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 6 bag 21-0-0 or 2 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 8 bag 21-0-0 or 3 1/2 bag 46-0-0 |

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0) Ammophos
(16-20-0) Solophos (0-18-0)
Muriate of Potash (0-0-60)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAPIZ
District II

| Mapping Unit Symbol | Nutrient Status Group | Barangay | Nutrient Requirements (kg./ha.) | | | | | | | | | | | | FERTILIZER RECOMMENDATION (bags/ha) | | | |
|---------------------|-----------------------|-----------------|---------------------------------|----|----|------------|----|----|------------|----|----|------------|----|----|---|---|---|--|
| | | | Inbred | | | | | | Hybrid | | | | | | Inbred | | Hybrid | |
| | | | Wet Season | | | Dry Season | | | Wet Season | | | Dry Season | | | Wet Season | Dry Season | Wet Season | Dry Season |
| | | | N | P | K | N | P | K | N | P | K | N | P | K | | | | |
| 12 | ML-ML-H | Pagbunitan | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |
| | L-MH-MH | Pagbunitan | 80 | 20 | 30 | 90 | 20 | 30 | 100 | 20 | 30 | 120 | 20 | 30 | 10 bgs Organic Fert 3 bag 14-14-14 1/4 bag 0-0-60 5 1/2 bag 21-0-0 or 2 1/2 bag 46-0-0 | 10 bgs Organic Fert 3 bag 14-14-14 1/4 bag 0-0-60 6 1/2 bag 21-0-0 or 3 bag 46-0-0 | 10 bgs Organic Fert 3 bag 14-14-14 1/4 bag 0-0-60 7 1/2 bag 21-0-0 or 3 1/2 bag 46-0-0 | 10 bgs Organic Fert 3 bag 14-14-14 1/4 bag 0-0-60 9 1/2 bag 21-0-0 or 4 1/4 bag 46-0-0 |
| 2 | ML-H-H | Poblacion Norte | 60 | 7 | 7 | 70 | 7 | 7 | 80 | 7 | 7 | 100 | 7 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 bags 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 bags 21-0-0 or 2 3/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 7 bags 21-0-0 or 3 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 3/4 bags 21-0-0 or 4 bags 46-0-0 |
| 7 | ML-MH-H | Poblacion Norte | 60 | 20 | 7 | 70 | 20 | 7 | 80 | 20 | 7 | 100 | 20 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 4 bag 21-0-0 or 1 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 5 bag 21-0-0 or 2 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 6 bag 21-0-0 or 2 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 8 bag 21-0-0 or 3 1/2 bag 46-0-0 |
| 2 | ML-H-H | Poblacion Sur | 60 | 7 | 7 | 70 | 7 | 7 | 80 | 7 | 7 | 100 | 7 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 bags 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 bags 21-0-0 or 2 3/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 7 bags 21-0-0 or 3 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 3/4 bags 21-0-0 or 4 bags 46-0-0 |
| 12 | ML-ML-H | Poblacion Sur | 60 | 40 | 7 | 70 | 40 | 7 | 80 | 40 | 7 | 100 | 40 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 2 1/2 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 3 1/2 bags 21-0-0 or 1 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 4 1/2 bags 21-0-0 or 2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 3 1/4 bags 16-20-0 6 bags 21-0-0 or 3 bag 46-0-0 |

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0) Ammophos
(16-20-0) Solophos (0-18-0)
Muriate of Potash (0-0-60)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF CAPIZ
District II

| Mapping Unit Symbol | Nutrient Status Group | Barangay | Nutrient Requirements (kg./ha.) | | | | | | | | | | | | FERTILIZER RECOMMENDATION (bags/ha) | | | |
|------------------------|--------------------------|----------|---------------------------------|----|---|------------|----|---|------------|----|---|------------|----|---|--|--|---|--|
| | | | Inbred | | | | | | Hybrid | | | | | | Inbred | | Hybrid | |
| | | | Wet Season | | | Dry Season | | | Wet Season | | | Dry Season | | | Wet Season | Dry Season | Wet Season | Dry Season |
| | | | N | P | K | N | P | K | N | P | K | N | P | K | | | | |
| 2 | ML-H-H | Tawog | 60 | 7 | 7 | 70 | 7 | 7 | 80 | 7 | 7 | 100 | 7 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 bags 21-0-0 or 2 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 6 bags 21-0-0 or 2 3/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 7 bags 21-0-0 or 3 1/4 bags 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 8 3/4 bags 21-0-0 or 4 bags 46-0-0 |
| 7 | ML-MH-H | Tawog | 60 | 20 | 7 | 70 | 20 | 7 | 80 | 20 | 7 | 100 | 20 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 4 bag 21-0-0 or 1 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 5 bag 21-0-0 or 2 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 6 bag 21-0-0 or 2 3/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 1 1/4 bags 16-20-0 8 bag 21-0-0 or 3 1/2 bag 46-0-0 |
| 13 | ML-L-H | Tawog | 60 | 60 | 7 | 70 | 60 | 7 | 80 | 60 | 7 | 100 | 60 | 7 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/4 bags 16-20-0 1 bag 21-0-0 or 1/2 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/4 bags 16-20-0 2 bags 21-0-0 or 1 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/4 bags 16-20-0 3 bags 21-0-0 or 1 1/4 bag 46-0-0 | 10 bgs Organic Fert 1 bag 14-14-14 5 1/4 bags 16-20-0 4 3/4 bags 21-0-0 or 2 1/4 bags 46-0-0 |

Fertilizer materials:
Complete (14-14-14)
Urea (46-0-0)Ammophos
(16-20-0)Solophos (0-18-0)
Muriate of Potash (0-0-60)