



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF MAGUINDANAO

| Municipality | Fertilizer-Guide Group | | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options | | | | | | | | | | | | | | | | | |
|----------------------|------------------------|-------------|--|-------------------------------|------------------|--|-------------------------------|------------------|----------------------|--|------------------|--|-------------------------------|---|----------------------|-------------------------------|------------------|--|--|--|
| | | | INBRED RICE | | | | | | HYBRID RICE | | | | | | | | | | | |
| | | | WET SEASON | | | DRY SEASON | | | WET SEASON | | | DRY SEASON | | | | | | | | |
| | Number | Description | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | |
| | | | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | N | P ₂ O ₅ | K ₂ O | | | |
| DATU ABDULLAH SANGKI | 080 | M-L-H-H | 90 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 110 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 120 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); | | |
| DATU ABDULLAH SANGKI | 079 | M-L-H-MH | 90 | 7 | 20 | Option 1: (1st Application): 1.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); | 100 | 7 | 20 | Option 1: (1st Application): 1.00 (14-14-14); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); | 110 | 7 | 30 | Option 1: (1st Application): 1.00 (14-14-14); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 1.00 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); | 120 | 7 | 30 | Option 1: (1st Application): 1.00 (14-14-14); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.00 (0-0-60); | | |
| DATU ABDULLAH SANGKI | 078 | M-L-H-ML | 90 | 7 | 40 | Option 1: (1st Application): 1.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); | 100 | 7 | 40 | Option 1: (1st Application): 1.00 (14-14-14); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); | 110 | 7 | 50 | Option 1: (1st Application): 1.00 (14-14-14); 2.25 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 4.75 (46-0-0); (3rd Application): 1.75 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); | 120 | 7 | 50 | Option 1: (1st Application): 1.00 (14-14-14); 2.50 (46-0-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 3.00 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 1.75 (0-0-60); | | |

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF MAGUINDANAO

| Municipality | Fertilizer-Guide Group | | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options | | | | | | | | | | | | | | | | | | | |
|----------------------|------------------------|-------------|--|-------------------------------|------------------|--|-----|----------------------|-------------------------------|--|--|-------------|----------------------|--|------------------|--|------------|--|-------------------------------|------------------|--|--|
| | | | INBRED RICE | | | | | | | | | HYBRID RICE | | | | | | | | | | |
| | | | WET SEASON | | | | | DRY SEASON | | | | WET SEASON | | | | | DRY SEASON | | | | | |
| | Number | Description | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | |
| | | | N | P ₂ O ₅ | K ₂ O | | | N | P ₂ O ₅ | K ₂ O | | | N | P ₂ O ₅ | K ₂ O | | | N | P ₂ O ₅ | K ₂ O | | |
| DATU ABDULLAH SANGKI | 068 | M-L-L-H | 90 | 60 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100 | 60 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 6.00 (0-18-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 2.00 (46-0-0); Option 2: (1st Application): 6.00 (16-20-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 6.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 110 | 70 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 7.00 (0-18-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.25 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 120 | 70 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 7.00 (0-18-0); (2nd Application): 2.50 (46-0-0); (3rd Application): 2.50 (46-0-0); Option 2: (1st Application): 7.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 8.00 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); | | | | |
| DATU ABDULLAH SANGKI | 076 | M-L-MH-H | 90 | 20 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.75 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100 | 20 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.00 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 110 | 30 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.25 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.50 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | 120 | 30 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.50 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.75 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); | | | | |
| DATU ABDULLAH SANGKI | 112 | M-MH-H-H | 50 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.50 (46-0-0); (3rd Application): 0.50 (46-0-0); 0.25 (0-0-60); | 60 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 0.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 0.75 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); | 70 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.50 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 0.75 (46-0-0); (3rd Application): 0.75 (46-0-0); 0.25 (0-0-60); | 80 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); (2nd Application): 1.75 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 0.78 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | | | | |

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF MAGUINDANAO

| Municipality | Fertilizer-Guide Group | | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options | | | | | | | | | | | | | | | |
|----------------------|------------------------|-------------|--|------------------|------------|--|-------------------------------|------------------|-------------|--|-------------------------------|------------------|------------|--|-------------------------------|------------------|----|--|
| | | | INBRED RICE | | | | | | HYBRID RICE | | | | | | | | | |
| | WET SEASON | | | | DRY SEASON | | | | WET SEASON | | | | DRY SEASON | | | | | |
| | Number | Description | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) |
| N | | | P ₂ O ₅ | K ₂ O | N | | P ₂ O ₅ | K ₂ O | N | | P ₂ O ₅ | K ₂ O | N | | P ₂ O ₅ | K ₂ O | | |
| DATU ABDULLAH SANGKI | 096 | M-ML-H-H | 70 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 80 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 90 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100 | 7 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); |
| DATU ABDULLAH SANGKI | 095 | M-ML-H-MH | 70 | 7 | 20 | Option 1: (1st Application): 1.00 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); | 80 | 7 | 20 | Option 1: (1st Application): 1.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.75 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.75 (0-0-60); | 90 | 7 | 30 | Option 1: (1st Application): 1.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.00 (0-0-60); | 100 | 7 | 30 | Option 1: (1st Application): 1.00 (14-14-14); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.00 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.00 (0-0-60); |
| DATU ABDULLAH SANGKI | 094 | M-ML-H-ML | 70 | 7 | 40 | Option 1: (1st Application): 1.00 (14-14-14); 1.25 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); | 80 | 7 | 40 | Option 1: (1st Application): 1.00 (14-14-14); 1.50 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.25 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); | 90 | 7 | 50 | Option 1: (1st Application): 1.00 (14-14-14); 1.75 (46-0-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.75 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 1.75 (0-0-60); | 100 | 7 | 50 | Option 1: (1st Application): 1.00 (14-14-14); 2.00 (46-0-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.50 (0-0-60); Option 2: (1st Application): 0.75 (16-20-0); (2nd Application): 2.25 (46-0-0); (3rd Application): 2.00 (46-0-0); 1.75 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 1.00 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 1.75 (0-0-60); |

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)



Department of Agriculture
BUREAU OF SOILS AND WATER MANAGEMENT
"NATIONAL SOIL SAMPLING AND TESTING FOR FERTILITY AND CROP SUITABILITY ASSESSMENT"
FERTILIZER-GUIDE FOR RICE
PROVINCE OF MAGUINDANAO

| Municipality | Fertilizer-Guide Group | | Additional 10-20 bags/ha Organic Fertilizer is recommended for all options | | | | | | | | | | | | | | | | | |
|----------------------|------------------------|-------------|--|-------------------------------|------------------|--|----------------------|-------------------------------|------------------|--|----------------------|-------------------------------|------------------|--|----------------------|-------------------------------|------------------|--|--|--|
| | | | INBRED RICE | | | | | | | HYBRID RICE | | | | | | | | | | |
| | WET SEASON | | | | | DRY SEASON | | | | | WET SEASON | | | | | DRY SEASON | | | | |
| | Number | Description | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | Nutrient Requirement | | | Recommended Fertilizer Rate (bags/hectare) | | |
| | | | N | P ₂ O ₅ | K ₂ O | | N | P ₂ O ₅ | K ₂ O | | N | P ₂ O ₅ | K ₂ O | | N | P ₂ O ₅ | K ₂ O | | | |
| DATU ABDULLAH SANGKI | 092 | M-ML-MH-H | 70 | 20 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.25 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 1.50 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.50 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 80 | 20 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.50 (46-0-0); 1.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 2.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 1.75 (46-0-0); 2.25 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 90 | 30 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 1.75 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.00 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.00 (46-0-0); (3rd Application): 1.00 (46-0-0); 0.25 (0-0-60); | 100 | 30 | 7 | Option 1: (1st Application): 1.00 (14-14-14); 2.00 (46-0-0); 2.75 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); Option 2: (1st Application): 3.00 (16-20-0); (2nd Application): 2.00 (46-0-0); (3rd Application): 1.50 (46-0-0); 0.25 (0-0-60); Option 3: (1st Application): 2.25 (46-0-0); 3.50 (0-18-0); (2nd Application): 1.25 (46-0-0); (3rd Application): 1.25 (46-0-0); 0.25 (0-0-60); | | |

FOR THE LEGEND

Fertilizer Guide for Rice

For Transplanted

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: after last harrowing

2nd Application: 10-14 DAT (days after transplanting)

3rd Application: 20-25 DAT (days after transplanting)

For Direct Seeded

After second harrowing: 10-20 bags organic fertilizer (basal)

Inorganic Fertilizer:

1st Application: 10 -15 DAS (days after seeding)

2nd Application: 20-30 DAS (days after seeding)

3rd Application: 35-45 DAS (days after seeding)